



## Cambridge International AS & A Level

---

**BIOLOGY**

**9700/33**

Paper 3 Advanced Practical Skills 1

**February/March 2022**

MARK SCHEME

Maximum Mark: 40

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2022 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

---

This document consists of **7** printed pages.

**PUBLISHED****Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question. (However, use of the full mark range may be limited according to the quality of the candidate responses seen.)

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Science-Specific Marking Principles**

|   |  |
|---|--|
| 1 | Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.  |
| 2 | The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.  |
| 3 | Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).  |
| 4 | The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.   |
| 5 | <p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State <b>two</b> reasons ...):</p> <ul style="list-style-type: none"> <li>• The response should be read as continuous prose, even when numbered answer spaces are provided.</li> <li>• Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>.</li> <li>• Incorrect responses should not be awarded credit but will still count towards <i>n</i>.</li> <li>• Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should <b>not</b> be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.</li> <li>• Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.</li> </ul> |

**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g.  $a \times 10^n$ ) in which the convention of restricting the value of the coefficient ( $a$ ) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

**7** Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

**Mark scheme abbreviations:**

|                  |  |
|------------------|--|
| ;                | separates marking points   |
| /                | alternative answers for the same marking point                                       |
| <b>R</b>         | reject   |
| <b>A</b>         | accept   |
| <b>I</b>         | ignore   |
| AVP              | any valid point  |
| AW               | alternative wording (where responses vary more than usual)                           |
| ecf              | error carried forward  |
| <u>underline</u> | actual word underlined must be used by the candidate (grammatical variants accepted) |
| max              | indicates the maximum number of marks that can be given                              |
| ora              | or reverse argument  |

**PUBLISHED**

| Question   | Answer   | Marks |
|------------|--|-------|
| 1(a)(i)    | all three directions correct ;<br>in order from left to right $\uparrow$ and $\downarrow$ and $\leftrightarrow$  | 1     |
| 1(a)(ii)   | 1 <i>labels under beakers from left to right:</i><br>0.5, 0.25, 0.125, 0.0625 <u>and</u> mol dm <sup>-3</sup> at least once ;<br>2 shows transfer of 50 cm <sup>3</sup> to each beaker from the previous beaker ;<br>3 shows 50 cm <sup>3</sup> of <b>W</b> added to each beaker ;   | 3     |
| 1(a)(iii)  | cut all potato cylinders to the same length ;  | 1     |
| 1(a)(iv)   | appropriate volume <u>and</u> units ;  | 1     |
| 1(a)(v)    | 1 <i>heading for independent variable:</i> concentration of sucrose / mol dm <sup>-3</sup> <u>and</u> before heading for dependent variable ;<br>2 <i>heading for dependent variable:</i> direction of movement ;<br>3 speed of movement recorded appropriately ;<br>4 results for all concentrations <u>and</u> trials ;<br>5 direction of movement changing from movement up to movement down as sucrose concentration decreases ;<br>6 different speeds recorded with fastest up at high sucrose concentrations <u>and</u> fastest down at low sucrose concentrations ; | 6     |
| 1(a)(vi)   | correct estimate from student's results of the concentration of sucrose with a water potential equal to the water potential of the potato tissue ;   | 1     |
| 1(a)(vii)  | 1 narrower range of sucrose concentrations ;<br>2 between a named range specific to candidate's results ;  | 2     |
| 1(a)(viii) | 1 ref. to molecules are moving / no overall movement / no net movement ;<br><b>reject</b> molecules are not moving<br>2 equal rate in both directions ;  | 2     |
| 1(a)(ix)   | <i>any one from:</i><br>ref. to drop does not keep shape ;<br>difficult to hold pipette still ;<br>difficult to judge speed ;  | 1     |

| Question | Answer   | Marks    |
|----------|--|----------|
| 1(b)(i)  | <p>1 <i>x-axis</i>:<br/>concentration of sodium chloride solution / mol dm<sup>-3</sup><br/><u>and</u><br/><i>y-axis</i>:<br/>percentage or % change in mass ;</p> <p>2 <i>scale on x-axis</i>:<br/>0.2 mol dm<sup>-3</sup> to 2 cm, labelled at least every 2 cm<br/><u>and</u><br/><i>scale on y-axis</i>:<br/>2% to 2 cm, labelled at least every 2 cm ;</p> <p>3 correct plotting of all points using small crosses or dots in circles ;</p> <p>4 thin line passing through all points <u>and</u> line is either smooth curve or joined point-to-point with straight lines ;</p> | <b>4</b> |
| 1(b)(ii) | correct estimate based on candidate's graph ;  | <b>1</b> |

| Question | Answer   | Marks    |
|----------|--|----------|
| 2(a)(i)  | <p>1 uses most of the available space <u>and</u> shows three or more tissue layers ;</p> <p>2 draws only the region indicated (quarter of stem) <u>and</u> no cells ;</p> <p>3 draws epidermis as two lines ;</p> <p>4 correct proportions of vascular bundle <u>and</u> tissue above ;</p> <p>5 label line <u>and</u> label to xylem ;</p>  | <b>5</b> |
| 2(a)(ii) | <p>1 uses most of the available space <u>and</u> lines continuous, thin and sharp ;</p> <p>2 draws only four whole vessels <u>and</u> each vessel touches at least one other <u>and</u> in a line ;</p> <p>3 two lines around each vessel <u>and</u> three lines where vessels touch ;</p> <p>4 correct shape of vessels ;</p> <p>5 label line <u>and</u> label to one lumen ;</p> | <b>5</b> |

| Question                     | Answer   | Marks     |          |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
|------------------------------|--|-----------|----------|----------|--|----------------------------|------|-----|---|------------------------------|------------|---------|---|------------------|--------|----------|---|------------|--------|---------|---|----------------|--------|---------|---|-----|-----------|-----------|---|----------|
| 2(b)                         | <p><i>any three from:</i></p> <table border="1" data-bbox="331 284 1151 687"> <thead> <tr> <th data-bbox="331 284 759 339">feature</th> <th data-bbox="759 284 954 339">slide J1</th> <th data-bbox="954 284 1151 339">Fig. 2.2</th> <th data-bbox="1151 284 1189 339"></th> </tr> </thead> <tbody> <tr> <td data-bbox="331 339 759 395">number of vascular bundles</td> <td data-bbox="759 339 954 395">many</td> <td data-bbox="954 339 1151 395">few</td> <td data-bbox="1151 339 1189 395">;</td> </tr> <tr> <td data-bbox="331 395 759 451">position of vascular bundles</td> <td data-bbox="759 395 954 451">peripheral</td> <td data-bbox="954 395 1151 451">central</td> <td data-bbox="1151 395 1189 451">;</td> </tr> <tr> <td data-bbox="331 451 759 507">vascular bundles</td> <td data-bbox="759 451 954 507">joined</td> <td data-bbox="954 451 1151 507">separate</td> <td data-bbox="1151 451 1189 507">;</td> </tr> <tr> <td data-bbox="331 507 759 563">air spaces</td> <td data-bbox="759 507 954 563">absent</td> <td data-bbox="954 507 1151 563">present</td> <td data-bbox="1151 507 1189 563">;</td> </tr> <tr> <td data-bbox="331 563 759 619">sclereids / AW</td> <td data-bbox="759 563 954 619">absent</td> <td data-bbox="954 563 1151 619">present</td> <td data-bbox="1151 563 1189 619">;</td> </tr> <tr> <td data-bbox="331 619 759 687">AVP</td> <td data-bbox="759 619 954 687">described</td> <td data-bbox="954 619 1151 687">described</td> <td data-bbox="1151 619 1189 687">;</td> </tr> </tbody> </table> | feature   | slide J1 | Fig. 2.2 |  | number of vascular bundles | many | few | ; | position of vascular bundles | peripheral | central | ; | vascular bundles | joined | separate | ; | air spaces | absent | present | ; | sclereids / AW | absent | present | ; | AVP | described | described | ; | <b>3</b> |
| feature                      | slide J1   | Fig. 2.2  |          |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| number of vascular bundles   | many   | few       | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| position of vascular bundles | peripheral   | central   | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| vascular bundles             | joined   | separate  | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| air spaces                   | absent   | present   | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| sclereids / AW               | absent   | present   | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| AVP                          | described  | described | ;        |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| 2(c)(i)                      | <p>1 records correct length of five air spaces <u>and</u> units ;<br/>           2 shows addition of five measurements <u>and</u> division by five ;</p>   | <b>2</b>  |          |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |
| 2(c)(ii)                     | <p>1 shows division by magnification (<math>\times 48</math>) ;<br/>           2 correct numerical answer matched with appropriate units ;</p>   | <b>2</b>  |          |          |  |                            |      |     |   |                              |            |         |   |                  |        |          |   |            |        |         |   |                |        |         |   |     |           |           |   |          |