

## Cambridge International AS & A Level

BIOLOGY 9700/12

Paper 1 Multiple Choice

May/June 2025

1 hour 15 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

#### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.



This document has 20 pages. Any blank pages are indicated.

IB25 06\_9700\_12/5RP © UCLES 2025


[Turn over

1 Which row shows possible uses of an eyepiece graticule?

|   | comparing the diameter of two cells viewed with a ×40 objective lens | calibrating a stage<br>micrometer viewed with<br>a ×10 objective lens |                  |
|---|--|---|------------------|
| Α | ✓  | ✓   | key              |
| В | ✓  | x   | ✓ = possible     |
| С | X  | ✓   | x = not possible |
| D | X  | X   |                  |

- 2 Which statement about a light microscope is correct?
  - A As the distance to see two points as separate points decreases, the resolution also decreases.
  - **B** A bacterium  $0.2 \,\mu\text{m}$  in diameter will **not** be visible if the resolution is 220 nm.
  - **C** Two membranes that are less than 300 nm apart will be visible as two separate membranes if the wavelength of light is 600 nm.
  - **D** The resolution will improve with visible light of a longer wavelength, such as red light.

3 The electron micrograph shows a cell.



□108 000

What is the actual maximum length of the cell?

- $\pmb{A} = 0.509\,\mu m$
- **B** 0.676 μm
- **C** 1.48 μm
- **D** 6.76 μm
- **4** The table compares some biochemical molecules of P, Q, R and S.

|   | chlorophyll | DNA | RNA | peptidoglycan |                        |
|---|-------------|-----|-----|---------------|------------------------|
| Р | ✓           | ✓   | ✓   | x             | key                    |
| Q | X           | ✓   | ✓   | x             | ✓ = present            |
| R | X           | ✓   | ✓   | ✓             | x = <b>not</b> present |
| S | X           | X   | ✓   | x             |                        |

Which row correctly identifies P, Q, R and S?

|   | Р             | Q             | R             | S           |
|---|---------------|---------------|---------------|-------------|
| Α | chloroplast   | virus         | mitochondrion | bacterium   |
| В | chloroplast   | mitochondrion | bacterium     | virus       |
| С | mitochondrion | virus         | bacterium     | chloroplast |
| D | virus         | bacterium     | mitochondrion | chloroplast |


- 5 Which cell structures contain enzymes **and** are enclosed by a double membrane?
  - 1 nucleus
  - 2 mitochondrion
  - 3 chloroplast
  - **A** 1. 2 and 3
- **B** 1 and 2 only
- 1 only **D** 2 and 3 only
- What is the order of size of cell structures?

|   | largest    |            |            | smallest  |
|---|------------|------------|------------|-----------|
| Α | centrioles | ribosomes  | lysosomes  | nucleoli  |
| В | centrioles | nucleoli   | lysosomes  | ribosomes |
| С | nucleoli   | lysosomes  | centrioles | ribosomes |
| D | nucleoli   | centrioles | ribosomes  | lysosomes |

A sample of a solution of sucrose tested for reducing sugars remains blue, but when another sample of the same solution is tested for non-reducing sugars the solution turns red.

What explains these results?

- During the non-reducing sugar test, an acid hydrolyses sucrose to glucose and fructose.
- В During the non-reducing sugar test, sucrose molecules condense into polysaccharides.
- C The reducing sugar test converts sucrose into glucose and fructose.
- The reducing sugar test hydrolyses monosaccharides to disaccharides.
- Which molecules contain at least two double bonds? 8



**9** Amylose, amylopectin and glycogen are all polysaccharides.

Enzyme X removes one maltose molecule at a time from the ends of a polysaccharide molecule by hydrolysis of  $\alpha$ -1,4-glycosidic bonds.

Which row shows how completely each of these molecules will be hydrolysed by enzyme X?

(Assume that each polysaccharide is composed of the same number of monomers before hydrolysis begins.)

|   | least completely hydrolysed |             | most completely hydrolysed |
|---|-----------------------------|-------------|----------------------------|
| Α | amylose                     | amylopectin | glycogen                   |
| В | amylose                     | glycogen    | amylopectin                |
| С | glycogen                    | amylose     | amylopectin                |
| D | glycogen                    | amylopectin | amylose                    |

- 10 Which property of water enables sweating to be an efficient means of losing heat from the body?
  - **A** The latent heat of vaporisation of water is high.
  - **B** The specific heat capacity of water is high.
  - **C** Each water molecule can form a hydrogen bond with four water molecules.
  - **D** The forces of cohesion and adhesion on water molecules are very high.
- 11 Which bonds are found in the levels of structure of a protein molecule?

|   | primary structure | secondary structure | quaternary structure |
|---|-------------------|---------------------|----------------------|
| Α | covalent bond     | hydrogen bond       | peptide bond         |
| В | covalent bond     | ionic bond          | disulfide bond       |
| С | peptide bond      | hydrogen bond       | ionic bond           |
| D | peptide bond      | ionic bond          | disulfide bond       |

12 Prokaryotes and eukaryotes use extracellular enzymes.

Extracellular digestive enzymes are found in the external environments of some prokaryotes.

Some prokaryotes are digested by hydrolytic enzymes during phagocytosis by eukaryotic cells.

Which row shows the locations where extracellular enzymes are produced?


|   | site of production of<br>digestive enzymes<br>used by prokaryotes | site of production of<br>hydrolytic enzymes used<br>by eukaryotic phagocytes |
|---|---|--|
| Α | inside cells  | inside cells   |
| В | inside cells  | outside cells  |
| С | outside cells   | inside cells   |
| D | outside cells   | outside cells  |

13 Amylase breaks down starch molecules.

Which substance will have the same number of molecules for the duration of this reaction?

- A amylase
- **B** water
- **C** maltose
- **D** amylose

14 Which graphs could show the effect of pH on the rate of enzyme-catalysed reactions?




**15** After a heart attack, the enzyme lactate dehydrogenase leaks into the blood plasma from damaged heart muscle.

What is required to measure the activity of lactate dehydrogenase activity in a sample of blood plasma?

|   | sterilisation of<br>blood plasma<br>by heating | incubation of<br>sample with<br>substrate for lactate<br>dehydrogenase | incubation of<br>sample with lactate<br>dehydrogenase<br>inhibitor |                  |
|---|--|--|--|------------------|
| Α | ✓  | ✓  | ✓  | key              |
| В | X  | ✓  | ✓  | √ = required     |
| С | X  | ✓  | x  | x = not required |
| D | X  | X  | ✓  |                  |

**16** Which graph correctly shows  $K_m$  and  $V_{max}$ ?



17 Cell membranes become less fluid as the temperature decreases.

Bacteria and yeast cannot regulate their cell temperatures.

How do bacteria and yeast maintain the fluidity of their cell membranes when the temperature decreases?


- 1 They increase the numbers of unsaturated fatty acids in their phospholipid molecules.
- 2 They increase the numbers of saturated fatty acids in their phospholipid molecules.
- 3 They increase the numbers of cholesterol molecules in their cell membranes.
- **A** 1 and 3
- **B** 1 only
- **C** 2 and 3
- **D** 2 only
- **18** Samples X, Y and Z are epidermal tissues cut from an onion. Each epidermal tissue was immersed in one of three different concentrations of a salt solution for 30 minutes.


A student observed each tissue sample with a light microscope. Then the student estimated the concentration of each salt solution using a scale.


The diagram shows the scale. P, Q and R represent the estimated concentration of the three salt solutions.



The photomicrographs show the appearance of the tissues in samples X, Y and Z.







sample X


sample Y

sample Z

Which row shows the estimated concentrations of the salt solutions in which samples Y and Z were immersed?

|   | sample Y | sample Z |
|---|----------|----------|
| Α | Р        | Q        |
| В | Р        | R        |
| С | Q        | R        |
| D | R        | Р        |


19 The graph shows the results of an osmosis investigation using potato tissue.



What is the concentration of sodium chloride solution that has the equivalent water potential to this potato tissue and what is correct about the movement of water at that point?

- A 0.37 mol dm<sup>-3</sup> and no net movement of water
- **B** 17 mol dm<sup>-3</sup> and net movement of water out of the potato tissue
- **C** 0 mol dm<sup>-3</sup> and no net movement of water
- **D** 0.9 mol dm<sup>-3</sup> and net movement of water into the potato tissue

**20** Some agar was coloured pink using a pH indicator. The pink agar was then used to make three agar cubes with different dimensions.




The cubes were placed in a beaker and covered with 0.1 mol dm<sup>-3</sup> hydrochloric acid. The temperature of the experiment was standardised at 20 °C.

Hydrochloric acid diffused into the agar cubes causing the cubes to become colourless.

What is the surface area to volume ratio of the agar cube that became colourless in the **least** amount of time?

- **A** 0.33:1
- **B** 0.83:1
- **C** 1.2:1
- **D** 3.0:1

21 The diagram shows the arrangement of chromosomes with attached spindle fibres during a stage of mitosis.



Which row correctly identifies the stage of mitosis and describes what is happening?

|   | stage of mitosis | description  |
|---|------------------|--|
| A | anaphase         | chromosomes are being pulled towards the centromeres             |
| В | metaphase        | sister chromatids are replicating prior to separation            |
| С | metaphase        | chromosomes are being positioned along the equator of the cell   |
| D | anaphase         | sister chromatids are being pulled towards the poles of the cell |

| 22 | During which | phase of the cel | cycle does DNA re | eplication take | place? |
|----|--------------|------------------|-------------------|-----------------|--------|
|----|--------------|------------------|-------------------|-----------------|--------|

- **A** G₁
- **B** G<sub>2</sub>
- C M
- **D** S

#### 23 Human body cells in interphase have 46 chromosomes.

What is correct about the number of telomeres present in prophase of a human body cell?

- A 46 as there is one telomere at the end of 46 chromosomes
- **B** 92 as there is one telomere at each end of 46 chromosomes
- **C** 92 as there is one telomere at the end of 92 chromatids
- **D** 184 as there is one telomere at each end of 92 chromatids

24 Sometimes hydrogen bonds form temporarily between the bases of two strands of RNA.

How many hydrogen bonds form when guanine and uracil each bind to their complementary base?

|   | guanine | uracil |
|---|---------|--------|
| Α | 3       | 3      |
| В | 3       | 2      |
| С | 2       | 3      |
| D | 2       | 2      |

25 The table shows all the possible DNA triplet codes for some amino acids.

| amino acid | DNA triplet code |
|------------|------------------|
| cysteine   | ACA              |
| cysteine   | ACG              |
| tryptophan | ACC              |
| isoleucine | TAA              |
| isoleucine | TAG              |
| isoleucine | TAT              |
| methionine | TAC              |

The amino acid sequence is shown.

methionine - isoleucine - cysteine - tryptophan

What is the maximum number of different DNA sequences that could produce this amino acid sequence?

**A** 1

**B** 4

**C** 6

**D** 7


### 26 Which row is correct for transpiration?

|   | definition of transpiration             | comparison of water potential                             |
|---|---|---|
| Α | evaporation of water from leaf surfaces | higher inside air spaces in the leaf than the air outside |
| В | evaporation of water from leaf surfaces | lower inside air spaces in the leaf than the air outside  |
| С | loss of water vapour from leaves        | lower inside air spaces in the leaf than the air outside  |
| D | loss of water vapour from leaves        | higher inside air spaces in the leaf than the air outside |

# 27 Which features of companion cells and xylem vessel elements make them suitable for their function?


|   | companion cells                                  | xylem vessel elements                       |
|---|--|---|
| Α | transport contents of cell in one direction only | lignified walls provide support             |
| В | cellulose walls provide support                  | nuclei allow<br>cell division               |
| С | nuclei allow<br>cell division                    | gaps between cells<br>allow rapid transport |
| D | numerous mitochondria<br>supply energy           | absence of cytoplasm<br>allows mass flow    |

28 The diagram shows some root cells.



Which statement is correct for the pathway shown by the arrows?


- A Water will be blocked by a band of suberin.
- **B** Water will move through the Casparian strip.
- **C** Water will pass easily through the root endodermis.
- **D** Water will pass through plasmodesmata.
- 29 The graph shows the diameter of a tree trunk at different times.



Which statement is correct?

- **A** J shows the expansion of the trunk as water fills the xylem during transpiration.
- **B** K shows a reduction in diameter of the trunk as water is lost from the phloem due to translocation.
- **C** K shows a reduction in diameter of the trunk due to water held in tension in the xylem.
- **D** L shows the expansion of the trunk as the phloem tissue acts as a sink at night.


**30** The plan diagrams of transverse sections of two plant organs are shown. These are **not** drawn to scale.



Which tissues contain proton pumps?

- A Q and S
- **B** Q and T
- C R and S
- **D** R and T


31 The diagrams show three types of blood cells, which are all drawn to the same scale.



Which row shows the characteristics of the cells?

|   | name of<br>blood cell X | engulfs<br>pathogens by<br>endocytosis | each responds<br>to one antigen |
|---|-------------------------|--|---------------------------------|
| Α | monocyte                | Υ                                      | Z                               |
| В | monocyte                | Z                                      | Y                               |
| С | lymphocyte              | Y                                      | Z                               |
| D | lymphocyte              | Z                                      | Y                               |

**32** The graph shows oxygen dissociation curves for three animals. The shape of each curve is influenced by respiration rate and the affinity of haemoglobin for oxygen.



What can be concluded from the graph?

- A Animal 1 has haemoglobin adapted to have a higher affinity for oxygen than animal 2.
- **B** Animal 3 has haemoglobin adapted to have a higher affinity for oxygen than animal 2.
- **C** Animal 3 has haemoglobin adapted to maintain a lower respiration rate than animal 2.
- **D** Animal 1 has haemoglobin adapted to maintain a higher respiration rate than animal 2.
- 33 Which statements about a mammalian heart are correct?
  - 1 The right atrium and right ventricle contain deoxygenated blood going to the lungs.
  - 2 The left atrium and left ventricle contain oxygenated blood going to the pulmonary circulation.
  - 3 The left ventricle has a thicker wall than the right ventricle and delivers blood at higher pressure.
  - 4 The pressure of blood in the aorta is less than that in the pulmonary artery.
  - **A** 1, 3 and 4
- **B** 1 and 3 only
- **C** 2, 3 and 4
- **D** 2 and 4 only
- **34** How is **most** carbon dioxide transported in the blood?
  - A as carbaminohaemoglobin
  - B as carbonic acid
  - **C** as hydrogencarbonate ions
  - **D** in solution in cytoplasm

35 Which row shows the tissues that are present in the wall of the trachea and the wall of the bronchus?

|   | cartilage | ciliated<br>epithelium | smooth<br>muscle |                 |
|---|-----------|------------------------|------------------|-----------------|
| Α | ✓         | ✓                      | ✓                | key             |
| В | ✓         | ✓                      | X                | ✓ = present     |
| С | ✓         | X                      | ✓                | x = not present |
| D | X         | ✓                      | X                |                 |

- 36 Which factors maintain the diffusion gradient for carbon dioxide at the surface of the alveoli?
  - 1 blood flow around the alveoli
  - 2 breathing movement exchanging air in the lungs
  - 3 thin epithelial lining of the alveoli
  - **A** 1 and 2 **B** 1 and 3 **C** 1 only **D** 2 and 3
- **37** A student made notes about two diseases: hand, foot and mouth disease (HFMD) and Lyme disease.

HFMD is caused by a viral pathogen and is transmitted in a variety of ways including:

- ingestion of water contaminated with faeces
- inhalation of droplets containing the pathogen.

Lyme disease is caused by a bacterial pathogen and is transmitted by the bite of an infected insect.

Which statement makes a correct comparison between the diseases the student wrote about and cholera, malaria or tuberculosis (TB)?

- A Antibiotics can be used to kill the vector of the pathogen that causes malaria and the vector of the pathogen that causes Lyme disease.
- **B** HFMD can be transmitted in a similiar way to either cholera or TB.
- **C** The cells of the pathogen that causes HFMD and the cells of the pathogen that causes TB are prokaryotic.
- **D** Transmission of TB and HFMD could be reduced by chlorinating drinking water.

38 Which statements explain why antibiotics may not treat cholera successfully?

- 1 The infectious organism has developed resistance to the antibiotic.
- 2 Antibiotics cannot harm viruses.
- 3 Antibiotics do **not** affect pathogens that are eukaryotic.

**A** 1, 2 and 3

**B** 1 only

C 2 only

**D** 3 only

**39** The statements describe the phagocytosis of a bacterium by a macrophage.

- 1 Digestive enzymes break down the bacterium.
- 2 Lysosome fuses with the vacuole.
- 3 Macrophage displays the bacterial antigens on its cell surface membrane.
- 4 Macrophage engulfs the bacterium and encloses it in a vacuole.
- 5 Receptors on the cell surface membrane of macrophage bind to the bacterium.

Which order is correct for phagocytosis?

**A** 
$$3 \rightarrow 5 \rightarrow 4 \rightarrow 1 \rightarrow 2$$

**B** 
$$4 \rightarrow 2 \rightarrow 1 \rightarrow 5 \rightarrow 3$$


**C** 
$$5 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 3$$

$$\textbf{D} \quad 5 \rightarrow 4 \rightarrow 3 \rightarrow 1 \rightarrow 2$$

**40** Two people, G and H, were each given an injection to protect them against a particular pathogen.

One person was injected with antibodies. The other person was injected with a vaccine.

The graph shows the concentrations of the antibody against this pathogen in the blood of the two people, G and H, during a period of 20 days after their injections.



Which row correctly describes the type of immunity shown by G and H?

|   | G                           | Н                           |
|---|-----------------------------|-----------------------------|
| Α | artificial active immunity  | artificial passive immunity |
| В | artificial passive immunity | artificial active immunity  |
| С | natural active immunity     | natural passive immunity    |
| D | natural passive immunity    | natural active immunity     |

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.