



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education
Advanced Subsidiary Level and Advanced Level

BIOLOGY

9700/31

Paper 3 Advanced Practical Skills

October/November 2009

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given, including the identity of material on microscope slides where appropriate, does not reach the candidates either directly or indirectly.



If you have any problems or queries regarding these Instructions, please contact CIE
by e-mail: International@cie.org.uk,
by phone: +44 1223 553554,
by fax: +44 1223 553558,
stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of **8** printed pages.



Instructions for preparing apparatus

These instructions give details of the apparatus required by each candidate for each experiment in this paper. A summary of the questions that will be presented to the candidates is included, where appropriate, to allow the Biology teacher to test the apparatus appropriately. **No access to the question paper is permitted in advance of the examination.**

If a candidate breaks any of the apparatus, or loses any of the material supplied, the matter should be rectified and a note made in the Supervisor's Report.

Candidates must be provided with a microscope with:

- Low-power objective lens, e.g. $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
- High-power objective lens, e.g. $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")
- Eyepiece graticule fitted within the eyepiece and visible in focus at the same time as the specimen.

Each candidate must have sole, uninterrupted, use of the microscope for at least 55 minutes.

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Pipette fillers and safety goggles should be used where necessary.

In accordance with the COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

The following codes are used where relevant.

C = corrosive substance

H = harmful or irritating substance

T = toxic substance

F = highly flammable substance

O = oxidising substance

N = harmful to environment

Centres are reminded that they are **not** permitted to open the question paper envelopes before the examination. Centres are also referred to the Handbook for Centres, and in particular Section 3.1.2 (c) (i), Security of Question Papers and Examination Materials, as well as 3.3.11.1, Practical Examinations in Science Subjects.

If there are any difficulties with any aspect of setting up this practical examination that the Centre is not able to sort out, it is essential for Centres to contact the Product Manager, Dr Rick Nelms, as soon as possible by e-mail to international@cie.org.uk, by fax to +44 1223 553558 or by phone to +44 1223 553554.

Confidential Instructions

Each candidate will require:

Question 1

Fresh **W**, **X**, **Y**, **Z**, **P**, **H**, **S** and **B** are needed for each candidate.
More of the solutions should be available if requested by candidates.

All solutions and reagents given to candidates must be in a suitable beaker, or container, to allow the removal of the solution using the appropriate syringe.

- (i) At least 10 cm³ of each of the following sucrose solutions in beakers, labelled **W**, **X**, **Y** and **Z**.

beaker	sucrose concentration /g 100 cm ⁻³
W	5.00
X	2.50
Y	1.00
Z	0.25

- (ii) Prepare a stock solution of sucrose as follows.

5 g 100 cm⁻³ sucrose stock solution

This is prepared by dissolving 5 g of sucrose in 50 cm³ of distilled water and making it up to 100 cm³ with distilled water.

Use the 5 g 100 cm⁻³ stock solution to make up the solutions as follows (this will make enough for two candidates):

beaker	concentration of sucrose /g 100 cm ⁻³	volume of 5 g 100 cm ⁻³ stock solution /cm ³	volume of distilled water /cm ³
W	5.00	20	0
X	2.50	10	10
Y	1.00	4	16
Z	0.25	1	19

- (iii) 2 cm³ of a further sucrose concentration in a large test-tube (boiling), labelled **P**, made up using 2.5 cm³ of the 5 g 100 cm⁻³ stock solution and 17.5 cm³ of distilled water.

[H] (iv) At least 20 cm³ of dilute hydrochloric acid in a beaker, labelled **H**.

- (v) At least 20 cm³ of 1 mol dm⁻³ sodium hydrogen carbonate (bicarbonate) in a beaker, labelled **S**. This is prepared by dissolving 8.4 g of sodium hydrogen carbonate in 50 cm³ of distilled water and making it up to 100 cm³ with distilled water.

[H] (vi) At least 20 cm³ of Benedict's solution in a beaker, labelled **B**.

It is advisable to wear safety glasses/goggles when handling chemicals.

Apparatus:

- (vii) Four large test-tubes (or boiling tubes).
- (viii) 400 cm³ beaker for setting up boiling water-bath to hold five large test-tubes, Bunsen burner, gauze, tripod and mat. Candidates should be provided with hot water in their beaker and further supplies made available.
- (ix) Matches or means to light a Bunsen burner.
- (x) Test-tube holder.
- (xi) One 5 cm³ or 10 cm³ syringe.
- (xii) One 1 cm³ or 2 cm³ syringe.
- (xiii) Container with tap water, labelled **for washing**.
- (xiv) Container, labelled **waste**.
- (xv) Stop clock, stop watch or sight of a clock with second hand.
- (xvi) Test-tube rack or beaker to hold large test-tubes.
- (xvii) Thermometer –10 °C to 110 °C.
- (xviii) Glass marker pen.
- (xix) Safety goggles/glasses.

The Supervisor should, **out of the sight of the candidates**, carry out **Q.1** and write the **results** in the Supervisor's report which should be enclosed with the candidates' scripts. Please ensure that if the scripts are in several packets that a copy of the Supervisor's report is enclosed with each packet of scripts. The invigilator should **not** carry out **Q.1**.

Question 3

Each candidate will require:

- (i) 5 cm³ of 4.0% boiled yeast suspension in a test-tube or small container, labelled **A1**. 4 g of dried yeast should be suspended in 100 cm³ distilled water and placed in a boiling water-bath for **at least 5 minutes**. To check that all the yeast cells are dead, place a drop of suspension onto a microscope slide and add 1 drop of methylene blue as made up below. Mix with a glass rod and leave for 5 minutes. Add a coverslip and observe using high-power objective lens of the microscope. If the cells are not all blue boil for an extra five minutes.
- (ii) 5 cm³ of 4.0% yeast suspension in a 2.0% sodium chloride solution in a test-tube, labelled **A2**. 4 g of dried yeast should be suspended in 100 cm³ of a 2.0% solution of sodium chloride. The 2.0% solution of sodium chloride is prepared by dissolving 2 g of sodium chloride in 50 cm³ of distilled water and making it up to 100 cm³ with distilled water.
- (iii) 5 cm³ of 4.0% yeast suspension with added glucose in a test-tube, labelled **A3**. 4 g of dried yeast should be suspended in 100 cm³ of warm distilled water and then 5 g of glucose sprinkled over the surface and stirred. This should be added at least 15 minutes before the candidate starts **Q.3**. The yeast needs to be actively frothing.

It is very important to try the yeast well before the practical starts to make sure that it will make an actively frothing suspension. Baker's yeast will usually froth when made up as above. Other sources of yeast may need to be kept warm overnight to become active. Fresh A3 should be provided for each candidate.

- (iv) 5 cm³ of freshly prepared 1% methylene blue solution in a container with a pipette, labelled **methylene blue**. This is prepared by dissolving 1.0 g of methylene blue and 0.6 g of sodium chloride in 50 cm³ of distilled water and making it up to 100 cm³ with distilled water.
- (v) Three microscope slides and three coverslips.
- (vi) Teat pipette (dropping pipette) to remove samples from the test-tubes.
- (vii) Container with tap water, labelled **for washing**.
- (viii) Container, labelled **waste**.
- (ix) Glass rod.
- (x) Glass marker pen.
- (xi) Paper towel for blotting.
- (xii) Stop clock, stop watch or sight of a clock.
- (xiii) A microscope:
 - Low-power objective lens, e.g. $\times 10$ (equal to 16 mm or $\frac{2}{3}$ ")
 - High-power objective lens, e.g. $\times 40$ (equal to 4 mm or $\frac{1}{6}$ ")

Each candidate must have sole, uninterrupted use of the microscope for 55 minutes.

No slides from Cambridge are required for this examination.

RETURN OF EXAMINATION MATERIALS TO CAMBRIDGE

There are no materials to return to CIE on this occasion.

REPORT FORM

The Supervisor should, **out of the sight of the candidates**, carry out **Q.1** and **Q.3** and write the **results** in the Supervisor's report which should be enclosed with the candidates' scripts. Please ensure that if the scripts are in several packets that a copy of the Supervisor's report is enclosed with each packet of scripts. The invigilator should **not** carry out **Q.1** or **Q.3**.

The teacher responsible for the examination is asked to fill in the Report Form on pages 7 and 8 of these Confidential Instructions. For Centres where more than one script envelope is used, there must be a copy of the complete Report Form in each script parcel.

These reports forms are vital in order to allow the examiners to assess all candidates as fairly as possible and should always be completed by every Centre.

A copy of the seating plan for the examination room must also be enclosed in each script parcel.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

9700/31/INST/O/N/09

This form should be completed and sent to the Examiner with the scripts.

REPORT ON PRACTICAL BIOLOGY

A Level

October/November Session 2009

The Supervisor or Teacher responsible for the subject should provide the following information.

1. Was any difficulty experienced in providing the necessary materials? If so, give brief details.

2. Give details of any difficulties experienced by particular candidates, giving names and candidate numbers. Reference should be made to:
 - (a) difficulties arising from faulty specimens or microscopes;
 - (b) accidents to apparatus or materials;
 - (c) assistance provided in case of colour-blindness;
 - (d) any other information that is likely to assist the Examiner, especially if this cannot be discovered from the scripts.

All other cases of individual hardship, e.g. illness or disability, should be reported direct to CIE on the normal 'Special Consideration Form' as detailed in Part 6 of the Handbook for Centres.

3. Results for question **1(a)(i)**.



4. Results for question **3(a)(i)**.

5. Enclose a plan of work benches with the scripts, giving details of the candidate numbers of the places occupied by the candidates for each session.

Declaration (to be signed by the Principal)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

Signed

Name (in block capitals)

Centre number

Centre name

If scripts are required by CIE to be despatched in more than one envelope, it is essential that a copy of the relevant Supervisor's report and the appropriate seating plan(s) are sent inside **each envelope**.

