

Cambridge International AS & A Level

CHEMISTRY**9701/51**

Paper 5 Planning, Analysis and Evaluation

May/June 2025**MARK SCHEME**

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **10** printed pages.

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require ***n*** responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards ***n***.
- Incorrect responses should not be awarded credit but will still count towards ***n***.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first ***n*** responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	Unclear
	Information missing or insufficient for credit
	Benefit of the doubt given
	Contradiction in response otherwise markworthy, mark not given
	Incorrect point or mark not awarded
	Part of the correct answer has been seen. Full credit has not been awarded.
	Error carried forward applied
Highlighted text	Highlighting areas of text
	Incorrect or insufficient point ignored while marking the rest of the response
	Benefit of the doubt not applied in this instance

Annotation	Meaning
On-page comment box	Allows comments to be entered on the page
Off-page comment box	Allows comments to be entered at the bottom of the RM Assessor marking window and then displayed when the associated question item is navigated to
RE	Rounding error
REP	Repeat error
SEEN	Blank page or part of script seen
SF	Error in number of significant figures
TE	Transcription error
	Correct point or mark awarded

Question	Answer	Marks								
1(a)	M1 bromobenzene is a skin irritant M2 toxic gas(es) (are produced)	2								
1(b)(i)	warm in an oven	1								
1(b)(ii)	fractional distillation	1								
1(c)(i)	arrow pointing inwards at lower entry to condenser with label 'water in'	1								
1(c)(ii)	to prevent water getting into the apparatus	1								
1(c)(iii)	to avoid pressure build up in the apparatus	1								
1(d)	M1 order of weighing 1 weighing boat + Mg is weighed 2 weighing boat is weighed after Mg is transferred M2 table + units <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="width: 150px; height: 30px;"></td> <td style="width: 50px; text-align: center; vertical-align: middle;">/ g</td> </tr> <tr> <td>1 Mass of boat + Mg (before transfer)</td> <td></td> </tr> <tr> <td>2 Mass of boat (+ residue of Mg) (after transfer)</td> <td></td> </tr> <tr> <td>Mass of Mg powder (transferred)</td> <td></td> </tr> </table>		/ g	1 Mass of boat + Mg (before transfer)		2 Mass of boat (+ residue of Mg) (after transfer)		Mass of Mg powder (transferred)		1
	/ g									
1 Mass of boat + Mg (before transfer)										
2 Mass of boat (+ residue of Mg) (after transfer)										
Mass of Mg powder (transferred)										
1(e)	5.23 cm ³	1								
1(f)	to prevent the reaction becoming too violent	1								
1(g)	hydrochloric acid is in excess	1								
1(h)	beaker B AND ethoxyethane is less dense than water	1								

Question	Answer	Marks
1(i)(i)	<p>M1 $n(\text{bromobenzene}) = 0.0500$ $n(\text{ethanal}) = 3.00 \text{ cm}^3 \times 0.788 \text{ g cm}^{-3} / 44.0 = \mathbf{0.0537 \text{ mol}}$ (Ratio is 1:1) (bromobenzene is the limiting reagent)</p> <p>M2 0.05 mol 1-phenylethanol has a mass of $0.05 \text{ mol} \times 122.0 \text{ g mol}^{-1} = 6.10 \text{ g}$ Percentage yield = $2.17 \text{ g} / 6.10 \text{ g} \times 100\% = \mathbf{35.6\%}$</p>	2
1(i)(ii)	the product contains unreacted ethanal	1

Question	Answer	Marks
2(a)	<p>M1 the solution becomes more dilute</p> <p>M2 the temperature is reduced</p>	2
2(b)	appearance of a (permanent) pink colour	1

Question	Answer				Marks																															
2(c)(i)	<table border="1"> <thead> <tr> <th data-bbox="343 211 534 266">Time / mins</th><th data-bbox="534 211 770 266">Titre, V_t / cm³</th><th data-bbox="770 211 1028 266">$(V_f - V_t)$ / cm³</th><th data-bbox="1028 211 1286 266">$\log[(V_f - V_t) / \text{cm}^3]$</th></tr> </thead> <tbody> <tr> <td data-bbox="343 274 534 330">0</td><td data-bbox="534 274 770 330">12.00</td><td data-bbox="770 274 1028 330">33.70</td><td data-bbox="1028 274 1286 330">1.528</td></tr> <tr> <td data-bbox="343 338 534 393">5</td><td data-bbox="534 338 770 393">16.40</td><td data-bbox="770 338 1028 393">29.30</td><td data-bbox="1028 338 1286 393">1.467</td></tr> <tr> <td data-bbox="343 401 534 457">10</td><td data-bbox="534 401 770 457">22.15</td><td data-bbox="770 401 1028 457">23.55</td><td data-bbox="1028 401 1286 457">1.372</td></tr> <tr> <td data-bbox="343 465 534 520">15</td><td data-bbox="534 465 770 520">23.45</td><td data-bbox="770 465 1028 520">22.25</td><td data-bbox="1028 465 1286 520">1.347</td></tr> <tr> <td data-bbox="343 528 534 584">20</td><td data-bbox="534 528 770 584">26.30</td><td data-bbox="770 528 1028 584">19.40</td><td data-bbox="1028 528 1286 584">1.288</td></tr> <tr> <td data-bbox="343 592 534 647">25</td><td data-bbox="534 592 770 647">28.70</td><td data-bbox="770 592 1028 647">17.00</td><td data-bbox="1028 592 1286 647">1.230</td></tr> <tr> <td data-bbox="343 655 534 711">180</td><td data-bbox="534 655 770 711">45.70</td><td data-bbox="770 655 1028 711"></td><td data-bbox="1028 655 1286 711"></td><td data-bbox="1971 211 2073 743" style="text-align: center;">2</td></tr> </tbody> </table>	Time / mins	Titre, V_t / cm ³	$(V_f - V_t)$ / cm ³	$\log[(V_f - V_t) / \text{cm}^3]$	0	12.00	33.70	1.528	5	16.40	29.30	1.467	10	22.15	23.55	1.372	15	23.45	22.25	1.347	20	26.30	19.40	1.288	25	28.70	17.00	1.230	180	45.70			2		2
Time / mins	Titre, V_t / cm ³	$(V_f - V_t)$ / cm ³	$\log[(V_f - V_t) / \text{cm}^3]$																																	
0	12.00	33.70	1.528																																	
5	16.40	29.30	1.467																																	
10	22.15	23.55	1.372																																	
15	23.45	22.25	1.347																																	
20	26.30	19.40	1.288																																	
25	28.70	17.00	1.230																																	
180	45.70			2																																
	<p>M1 column 3 correct</p> <p>M2 column 4 correct to four significant figures as \log(column 3)</p>																																			
2(c)(ii)	<p>M1 six points correctly plotted</p> <p>M2 straight line of best fit drawn</p>		2																																	
2(c)(iii)	<p>anomalous point circled</p> <p>AND</p> <p>the actual time of the sample removed in step 4 was higher than the recorded time (10 mins)</p>		1																																	
2(c)(iv)	<p>M1 co-ordinates read and recorded correctly</p> <p>M2 gradient to three significant figures</p>		2																																	
2(d)	<p>M1 gradient (in s^{-1}) = $-k / 2.303$ OR $k = -\text{gradient} \times 2.303$</p> <p>M2 $k = -(c)(iv) \times 2.303 / 60$</p>		2																																	

Question	Answer	Marks
2(e)	not reliable AND there is an anomalous point	1
2(f)	straight line sketched with more negative gradient with the same intercept	1