

Cambridge International AS & A Level

CHEMISTRY**9701/11**

Paper 1 Multiple Choice

May/June 2026**1 hour 15 minutes**

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

INSTRUCTIONS





- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A, B, C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.
- Important values, constants and standards are printed in the question paper.

This document has **20** pages. Any blank pages are indicated.

1 Which diagram shows the trend in radius for the five species?



2 Why is the first ionisation energy of sulfur lower than that of phosphorus?

- A** Sulfur is more electronegative than phosphorus.
- B** Sulfur forms anions more readily.
- C** In sulfur, the electron lost is paired with another electron.
- D** The sulfur atom is larger than the phosphorus atom.

3 Which statement is correct?

- A** The mass of the unified atomic mass unit is 12.0.
- B** The relative molecular mass of sodium chloride is 58.1.
- C** The relative formula mass of magnesium chloride is 95.3.
- D** The relative atomic mass of oxygen is 32.0.

- 4 Which sample of gas has the smallest volume at room conditions?
- A 17 g of ammonia
B 4 g of helium
C 4 g of hydrogen
D 35.5 g of chlorine
- 5 Which molecule or structure does **not** contain three atoms bonded at an angle between 109° and 110° ?
- A ethanoic acid
B graphite
C propane
D silicon(IV) oxide
- 6 Materials can be classified by their chemical structures. The four types of structure are metallic, ionic, simple molecular and giant molecular.

A, B, C and D all have different types of structure.

Which substance has a simple molecular structure?

	melting point / $^\circ\text{C}$	effect of adding water	electrical conductivity
A	64	reacts	good when solid
B	113	insoluble	always poor
C	767	soluble	good when solid
D	1600	insoluble	always poor

- 7 Elements X, Y and Z are all found in the first two periods of the Periodic Table.

Their Pauling electronegativity values are shown.


element	electronegativity
X	1.0
Y	2.1
Z	4.0

Substances exist with formulae XZ, YZ and Z₂.

Which row shows these substances in order of increasing melting point?

	lowest melting point	→	highest melting point
A	XZ	YZ	Z ₂
B	XZ	Z ₂	YZ
C	Z ₂	YZ	XZ
D	Z ₂	XZ	YZ

- 8 The equation for a reaction is shown.





This reaction has an enthalpy change of +172 kJ mol⁻¹.

Which deduction can be made from this information?


- A Carbon can be used as a fuel by reacting it with carbon dioxide.
- B The reaction $\text{C(s)} + \text{CO}_2\text{(g)} \rightarrow 2\text{CO(g)}$ absorbs heat from its surroundings.
- C The standard enthalpy change of combustion of carbon is +172 kJ mol⁻¹.
- D The standard enthalpy change of formation of CO is +86 kJ mol⁻¹.

- 9 Sulfur can be oxidised to produce two different oxides.



What is the standard enthalpy change, $\Delta H^\ominus$, of the reaction $2\text{SO}_2\text{(g)} + \text{O}_2\text{(g)} \rightarrow 2\text{SO}_3\text{(g)}$?

- A** -196 kJ mol^{-1} **B** -98 kJ mol^{-1} **C** $+98 \text{ kJ mol}^{-1}$ **D** $+196 \text{ kJ mol}^{-1}$
- 10 Which statement about the dichromate ion, $\text{Cr}_2\text{O}_7^{2-}$, is correct?
- A** It acts as an oxidising agent when it gains electrons.
- B** It is formed when the CrO_4^{2-} ion disproportionates into two chromium containing products.
- C** The oxidation number of chromium is +12.
- D** The sum of the oxidation numbers of all the chromium and oxygen atoms is zero.
- 11 The equation for the reaction between nitric acid and arsenous acid, H_3AsO_3 , is shown.



What are the numerical values of x and y ?

	x	y
A	1	1
B	2	3
C	3	2
D	5	3

- 12 Nitrogen dioxide dissociates according to the equation shown.




When 0.75 mol of nitrogen dioxide is heated in a vessel of volume 9.80 dm^3 at 500°C , 7.04 g of oxygen is found in the equilibrium mixture.

What is the value of K_c at this temperature?

- A** 3.84×10^{-3} **B** 0.0452 **C** 0.443 **D** 22.1

- 13 Which pH titration curve shows the result of a titration of a strong alkali with a weak acid?



- 14 Nitrogen and hydrogen react to form ammonia in a reversible reaction.




A sealed reaction vessel contains a mixture of nitrogen, hydrogen and ammonia at equilibrium at 500 K. This mixture is put into a much larger sealed vessel. The temperature in this vessel is maintained at 300 K.

Which prediction can be made with certainty?

- A Dynamic equilibrium will **not** re-establish.
- B The position of equilibrium will **not** change.
- C The rate of the forward reaction will increase.
- D The rate of the backward reaction will decrease.

- 15 The diagram shows the Boltzmann distribution of energies in one mole of a gas. The gas takes part in a reaction with an activation energy, E_a .



Which statement correctly describes the effect of an increase in temperature?

- A Peak P will be higher and fewer molecules will have energy $> E_a$.
- B Peak P will be higher and more molecules will have energy $> E_a$.
- C Peak P will be lower and fewer molecules will have energy $> E_a$.
- D Peak P will be lower and more molecules will have energy $> E_a$.

- 16 Four different reactions occur.

- 1 $\text{N}_2(\text{g})$ reacts with $\text{O}_2(\text{g})$.
- 2 $\text{NaOH}(\text{aq})$ reacts with $\text{NH}_4\text{Cl}(\text{aq})$.
- 3 $\text{NH}_3(\text{aq})$ reacts with $\text{HNO}_3(\text{aq})$.
- 4 $\text{SO}_2(\text{g})$ reacts with $\text{O}_2(\text{g})$.

Which reactions produce a basic soluble gas?

- A 1, 3 and 4
- B 1 and 4 only
- C 2 and 3
- D 2 only

17 The table contains some statements about Period 3 elements and their compounds.

In which row are both statements correct?

	statement 1	statement 2
A	the electronegativity of sodium is lower than that of sulfur	the pH of dissolved sodium oxide is lower than the pH of dissolved sulfur dioxide
B	the first ionisation energy of magnesium is lower than that of sodium	the melting point of magnesium oxide is higher than that of sodium oxide
C	the melting point of aluminium is higher than that of sodium	the melting point of aluminium chloride is lower than that of sodium chloride
D	the atomic radius of silicon is higher than that of sodium	the melting point of silicon chloride is lower than that of sodium chloride

18 Which statement explains why silicon has the highest melting point of the elements of Period 3?

- A** Each silicon atom contributes four delocalised electrons into its metallic structure.
- B** Silicon ions have the highest charge of the ions of the Period 3 elements.
- C** Silicon molecules have the strongest intermolecular forces of the Period 3 elements.
- D** Strong covalent bonds need to be broken for silicon to melt.

19 Which reaction produces the smallest total number of moles of gas?

[relative formula mass: CaCO_3 , 100.1; $\text{Sr}(\text{NO}_3)_2$, 211.6; BaCO_3 , 197.3]

- A** 3.60 g magnesium is added to 75.0 cm^3 of 3.00 mol dm^{-3} sulfuric acid
- B** 16.0 g calcium carbonate is added to 50.0 cm^3 of 4.80 mol dm^{-3} hydrochloric acid
- C** 10.6 g strontium nitrate is decomposed by heating
- D** 27.6 g barium carbonate is decomposed by heating

- 20 Barium reacts with water to produce a colourless solution, V.

A sample of V is shaken with $\text{MgCl}_2(\text{aq})$ to produce mixture W. An excess of $\text{HCl}(\text{aq})$ is added to mixture W to produce mixture X.

A second sample of V is shaken with $\text{MgSO}_4(\text{aq})$ to produce mixture Y. An excess of $\text{HCl}(\text{aq})$ is added to mixture Y to produce mixture Z.

Observations of W, X, Y and Z are made when any reaction is complete.

In which of W, X, Y and Z is a white solid observed?

- A W, X, Y and Z
 - B W, Y and Z only
 - C W and Y only
 - D X, Y and Z only
- 21 Which statement is correct?
- A Bromide ions react to form a white precipitate when added to silver nitrate solution.
 - B Bromine does **not** oxidise chloride ions when added to sodium chloride solution.
 - C Fluorine atoms form cations by accepting electrons when they react.
 - D Chloride ions are stronger reducing agents than iodide ions.
- 22 Chlorine reacts separately with water, cold aqueous sodium hydroxide and hot aqueous sodium hydroxide.

Which statement about these reactions is correct?

- A Cl^- ions are formed in two of these reactions only.
- B Chlorine reacts with hot $\text{NaOH}(\text{aq})$ to form HClO_3 .
- C Chlorine reacts with water to form HOCl .
- D Chlorine reacts with cold $\text{NaOH}(\text{aq})$ to form NaClO_2 .

23 Halide ion X^- reacts with concentrated sulfuric acid.

Among the products of the reaction is a sulfur-containing compound in which the oxidation number of the sulfur is -2 .

Which halide ion is X^- ?

- A** chloride ion or bromide ion
- B** chloride ion only
- C** bromide ion or iodide ion
- D** iodide ion only

24 The table gives information about the bonding in different species.





Which row is correct?

	species	total number of bonding electrons in the outer shells of all atoms	total number of non-bonding electrons in the outer shells of all atoms
A	nitrogen molecule	6	2
B	ammonia molecule	8	2
C	ammonium ion	8	0
D	hydroxide ion	2	8

25 The formula of 11-*cis*-retinal is $C_{20}H_{28}O$.

The structure of 11-*cis*-retinal consists of a cyclohexene ring and a long aliphatic side chain ending in an aldehyde group. The long aliphatic side chain contains one or more $C=C$ bonds. One $C=C$ bond is between carbons numbered 11 and 12. The arrangement is *cis* at this point.


Which row is correct?

	total number of $>C=C<$ double bonds	arrangement around the adjacent carbons 11 and 12
A	5	
B	5	
C	6	
D	6	

26 Which compound has the empirical formula CH_2O ?

- A butane-2,3-diol
- B ethanol
- C methyl methanoate
- D propanoic acid





- 27 The structure of an ether X is shown. The C–O–C group is the functional group in the homologous series of ethers.



Y is a functional group isomer of X.

Y exists as a pair of optical isomers.

Which structure represents Y?



- 28 This question is about the conversion of but-2-ene to butanone.

What are the correct steps to carry out this conversion?


- A** adding hot concentrated acidified KMnO_4 and heating the mixture under reflux
- B** heating with steam using an H_3PO_4 catalyst followed by heating under reflux with acidified $\text{K}_2\text{Cr}_2\text{O}_7$
- C** adding hydrogen bromide followed by boiling the mixture with $\text{NaOH}(\text{aq})$
- D** heating with acidified $\text{K}_2\text{Cr}_2\text{O}_7$ followed by distillation

29 Which compound will decolourise $\text{Br}_2(\text{aq})$ in the dark?

- A $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CO}_2\text{H}$
 B $\text{CH}_3\text{CH}_2\text{CHOHCH}_2\text{CH}_2\text{CH}_3$
 C $\text{CH}_3\text{CHCHCH}_2\text{CH}_2\text{CH}_2\text{OH}$
 D $\text{CH}_3\text{CH}_2\text{CH}_2\text{CO}_2\text{CH}_2\text{CH}_3$





30 The structure of compound Z is shown.

compound Z



One mole of compound Z reacts completely with two moles of hydrogen bromide.

What is the structure of the major product of this reaction?



31 Structural isomerism and stereoisomerism should be taken into account when answering this question.

A sample of 2-bromobutane is strongly heated in a concentrated ethanolic solution of sodium hydroxide.

How many isomeric organic products are formed?


- A 1 B 2 C 3 D 4

32 Which organic reaction has a nucleophilic substitution mechanism?

- A** $\text{CH}_3\text{CH}_2\text{Br} + \text{NaOH} \rightarrow \text{CH}_3\text{CH}_2\text{OH} + \text{NaBr}$
B $\text{CH}_3\text{CH}_2\text{Br} + \text{NaOH} \rightarrow \text{CH}_2\text{CH}_2 + \text{NaBr} + \text{H}_2\text{O}$
C $\text{C}_2\text{H}_4 + \text{HCl} \rightarrow \text{C}_2\text{H}_5\text{Cl}$
D $\text{C}_2\text{H}_6 + \text{Cl}_2 \rightarrow \text{C}_2\text{H}_5\text{Cl} + \text{HCl}$

33 When an acidified aqueous solution of potassium cyanide is added to propanone, an addition reaction takes place.

Which structure shows the intermediate formed during this reaction?



34 The structural formulas of four isomers of $\text{C}_5\text{H}_{10}\text{O}$ are listed.

- $\text{CH}_3\text{CH}(\text{OH})\text{CH}_2\text{CH}=\text{CH}_2$
- $(\text{CH}_3)_3\text{CCHO}$
- $\text{CH}_3\text{COCH}_2\text{CH}_2\text{CH}_3$
- $(\text{CH}_3)_2\text{CHCOCH}_3$

Structural isomerism only should be taken into account when answering this question.


Which row is correct?

	the number of these isomers that give a precipitate with 2,4-DNPH	the number of these isomers that give a precipitate with alkaline $\text{I}_2(\text{aq})$
A	2	2
B	2	3
C	3	2
D	3	3

35 Which reaction has ethanoic acid as one of the products?

- A CH_3CN is heated with dilute alkali under reflux.
- B $\text{CH}_3\text{CH}_2\text{CN}$ is heated with dilute acid under reflux.
- C $\text{CH}_3\text{COOCH}_3$ is heated with dilute alkali under reflux.
- D $\text{CH}_3\text{COOCH}_2\text{CH}_2\text{CH}_3$ is heated with dilute acid under reflux.




36 Primary alcohols are produced from carboxylic acids.



Which statement about this reaction is correct?

- A LiAlH_4 reduces RCOOH to RCH_2OH , but NaBH_4 does **not**.
- B LiAlH_4 and NaBH_4 will each reduce RCOOH to RCH_2OH .
- C LiAlH_4 and NaBH_4 will each hydrolyse RCOOH to RCH_2OH .
- D LiAlH_4 hydrolyses RCOOH to RCH_2OH , but NaBH_4 does **not**.

37 Three equations are shown.



Which of the equations are correct?

- A 1, 2 and 3 B 1 and 2 only C 2 only D 3 only

38 Which fragment could appear in the chain produced by polymerising 1,1-dichloroethene?

- A $-\text{CH}_2-\text{CH}_2-\text{CCl}_2-\text{CCl}_2-\text{CH}_2-\text{CH}_2-$
- B $-\text{CHCl}-\text{CHCl}-\text{CHCl}-\text{CHCl}-\text{CHCl}-\text{CHCl}-$
- C $-\text{CH}_2-\text{CCl}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CCl}_2-$
- D $-\text{CCl}_2-\text{CCl}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CCl}_2-$

- 39 A sample of 2.76 g of ethanol was mixed with an excess of aqueous acidified potassium dichromate(VI). The reaction mixture was then heated under reflux for one hour. The required organic product was then collected by distillation.

The yield of product was 75.0%.

Which mass of product was collected?

- A 1.26 g B 1.98 g C 2.07 g D 2.70 g


- 40 The infrared spectrum of X shows absorptions at 2200 cm^{-1} and 1630 cm^{-1} .

The mass spectrum of X shows:

- a peak for the molecular ion, X^+ , with a relative abundance of 38
- a peak for the ion, $[X+1]^+$, with a relative abundance of 2.9.

bond	functional groups containing the bond	characteristic infrared absorption range (in wavenumbers) / cm^{-1}
C–O	hydroxy, ester	1040–1300
C=C	aromatic compound, alkene	1500–1680
C=O	amide carbonyl, carboxyl ester	1640–1690 1670–1740 1710–1750
C≡N	nitrile	2200–2250
C–H	alkane	2850–2950
N–H	amine, amide	3300–3500
O–H	carboxyl hydroxy	2500–3000 3200–3650

What is a possible structure of X?



Important values, constants and standards

molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4 \text{ C mol}^{-1}$
Avogadro constant	$L = 6.022 \times 10^{23} \text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19} \text{ C}$
molar volume of gas	$V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ ($4.18 \text{ J g}^{-1} \text{ K}^{-1}$)

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge International Education is the name of our awarding body and a part of Cambridge University Press & Assessment, which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1	2	1										13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Key atomic number atomic symbol name relative atomic mass												1 H hydrogen 1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
3	4													5	6	7	8	9	10	11	12	13	14	15	16	17	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Li lithium 6.9	Be beryllium 9.0	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57–71 lanthanoids	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89–103 actinoids	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
Na sodium 23.0	Mg magnesium 24.3	Sc scandium 45.0	Ti titanium 47.9	V vanadium 50.9	Cr chromium 52.0	Mn manganese 54.9	Fe iron 55.8	Co cobalt 58.9	Ni nickel 58.7	Cu copper 63.5	Zn zinc 65.4	Ga gallium 69.7	Ge germanium 72.6	As arsenic 74.9	Se selenium 79.0	Br bromine 79.9	Kr krypton 83.8	Rb rubidium 85.5	Sr strontium 87.6	Y yttrium 88.9	Zr zirconium 91.2	Nb niobium 92.9	Mo molybdenum 95.9	Tc technetium —	Ru ruthenium 101.1	Rh rhodium 102.9	Pd palladium 106.4	Ag silver 107.9	Cd cadmium 112.4	In indium 114.8	Sn tin 118.7	Sb antimony 121.8	Te tellurium 127.6	I iodine 126.9	Xe xenon 131.3	Cs caesium 132.9	Ba barium 137.3	La lanthanum 138.9	Ce cerium 140.1	Pr praseodymium 140.9	Nd neodymium 144.2	Pm promethium —	Sm samarium 150.4	Eu europium 151.9	Gd gadolinium 157.3	Tb terbium 158.9	Dy dysprosium 162.5	Ho holmium 164.9	Er erbium 167.3	Tm thulium 168.9	Yb ytterbium 173.0	Lu lutetium 174.9	Hf hafnium 178.5	Ta tantalum 180.9	W tungsten 183.8	Re rhenium 186.2	Os osmium 190.2	Ir iridium 192.2	Pt platinum 195.1	Au gold 197.0	Hg mercury 200.6	Tl thallium 204.4	Pb lead 207.2	Bi bismuth 209.0	Po polonium —	At astatine —	Rn radon —	Fr francium —	Ra radium —	Ac actinium —	Th thorium 232.0	Pa protactinium 231.0	U uranium 238.0	Np neptunium 237.0	Pu plutonium 244.0	Am americium 243.0	Cm curium 247.0	Bk berkelium 247.0	Cf californium 251.0	Es einsteinium 252.0	Fm fermium 257.0	Mn mendelevium 258.0	Nv nihonium 259.0	Ds darmstadtium 271.0	Rg roentgenium —	Cn copernicium —	Nh nihonium —	Fl flerovium —	Mc moscovium —	Lv livermorium —	Ts tennessine —	Og oganeson —																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Li lithium 6.9	Be beryllium 9.0	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

57	La	lanthanum	138.9
58	Ce	cerium	140.1
59	Pr	praseodymium	140.9
60	Nd	neodymium	144.2
61	Pm	promethium	—
62	Sm	samarium	150.4
63	Eu	euporium	152.1
64	Gd	gadolinium	157.3
65	Tb	terbium	158.9
66	Dy	dysprosium	162.5
67	Ho	holmium	164.9
68	Er	erbium	167.3
69	Tm	thulium	168.9
70	Yb	ytterbium	173.1
71	Lu	lutetium	175.0
72	Hf	hafnium	178.5
73	Ta	tantalum	180.9
74	W	tungsten	183.8
75	Re	rhenium	186.2
76	Os	osmium	190.2
77	Ir	iridium	192.2
78	Pt	platinum	195.1
79	Au	gold	197.0
80	Hg	mercury	200.6
81	Tl	thallium	204.4
82	Pb	lead	207.2
83	Bi	bismuth	209.0
84	Po	polonium	—
85	At	astatine	—
86	Rn	radon	—
87	Fr	francium	—
88	Ra	radium	—
89	Ac	actinium	—
90	Th	thorium	232.0
91	Pa	protactinium	231.0
92	U	uranium	238.0
93	Np	neptunium	—
94	Pu	plutonium	—
95	Am	americium	—
96	Cm	curium	—
97	Bk	berkelium	—
98	Cf	californium	—
99	Es	einsteinium	—
100	Fm	fermium	—
101	Md	mendelevium	—
102	No	nobelium	—
103	Lr	lawrencium	—
104	Rf	rutherfordium	—
105	Db	bohrium	—
106	Sg	seaborgium	—
107	Bh	bohrium	—
108	Hs	hassium	—
109	Mt	meitnerium	—
110	Ds	darmstadtium	—
111	Rg	roentgenium	—
112	Cn	copernicium	—
113	Nh	nihonium	—
114	Fl	flerovium	—
115	Mc	moscovium	—
116	Lv	livermorium	—
117	Ts	tennessine	—
118	Og	oganeson	—

lanthanoids

actinoids