

# Cambridge International AS & A Level

---

**COMPUTER SCIENCE****9618/22**

Paper 2 Fundamental Problem-solving and Programming Skills

**May/June 2024****MARK SCHEME**

Maximum Mark: 75

---

Published

---

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

This document consists of **12** printed pages.

**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

**Mark scheme abbreviations**

/	separates alternative words / phrases within a marking point
//	separates alternative answers within a marking point
<b>underline</b>	actual word given must be used by candidate (grammatical variants accepted)
<b>max</b>	indicates the maximum number of marks that can be awarded
( )	the word / phrase in brackets is not required, but sets the context

**Note:** No marks are awarded for using brand names of software packages or hardware.

Question	Answer				Marks																						
1(a)	<table border="1"> <thead> <tr> <th>Pseudocode example</th> <th>Selection</th> <th>Iteration</th> <th>Input/Output</th> <th></th> </tr> </thead> <tbody> <tr> <td> FOR Index ← 1 TO 10  Data[Index] ← 0  NEXT Index </td><td></td><td>✓</td><td></td><td></td></tr> <tr> <td>WRITEFILE ThisFile, "*****"</td><td></td><td></td><td>✓</td><td></td></tr> <tr> <td>UNTIL Level &gt; 25</td><td></td><td>✓</td><td></td><td></td></tr> <tr> <td>IF Mark &gt; 74 THEN  READFILE OldFile,  Data  ENDIF</td><td>✓</td><td></td><td>✓</td><td></td></tr> </tbody> </table> <p>One mark per row.</p>	Pseudocode example	Selection	Iteration	Input/Output		FOR Index ← 1 TO 10 Data[Index] ← 0 NEXT Index		✓			WRITEFILE ThisFile, "*****"			✓		UNTIL Level > 25		✓			IF Mark > 74 THEN READFILE OldFile, Data ENDIF	✓		✓		4
Pseudocode example	Selection	Iteration	Input/Output																								
FOR Index ← 1 TO 10 Data[Index] ← 0 NEXT Index		✓																									
WRITEFILE ThisFile, "*****"			✓																								
UNTIL Level > 25		✓																									
IF Mark > 74 THEN READFILE OldFile, Data ENDIF	✓		✓																								
1(b)	<table border="1"> <thead> <tr> <th>Expression</th> </tr> </thead> <tbody> <tr> <td>MyInt ← INT (3.1415926)</td></tr> <tr> <td>MyChar ← MID ("Elwood", 3, 1)</td></tr> <tr> <td>Any of:  <ul style="list-style-type: none"> <li>MyString ← NUM_TO_STR (INT (27.509))</li> <li>MyString ← CHR (INT (27.509))</li> <li>MyString ← TO_UPPER( NUM_TO_STR( 27.509))</li> <li>MyString ← TO_LOWER( NUM_TO_STR( 27.509))</li> </ul> </td></tr> <tr> <td>Any of:  <ul style="list-style-type: none"> <li>MyInt ← STR_TO_NUM ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( LEFT ("ABC123", 3))</li> </ul> </td></tr> </tbody> </table> <p>One mark per row</p>	Expression	MyInt ← INT (3.1415926)	MyChar ← MID ("Elwood", 3, 1)	Any of: <ul style="list-style-type: none"> <li>MyString ← NUM_TO_STR (INT (27.509))</li> <li>MyString ← CHR (INT (27.509))</li> <li>MyString ← TO_UPPER( NUM_TO_STR( 27.509))</li> <li>MyString ← TO_LOWER( NUM_TO_STR( 27.509))</li> </ul>	Any of: <ul style="list-style-type: none"> <li>MyInt ← STR_TO_NUM ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( LEFT ("ABC123", 3))</li> </ul>	4																				
Expression																											
MyInt ← INT (3.1415926)																											
MyChar ← MID ("Elwood", 3, 1)																											
Any of: <ul style="list-style-type: none"> <li>MyString ← NUM_TO_STR (INT (27.509))</li> <li>MyString ← CHR (INT (27.509))</li> <li>MyString ← TO_UPPER( NUM_TO_STR( 27.509))</li> <li>MyString ← TO_LOWER( NUM_TO_STR( 27.509))</li> </ul>																											
Any of: <ul style="list-style-type: none"> <li>MyInt ← STR_TO_NUM ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( RIGHT ("ABC123", 3))</li> <li>MyInt ← LENGTH ( LEFT ("ABC123", 3))</li> </ul>																											
1(c)	<p>1 mark for stating a suitable way of documenting:</p> <ul style="list-style-type: none"> <li><u>Identifier table</u> 1 mark for giving one piece of information that should be recorded. examples include: Explanation of what (each) variable is used for The purpose of (each) variable An example of data values stored // Initialisation value</li> </ul>	2																									

Question	Answer	Marks
2(a)	<pre> graph TD     START([START]) --&gt; INPUT[/INPUT Num1, Num2, Num3/]     INPUT --&gt; Q1{Is Num1 &gt; Num2 AND Num1 &gt; Num3 ?}     Q1 -- Yes --&gt; SET1[Set Ans to Num1]     Q1 -- No --&gt; Q2{Is Num2 &gt; Num3 ?}     Q2 -- Yes --&gt; SET2[Set Ans to Num2]     Q2 -- No --&gt; SET3[Set Ans to Num3]     SET1 --&gt; AVG[Set Average to (Num1 + Num2 + Num3) / 3]     SET2 --&gt; AVG     SET3 --&gt; AVG     AVG --&gt; OUTPUT[/OUTPUT "The largest is ", Ans, " and the average is ", Average/]     OUTPUT --&gt; END([END])   </pre> <p><b>Mark points</b></p> <ol style="list-style-type: none"> <li>Condition for selecting one of the input numbers as largest value</li> <li>... and assign to Ans</li> <li>Condition for selecting largest number for all three number input and assigning to Ans</li> <li>Average calculated using Num1, Num2 and Num3 and stored in a variable. Reject use of DIV</li> <li>Output of Ans and average in output symbol / parallelogram</li> </ol>	5

Question	Answer	Marks
2(b)	<p>Example solutions:</p> <pre> Flag ← GetStat() WHILE Flag &lt;&gt; TRUE     FOR Port ← 1 TO 3         CALL Reset(Port)     NEXT Port     Flag ← GetStat() ENDWHILE </pre> <p>Alternative:</p> <pre> REPEAT     Flag ← GetStat()     IF Flag &lt;&gt; TRUE THEN         FOR Port ← 1 TO 3             CALL Reset(Port)         NEXT Port     ENDIF UNTIL Flag = TRUE </pre> <p>One mark per point:</p> <ol style="list-style-type: none"> <li>1 (Outer) conditional loop testing Flag</li> <li>2 Correct assignment of Flag from GetStat() <b>in a loop</b></li> <li>3 (Inner) loop checking / counting port // Check if Port is different to 4</li> <li>4 ... loop for 3 iterations</li> <li>5 a call to Reset() <b>in a loop</b></li> </ol>	5

Question	Answer	Marks
3(a)(i)	<p>Pseudocode:</p> <pre> TYPE Component     DECLARE Item_Num : INTEGER     DECLARE Reject : BOOLEAN     DECLARE Stage : CHAR     DECLARE Limit_1 : REAL     DECLARE Limit_2 : REAL ENDTYPE </pre> <p>Mark as follows:</p> <ol style="list-style-type: none"> <li>1 One mark for TYPE and ENDTYPE statements</li> <li>2 One mark for Item_Num <b>and</b> Reject fields</li> <li>3 One mark for Stage field</li> <li>4 One mark for Limit fields as REAL</li> </ol>	4

Question	Answer	Marks
3(a)(ii)	<pre>DECLARE Item : ARRAY [1:2000] OF Component//  DECLARE Item : ARRAY [2000] OF Component//  DECLARE Item : ARRAY [0:1999] OF Component</pre> <p>One mark per underlined phrase</p>	2
3(b)	<p>One mark per point:</p> <ol style="list-style-type: none"> <li>1 Allows for iteration / can use a loop <b>to access the records / data items</b></li> <li>2 Use of index to directly access a <b>record</b> in the array // Example of simplification of code e.g. use of dot notation Item[1].Stage</li> <li>3 Simplifies the code / algorithm // Reduces duplication of code // <b>Program</b> easier to write / understand / maintain / test / debug // <b>Data items/record</b> easier to search / sort / manipulate</li> </ol>	3

Question	Answer	Marks
4	<p>Example solution:</p> <pre>PROCEDURE IsRA()   DECLARE a, b, c : INTEGER    OUTPUT "Input length of the first side"   INPUT a   OUTPUT "Input length of the second side"   INPUT b   OUTPUT "Input length of the third side"   INPUT c    IF (a * a = (b * b) + (c * c)) OR __     (b * b = (a * a) + (c * c)) OR __     (c * c = (a * a) + (b * b)) THEN     OUTPUT "It is right-angled"   ELSE     OUTPUT "Not right-angled"   ENDIF  ENDPROCEDURE</pre> <p>Mark as follows:</p> <ol style="list-style-type: none"> <li>1. Procedure heading and ending <b>and</b> declaration of all variables used</li> <li>2. Appropriate prompt and input for each length</li> <li>3. <b>One</b> correct length test</li> <li>4. <b>All three</b> length tests // selection of which test is required</li> <li>5. Output one of two messages following a reasonable attempt at MP3</li> </ol>	5

Question	Answer	Marks
5(a)(i)	<p>One mark per error:</p> <p>Syntax:</p> <ol style="list-style-type: none"> <li>1. NEXT Index (should be ENDWHILE)</li> <li>2. '&amp;' used to concatenate an integer (in OUTPUT statement)</li> </ol> <p>Other:</p> <ol style="list-style-type: none"> <li>3. Accesses element outside range // Accesses element 0</li> </ol>	<b>3</b>
5(a)(ii)	<p>One mark per point:</p> <p>Statement:</p> <ul style="list-style-type: none"> <li>• The OTHERWISE statement</li> </ul> <p>Explanation:</p> <ul style="list-style-type: none"> <li>• The result of MOD 2 can only be 0 or 1</li> </ul>	<b>2</b>
5(b)	Run-time	<b>1</b>

Question	Answer	Marks
6(a)	<p>Example solution:</p> <pre> Function Trim(Name : STRING) RETURNS STRING     CONSTANT Dots = "..."     CONSTANT Space = " "      IF LENGTH(Name) &lt;= 16 THEN         RETURN Name     ENDIF      // Otherwise it has to be trimmed      WHILE LENGTH(Name) &gt; 13         REPEAT             Name ← LEFT(Name, LENGTH(Name) - 1) // strip             last char             UNTIL RIGHT(Name, 1) = Space // back to SPACE         ENDWHILE          Name ← LEFT(Name, LENGTH(Name) - 1) // remove the         space         Name ← Name &amp; Dots         RETURN Name      ENDFUNCTION </pre> <p>Mark as follows:</p> <ol style="list-style-type: none"> <li>1. Function heading, ending, parameter and return type</li> <li>2. If length of original string <math>\leq 16</math> then return original string</li> <li>3. Any Conditional loop...</li> <li>4. until string is short enough</li> <li>5. Inner conditional loop / second condition to identify word(s) to remove from the end of string // Check to identify word(s) to remove from the end of string</li> <li>6. Attempt to strip characters back to space</li> <li>7. Correct removal of word/words from end of string <b>and</b> remove final space</li> <li>8. Concatenate Dots and return result</li> </ol> <p><b>Max 7 marks</b></p>	7
6(b)(i)	A (very) large <b>file</b> is created // redundant zeroes are stored in the file	1
6(b)(ii)	<p>One mark for:</p> <ul style="list-style-type: none"> <li>• Values are delimited by a special character / a separator character</li> <li>• First character indicates <b>sample</b> length</li> </ul> <p><b>Max 1 mark</b></p>	1
6(b)(iii)	<p>The <b>algorithm</b> to <b>store / extract / separate</b> the individual values is more complex / takes longer to execute / run / process</p> <p>NE Algorithm is more complicated</p>	1

Question	Answer	Marks																								
7(a)	<p>Examples include:</p> <p>Module: <code>IdentifyMember()</code> Use: Identifies a club member who has expressed an interest in a given class</p> <p>Module: <code>GetMemberPhoneNumber()</code> Use: Gets the mobile phone number of a member</p> <p>Module: <code>CreateMessage()</code> Use: Generates a text message to a member</p> <p>Module: <code>SendMessage()</code> Use: Sends a text message to a member in the waiting list</p> <p>One mark for name <b>and</b> use</p> <p><b>Note: max 3 marks</b></p>	3																								
7(b)(i)	<table border="1"> <thead> <tr> <th>Input</th><th>Output</th><th>Next state</th></tr> </thead> <tbody> <tr> <td></td><td></td><td>S1</td></tr> <tr> <td>Input-A</td><td>none</td><td>S3</td></tr> <tr> <td><b>Input-A</b></td><td>Output-W</td><td><b>S3</b></td></tr> <tr> <td><b>Input-B</b></td><td>none</td><td><b>S2</b></td></tr> <tr> <td>Input-B</td><td><b>none</b></td><td><b>S5</b></td></tr> <tr> <td>Input-A</td><td><b>none</b></td><td><b>S2</b></td></tr> <tr> <td><b>Input-A</b></td><td><b>Output-X</b></td><td>S4</td></tr> </tbody> </table> <p>One mark per row 3 to 7</p>	Input	Output	Next state			S1	Input-A	none	S3	<b>Input-A</b>	Output-W	<b>S3</b>	<b>Input-B</b>	none	<b>S2</b>	Input-B	<b>none</b>	<b>S5</b>	Input-A	<b>none</b>	<b>S2</b>	<b>Input-A</b>	<b>Output-X</b>	S4	5
Input	Output	Next state																								
		S1																								
Input-A	none	S3																								
<b>Input-A</b>	Output-W	<b>S3</b>																								
<b>Input-B</b>	none	<b>S2</b>																								
Input-B	<b>none</b>	<b>S5</b>																								
Input-A	<b>none</b>	<b>S2</b>																								
<b>Input-A</b>	<b>Output-X</b>	S4																								
7(b)(ii)	Input-B, Input-A	1																								

Question	Answer	Marks
8(a)	<p>One mark for reason, one for benefit</p> <p>Reason: (Program is) easier to design / implement / test / debug / modify</p> <p>Benefit: Easier to check that <b>each stage</b> works as expected</p>	2

Question	Answer	Marks
8(b)	<p>Example algorithm based on finding position of first non-space character and then using substring function:</p> <pre> FUNCTION DeleteSpaces(Line : STRING) RETURNS STRING     DECLARE NewLine : STRING     DECLARE EndOfLeading : BOOLEAN     DECLARE Count, NumSpaces : INTEGER     DECLARE NextChar : CHAR     CONSTANT Space = " "          NumSpaces ← 0     EndOfLeading ← FALSE      FOR Count ← 1 TO LENGTH(Line)         NextChar ← MID(Line, Count, 1)         IF NextChar &lt;&gt; Space AND EndOfLeading = FALSE     THEN         NumSpaces ← Count - 1 // the number to trim         EndOfLeading = TRUE     ENDIF     NEXT Count      NewLine ← RIGHT(Line, LENGTH(Line) - NumSpaces)      RETURN NewLine ENDFUNCTION </pre> <p>Mark as follows:</p> <ol style="list-style-type: none"> <li>1 Loop to length of parameter // Loop until first non-space character in Line</li> <li>2 Extract a character <b>in a loop</b></li> <li>3 Identify <u>first</u> non-space character <b>in a loop</b></li> <li>4 Attempt at removing leading spaces in Line</li> <li>5 Leading spaces removed from Line // Create new string without leading space</li> <li>6 Return a string following a reasonable attempt at removing leading spaces in Line</li> </ol>	6

Question	Answer	Marks
8(c)	<p>Example:</p> <pre> PROCEDURE Stage_2(F1, F2 : STRING)  DECLARE Line : STRING DECLARE Count : INTEGER  Count ← 0  OPEN F1 FOR READ OPEN F2 FOR APPEND  WHILE NOT EOF(F1)     READFILE F1, Line     Line ← DeleteSpaces(Line)     Line ← DeleteComment(Line)     IF Line &lt;&gt; "" THEN         WRITEFILE F2, Line // skip blank lines     ELSE         Count ← Count + 1     ENDIF ENDWHILE  CLOSEFILE F1 CLOSEFILE F2  OUTPUT Count, " blank lines were removed"  ENDPROCEDURE </pre> <p>Mark as follows:</p> <ol style="list-style-type: none"> <li>1 Procedure heading, parameters, ending</li> <li>2 Open both files in correct modes <b>and</b> subsequently close</li> <li>3 Loop to EOF(F1)</li> <li>4 Read a line from F1 <b>in a loop</b></li> <li>5 Assign return values from DeleteComment() <b>and</b> DeleteSpaces() <b>in a loop</b></li> <li>6 Check return value following both MP5 function calls is not an empty string and if so write to F2 <b>in a loop</b></li> <li>7 Count the blank lines <b>in a loop</b></li> <li>8 Output number of blank lines removed following a reasonable attempt <b>after the loop</b></li> </ol>	8