

CAMBRIDGE INTERNATIONAL EXAMINATIONS

MARK SCHEME FOR the June 2002 question papers

9691 COMPUTING

9691/1

Paper 1, maximum raw mark 90


These mark schemes are published as an aid to teachers and students, to indicate the requirements of the examination. They show the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the Report on the Examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2002 question papers for most IGCSE and GCE Advanced (A) and Advanced Subsidiary (AS) Level syllabuses.



CAMBRIDGE INTERNATIONAL EXAMINATIONS


JUNE 2002

MARK SCHEME

WAS STUDIO WAS BOX .

SYLLABUS/COMPONENT: 9691/1

COMPUTING



Page 1 of 4	Mark Scheme	Syllabus	Paper
		9691	1

9691/01 Mark Scheme June 2002

	 (i)-Devices linked by linear cable. (ii)-Devices linked by cable in completed loop. (iii)-Terminals linked to central hub. (i)-Simple to set up. (ii)-Can continue with a break in the network cable. (iii)-New stations may be added/deleted/damaged without affecting the others/data secure/no risk of collision. 	(3) a more (3)
2.	-Bar code read (or equivalent) -by laser scanner -Code is validated -sensible example of validation -Code is used to identify item record on the file -Price read from file -with item description -displayed at EPOS terminal/printed on receipt -No. in stock is decremented -test to see if order should be madeautomatic order created/output produced for manager. (1 per -, max 8)	(8)
3.	Three different pairs of data, ie different tests. For example: 2,3 to test that the system works using standard data. 2,-2 to test the effect of different signs2,-3 to test the effect of two negatives, will the algorithm distinguish according to value or magnitude. 2,2 to test the effect of both inputs being the same. Two numbers with very small(fractional)difference/to test the degree of accuracy program. (3 x 2 marks for three tests)	•
	-ROM is non volatile/read onlyRAM is volatile/read writeROM stores the bootstrapbecause the bootstrap must be present when the computer is switched onRAM stores user filesbecause they need frequent amendmentRAM stores programs -when being executed -Operating System -to allow use of different ones.	(2)

Page 2 of 4	Mark Scheme	Syllabus	Paper
- 1		9691	1

5.a) Input:

- -Touch screen...
- -the hardware is protected from the elements/protected from vandalism.

Output

- -Monitor screen...
- -to clearly show choices
- -(Low quality) printer...
- -to allow passengers to take away details.

Communications:

- -Cabling...
- -to allow data to be accessed by terminals.
- -Network card...
- -to identify terminals in communications.

Storage:

- -Central hard drive
- -to store large amounts of data which will need editing.

(Max two per type, max 8)

(8)

- b) (i)-Choices offered to the user...
 - -restricted in number...
 - -leading to further menus.


(1 per -, max 2)

(2)

- (ii)-Easy to use (even by non computer users)
- -Simple to administer (bus changes...)
- -Can be made to fit the data structure (use of a tree)

(1 per -, max 2) (2)

6. a)



Mark points:

- -Head of list table with entry.
- -Order of instruments
- -Pointers.
- -Null pointer.
- b) Any form including prose.

Mark points:

- -H of L table
- -Follow pointers
- -At each node compare value with Lute until...
- -either found, report...
- -follow pointer to data
- -or null value, report error...
- -past l in alphabet, report error.
- (1 per -, max 4) Answer equally good if held in array.

(4)

Page 3 of	4	Mark Scheme	Syllabus	Paper
			9691	1
b				
))	1 1			
		our from:	E	
		solution technically possible?/must ensure that the hard	lware requireme	nts can be
	met.	and will the colution post9/To the colution committee		
:		nuch will the solution cost?/Is the solution economic to extra costs are there above the costs of the original syst		on economi
	to run	· ·	em:/Is the soluti	
	What	are the effects going to be on human beings?/Are the cl	hanges to the wo	rkforce
	justifi			
		good are the present workforce with computers?/Is ther	e a skilled workf	orce
	availa	ole? he customers notice?/Will it effect the profile of the bu	cinece?	
		he increase in business cover the costs?/Will the profits		
		he solution create legal problems?/Is data covered by d		gislation?
	2 mar	ks each, one for the basic point and one for full explana	ition.	(8)
g a)	-Circu	nit involves setting up the route before the message is so	ent	
0. u j		et involves sending the message in segments of equal s		h finds its
		oute to the destination.	,	(2)
b)		it means that the message does not have to be reassem		
		et means that the message is almost impossible to inter	cept/The networl	
	dedic	ated to the transmission of one message.		(2)
9.	-Diffe	erent requirements of application areas		
	-one r	equires all data to be accessed in some order		
		use it is necessary to ensure that none is missed		
		other requires direct access low for immediate response to telephone request.		
		-, max 4)		(4)
	` •			(4)
10.		er should be in form of a diagram with these mark poir	ıts:	
		al index with (1 or 2 digits) ner indexes		
		ier indexes ling to data block		
		sequentially.		
		, max 3)		(3)
11	D 1			
11.		x-ups taken regularly ive at wider intervals.		
		د-up copies whole file		
		ive redundant records/files.		
		c-up used as security in case original is corrupted		
		ive is used to free space on storage (in case access is re-	quired in the futu	•
	(1 pe	r -, max 4)		(4)
12.a)	-Forn	nat check		
		sure entry is digits point digit digit.		
		racter check		
		nputs should be digits or a point.		
•		ge check than a max value for consumer bills.		
		r-, max 4)		(4)
	, L			(')

Page 4 of 4	Mark Scheme	Syllabus	Paper
		9691	1

b) -Extra digit...

- -added to digits in account number in order to check entry.
- -Weighting
- -Summation
- -Modular division
- -Remainder used.
- -Result compared with check digit.

(1 per -, max 4)

(4)

- 13. -Long periods of immobility...
 - -causing back strain/muscle problems
 - -Long periods staring at screen...
 - -causing dry eye/eye strain.
 - -Effect on eyes of radiation from the screen.
 - -Continual use of same muscle groups...
 - -RSI
 - -Move around regularly.
 - -Use ergonomic chair
 - -natural keyboards
 - -Use anti glare screen.
 - -Wrist pads

(1 per -, max 7)

(7)

- 14. -Condition driven report
 - -operational level...
 - -automatic reporting of some parameter that has been breached.
 - -E.g. outstanding account reported to elicit production of letter to customer.
 - -Strategic level report...
 - -Implies that report is collation of data, to be used to inform decision making
 - -E.g. Volume of outstanding accounts to enable a decision to be made as to appropriate level of penalties to be used. (6)

TOTAL (90)