

Cambridge International AS & A Level

MARINE SCIENCE**9693/31**

Paper 3 A Level Theory

May/June 2026**MARK SCHEME**Maximum Mark: 75

Published

This mark scheme contains the instructions and marking guidance that our examiners used to mark candidate responses for this component.

Before they start marking, examiners complete a standardisation process. They review a range of candidate responses and discuss the mark scheme in detail to agree which answers can and cannot be accepted. Examiners award marks where it is clear that candidate responses have met the requirements of the mark scheme. These requirements may vary between different components or different versions of the same component, depending on the exact requirements of the question and the candidate responses seen during the standardisation process.

Sometimes, our mark schemes may allow marks to be awarded to responses which contain elements that are factually incorrect or for content not covered by the syllabus. We do this in response to the demands of a specific question to support candidates and make sure that our assessments are fair. However, these allowances should not be used as a guide for teaching and learning.

We cannot discuss the mark scheme with schools, and we recommend that schools read the mark scheme together with the assessment material and the Principal Examiner Report for Teachers.

This document consists of **18** printed pages.

General marking principles

All examiners must apply these marking principles when marking candidate responses.

1	Examiners must award marks for each response in line with: - the specific content defined in the mark scheme - the specific skills defined in the mark scheme or in the level descriptions - the standard of response required as exemplified by the standardisation scripts.
2	Examiners must award whole marks (not half marks, or other fractions).
3	Examiners must award marks positively . This means that: - marks are not deducted for errors or omissions - marks are awarded for correct/valid answers as defined in the mark scheme and also for other valid answers which go beyond the scope of the syllabus and mark scheme referring to your team leader as appropriate - the quality of spelling, punctuation and grammar are judged only when the mark scheme indicates that these features are specifically assessed in the question. However, the meaning of all responses must be unambiguous.
4	Examiners must consistently apply the requirements of the mark scheme and any rules for what to do when candidates have not followed instructions correctly.
5	Examiners must use the full range of marks defined in the mark scheme, unless limited by the quality of the candidate responses seen.
6	Examiners must award marks according to the mark scheme and must not award marks with grade thresholds or grade descriptions in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<u>'List rule' guidance</u> For questions that require <i>n</i> responses (e.g. State two reasons ...): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. • Incorrect responses should not be awarded credit but will still count towards <i>n</i>. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.


We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	correct point or mark awarded
	incorrect point or mark not awarded
	information missing or insufficient for credit
	allow or accept
	incorrect or insufficient point ignored while marking the rest of the response
	contradiction in response, mark not awarded
	benefit of the doubt given
	error carried forward applied
	maximum mark reached
	point already given

PUBLISHED

Annotation	Meaning
	power of ten error
	incorrect point or mark not awarded
	rounding error
	point has been noted, but no credit has been given or blank page seen
	response is too vague or there is insufficient detail in response
	marking point 1 or marking point a is awarded. Used to mark against a particular marking point from an extended answer MS
	used to highlight parts of an answer / incorrect idea / irrelevant to question
	used to highlight parts of an extended response / incorrect idea / irrelevant to question
	key point attempted / working towards marking point / incomplete answer / response seen but not credited / blank page seen
ruler	allows lengths to be measured
multi-line overlay	overlays graphs

PUBLISHED

Question	Answer	Marks	Guidance
1(a)(i)	(shallow water) so <u>more</u> light + for photosynthesis ; <i>idea of</i> (muddy substrate) <u>anchors</u> plant + not uprooted by wave action ; or (muddy substrate contains) nutrients / minerals + for growth ;	2	A MAX 1 for first part answer from two different mps. if there are no other marks e.g. more light + anchors plant OR more light + nutrients
1(a)(ii)	<i>any 3 of:</i> 1 photosynthesise, so provide a source of oxygen (for respiration) ; 2 use carbon dioxide (in photosynthesis) / acts as a carbon sink, so making the water less acidic ; 3 (leaves / roots) trap, sediment / sand / silt, so improving water <u>clarity</u> / reducing turbidity ; 4 <i>idea of</i> absorb, (excess) nutrients / toxins, so reducing pollution ; 5 (long / flexible, leaves) slow down current / reduces wave action, so reducing erosion ;	3	Note – two parts required for each mark point. A MAX1 for part answers to two different marking points only if there are no other marks A substrate A fertilisers for nutrients A reducing algal blooms / eutrophication (as examples of pollution)
1(b)(i)	(number of hectares), fluctuates / keeps increasing and decreasing ;	1	
1(b)(ii)	(2012 =) 19 and (2017 =) 42 ; (difference = 42 – 19) = 23 ;	2	A any figure between 18 and 19 for 2012 and between 41 and 43 for 2017 A ecf if incorrect figures from graph A both marks for correct answer only – must be any number between 22 and 25 inclusive

PUBLISHED

Question	Answer	Marks	Guidance
1(c)	<i>any 4 of:</i> 1 <u>increased run-off</u> (from land) ; 2 as less (plant) roots to absorb water ; 3 increased, water flow / current speed ; 4 (increased flow) could dislodge seagrass plants / roots or causes fluctuations in temperature ; 5 (increased rainfall / land clearance) causes water levels to rise / increases sediment / turbidity ; 6 (increased water levels / turbidity) reduces light for photosynthesis ; 7 <u>more</u> nutrients / toxins, (in run-off) ; 8 (more nutrients) cause algal blooms or / toxins poison seagrass ; 9 (increased rainfall) decreases salinity ; 10 <i>idea of</i>, (decreased salinity) affects water potential in seagrass ;	4	Use numbered ticks for this question I any ref.to CO₂ and global warming / acidification. Note paired answers must be linked, so second mark cannot be awarded without the first. A causes flooding A chemical for toxins A fertilisers I pollutants / minerals / salts more nutrient run-off Bod 2 marks more run-off with nutrients 1 mark A cause eutrophication I kill seagrass A idea of salinity levels fluctuating / too much freshwater

PUBLISHED

Question	Answer	Marks	Guidance
1(d)	<i>any 2 of:</i> 1 replanting seagrass ; 2 planting more trees around the bay ; 3 introducing <u>legislation / restrictions</u> on recreational activities / deforestation ; 4 creating an MPA (to prevent further deforestation / land clearance) ; 5 raise awareness ;	2	A prevent / limit e.g. education programmes for schools / public ; I increased monitoring of seagrass beds / proper disposal of waste products

Question	Answer	Marks	Guidance
2(a)	oxygen <u>release</u> glucose / carbohydrate <u>ATP</u> carbon dioxide water ;;;	4	6 correct for 4 marks, 5 correct for 3 marks, 4 correct for 2 marks, 3 or 2 correct for 1 mark Put ticks down RHS A chemical formula for oxygen, water and carbon dioxide (BOD O² or CO²) A organic nutrients I glycogen or water followed by carbon dioxide

PUBLISHED

Question	Answer	Marks	Guidance
2(b)	<i>aerobic respiration</i> – cytoplasm and matrix + inner membrane / cristae of mitochondrion ; <i>anaerobic respiration</i> – cytoplasm ;	2	A cytoplasm + mitochondrion

Question	Answer	Marks	Guidance
3(a)	quadrat ;	1	R quadrant
3(b)	samples were taken, along a line / at regular intervals / every metre ;	1	A samples not selected at random
3(c)	percentage cover / ACFOR / Braun-Blanquet ;	1	A take a photo and use, computer or AI analysis of the image / surface area covered I percentage frequency
3(d)	<i>any 3 of:</i> 1 found, in shallow water ; 2 contain chlorophyll <i>a</i> ; 3 which traps red light / light around 670 nm ; 4 <u>red</u> light, cannot penetrate deep water / can only penetrate a short distance (through water) ; 5 green algae (are small and) cannot compete (for light) against brown and red macroalgae (lower down the shore) ; 6 (green macroalgae) may be able to tolerate longer, exposure to air / direct sunlight / higher temperatures ;	3	A long wavelength for red light A blue and red light A green algae lack accessory pigments (to live lower down the shore) A can tolerate desiccation I most / more light

PUBLISHED

Question	Answer	Marks	Guidance
3(e)	any 4 of: 1 (brown and red algae) contain <u>accessory pigments</u> ; 2 two examples of accessory pigments ; 3 (their pigments) trap <u>short wavelengths</u> of light or trap, wavelengths / light, which can penetrate deeper water ; 4 allows, red / brown, algae to live, lower down shore / in deeper water ; 5 brown algae trap, blue / green, wavelengths / light ; 6 red algae trap, yellow / orange, wavelengths / light ;	4	e.g. carotenoids / xanthophyll / fucoxanthin / phycobilins / phycocyanin / phycoerythrin R red light / long wavelength of light R any mention of 'brown' light A trap, OYGBIV, which penetrates deeper water (i.e. any one of these colours is OK) A correct depth from graph R if red light included R if red light included
3(f)	found in a rock pool / misidentification ;	1	A mutation / dip in landscape

Question	Answer	Marks	Guidance
4(a)(i)	any 2 of: carbon dioxide / methane / water vapour / chlorofluorocarbons (CFCs) / <u>nitrous</u> oxide ;	1	Note 2 answers required for 1 mark A correct formulae A ozone
4(a)(ii)	any 2 of: 1 (greenhouse gases) trap / reflect ; 2 <u>Infrared</u> radiation (from the ground) ; 3 (infrared radiation / heat) remains within the atmosphere ;	2	R if gases trapped A absorb for trap R if infrared coming from Sun I insulates Earth

PUBLISHED

Question	Answer	Marks	Guidance
4(a)(iii)	<i>any 2 of:</i> 1 burning / combustion, of fossil fuels ; 2 (farming), livestock / cattle / rice cultivation ; 3 deforestation ; 4 AVP ;	2	I respiration A example of fossil fuel / driving gas powered cars e.g. landfill / draining wetlands / processing petroleum / cement, steel and chemical production / drilling for oil / aerosol sprays
4(b)	1 (air) temperature has increased in <u>2023</u> (compared with previous years) ; 2 correct data, quote / comparison, between 2023 with range from 1940 to 2022 ;	2	I reference to summer / autumn / seasons e.g. highest temperature in 2022 was 16.6 °C, in 2023 it was 17 °C / temp in 2023 around 0.15 to 0.5 °C higher e.g. air temperature in 2023 always above the range from May / June onwards ;

PUBLISHED

Question	Answer	Marks	Guidance
4(c)(i)	<i>any 3 of:</i> 1 enzymes used in, (respiration / egg production), could (begin to) denature ; 2 respiration <u>rate</u> will increase / reproduction <u>rate</u> will decrease (with increasing temperature) ; 3 sea water will hold less oxygen (for respiration) / increased demand for oxygen ; 4 so less energy available for, growth / reproduction ; 5 suitable effect on breeding season ; 6 idea of, reduced, production / survival, of eggs / larvae ; 7 AVP ;	3	Answers must include a reference to respiration and reproduction for 3 marks I any ref.to salinity / pH I ref. to phytoplankton / algal blooms R no oxygen e.g. affects timing / affected by temperature e.g. may cause sex reversal in fish e.g. cannot migrate to breeding grounds

PUBLISHED

Question	Answer	Marks	Guidance
4(c)(ii)	any 4 of: 1 air temperature in 2023 is the highest on record ; 2 oceans absorb heat from the atmosphere ; 3 during El Niño upwelling is reduced / stops ; 4 less / no, <u>cold water</u> is brought to the surface ; 5 sea temperature (in the Pacific Ocean) would increase (further) ; 6 so could increase global temperatures by more than 1.5 °C ; 7 which could change ocean currents ; 8 as temperature affects water density ; 9 idea of change in weather patterns ; 10 AVP ;	4	Assume that 'water' means 'sea water'. sea temperature will be higher A global conveyor belt e.g. increased, storms / hurricanes / drought / rainfall / change in wind patterns e.g. thermocline becomes deeper / causes salinity changes / warmer water holds less carbon dioxide so less greenhouse gases stored in ocean

PUBLISHED

Question	Answer	Marks	Guidance
5	<i>any 10 of:</i> - both the kelp and salmon <u>benefit</u> (from growing close together) ; - salmon respire releasing carbon dioxide ; - carbon dioxide is, used / fixed, during photosynthesis (in kelp) ; - kelp releases oxygen (as a waste product) in photosynthesis ; - oxygen is used for (aerobic) respiration in salmon ; - salmon releases (nitrogenous) waste products ; - suitable example of how kelp uses the minerals in waste ; - idea that waste promotes growth / acts as a fertiliser for kelp ; - idea that kelp provides a habitat for salmon food sources ; - use of waste products by kelp, reduces impacts of pollution / improves water quality ; - suitable example of commercial use of kelp ; - so both salmon and kelp can be <u>harvested</u> (without impacting each other) ; - increasing income / profit ;	10	Use numbered ticks on LHS for all Section B questions I any reference to kelp providing a nursery area for salmon larvae / young I ref to extensive / intensive aquaculture A MAX 1 for salmon produces carbon dioxide for kelp and kelp produces oxygen for salmon if no mark points 2 to 5 awarded. A faeces / urine / phosphates e.g. nitrogen is used by kelp to make amino acids / proteins phosphates used to make DNA / ATP A phosphorus / magnesium makes chlorophyll I salmon eats kelp e.g. reduces the chance of algal blooms / eutrophication e.g. use in medicine / used in miso soup / as a fertiliser / can be added to fishmeal I costs

PUBLISHED

Question	Answer	Marks	Guidance
5	14 are <u>easier</u> to monitor (as they are next to each other) ; 15 suitable example, e.g. growth / disease / damage to cage ; 16 AVP ;		e.g. salmon create currents while swimming to help distribute, nutrients / gases e.g. kelp attracts wrasse that clean lice from salmon e.g. kelp reduce wave action, so protecting salmon / salmon cages from damage e.g. ensures that only one habitat is disturbed for aquaculture

Question	Answer	Marks	Guidance
6(a)	<i>any 5 of:</i> 1 Visking tubing is a membrane ; 2 is selectively permeable / it only allows, small molecules / water, to pass through / ORA ; 3 the (sucrose) solution in the Visking tubing has a lower water potential (than the sucrose solution in the beaker) ORA ; 4 <u>water</u> will move ; 5 from a high <u>water potential</u> to a lower <u>water potential</u> / <u>down</u> a <u>water potential</u> gradient ; 6 (from the beaker) into the Visking tubing ; 7 by osmosis ; 8 Visking tubing will, swell / increase in volume ;	5	I any ref. to hypotonic / hypertonic A semi-permeable / partially permeable R if sucrose or solution moving I water <u>concentration</u> A (from the 0.2 mol dm⁻³ solution) into the 0.5 mol dm⁻³ solution

PUBLISHED

Question	Answer	Marks	Guidance
6(b)	1 diffusion is the movement of substances from a high concentration to a low concentration / <u>down</u> a concentration gradient ; 2 no ATP / energy, is required / passive ; Max 4 of: 3 applies to, (large) polar molecules / ions / charged particles ; 4 carrier proteins and channel proteins used ; 5 <u>large</u> polar molecules pass through carrier proteins or charged / polar substances, pass through channel proteins ; 6 suitable example of, e.g. glucose / amino acids or e.g. water or e.g. sodium ions / chloride ions ; 7 <u>idea of proteins</u> are specific (for one substance) ; 8 ref. to channel proteins having a <u>fixed shape</u> / carrier proteins <u>change shape</u> ; 9 ref. to a factor affecting the rate of facilitated diffusion ;	6	A using the kinetic energy of the substance (for movement) R if any incorrect examples quoted e.g. only allow one type of molecule or ion to pass through it ; A protein is selective I open and close e.g. number of proteins in membrane / temperature / concentration gradient / surface area

PUBLISHED

Question	Answer	Marks	Guidance
7	<i>any 9 of:</i> <i>similarities</i> 1 (usually) have an oval shape ; 2 are membrane bound organelles / contain a, double / inner and outer, membrane; 3 (inner) membrane, is folded / forms a large surface area ; 4 liquid centre ; 5 contain enzymes / ATPase ; 6 AVP ; <i>differences</i> 7 chloroplasts are larger ; 8 <u>grana</u> are (only) present in chloroplasts ; 9 stroma in chloroplasts + matrix in mitochondria ; 10 starch grains present in chloroplasts ; 11 thylakoids, in chloroplast + cristae in mitochondria ; 12 chloroplast / thylakoids, contain light-absorbing pigments ;	9	A round / same shape R cell membrane e.g. contain, ribosomes / RNA / DNA / ETCs / genetic material R cisternae A example e.g. chlorophyll