



# Cambridge International AS & A Level

CANDIDATE  
NAME

--

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

\* 2 3 3 0 9 7 3 6 0 5 \*

**MATHEMATICS**

**9709/12**

Paper 1 Pure Mathematics 1

**May/June 2023**

**1 hour 50 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

## INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

## INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [ ].

This document has **20** pages. Any blank pages are indicated.





- 3 (a) Express  $4x^2 - 24x + p$  in the form  $a(x + b)^2 + c$ , where  $a$  and  $b$  are integers and  $c$  is to be given in terms of the constant  $p$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Hence or otherwise find the set of values of  $p$  for which the equation  $4x^2 - 24x + p = 0$  has no real roots. [1]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....







7 (a) (i) By first expanding  $(\cos \theta + \sin \theta)^2$ , find the three solutions of the equation

$$(\cos \theta + \sin \theta)^2 = 1$$

for  $0 \leq \theta \leq \pi$ .

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Hence verify that the only solutions of the equation  $\cos \theta + \sin \theta = 1$  for  $0 \leq \theta \leq \pi$  are 0 and  $\frac{1}{2}\pi$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....







The diagram shows the graph of  $y = f(x)$  where the function  $f$  is defined by

$$f(x) = 3 + 2 \sin \frac{1}{4}x \text{ for } 0 \leq x \leq 2\pi.$$

(a) On the diagram above, sketch the graph of  $y = f^{-1}(x)$ . [2]

(b) Find an expression for  $f^{-1}(x)$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

(c)



The diagram above shows part of the graph of the function  $g(x) = 3 + 2 \sin \frac{1}{4}x$  for  $-2\pi \leq x \leq 2\pi$ .

Complete the sketch of the graph of  $g(x)$  on the diagram above and hence explain whether the function  $g$  has an inverse. [2]

.....

.....

.....

(d) Describe fully a sequence of three transformations which can be combined to transform the graph of  $y = \sin x$  for  $0 \leq x \leq \frac{1}{2}\pi$  to the graph of  $y = f(x)$ , making clear the order in which the transformations are applied. [6]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....







(b) For  $a = 4$ , find the equation of the normal to the circle at  $P$ . [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) For  $a = 4$ , find the equations of the two tangents to the circle which are parallel to the normal found in (b). [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

11 The equation of a curve is

$$y = k\sqrt{4x + 1} - x + 5,$$

where  $k$  is a positive constant.

(a) Find  $\frac{dy}{dx}$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Find the  $x$ -coordinate of the stationary point in terms of  $k$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....









**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.