



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS**9709/42**

Paper 4 Mechanics

October/November 2025**1 hour 15 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 m s^{-2} .

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].


This document has **12** pages. Any blank pages are indicated.

BLANK PAGE





1



The diagram shows the displacement-time graph for the motion of a particle. The particle starts from rest at a point O and travels with constant acceleration $a \text{ m s}^{-2}$, taking 4 s to move a distance of $x \text{ m}$. The particle then returns to O with constant speed of 40 m s^{-1} , over a period of 2 s.

Find the value of x and the value of a .

[3]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.



- 2 A railway locomotive of mass 240 000 kg is towing a coach of mass 36 000 kg down a hill inclined at an angle of $\sin^{-1} 0.04$ to the horizontal. The driving force produced by the locomotive is 450 000 N and there are resistances to motion of 120 000 N on the locomotive and 15 000 N on the coach. The coupling between the locomotive and the coach is light, rigid and parallel to the hill.

Find the acceleration of the locomotive and the tension in the coupling. [5]

This image shows a full page of a handwriting practice worksheet. It consists of approximately 20 horizontal rows. Each row is defined by two parallel dotted lines, creating a series of uniform gaps for writing. The lines are evenly spaced across the entire page, providing a guide for letter height and placement. There is no text or other markings on the page.

- 3 A car of mass 1400 kg travelling on a straight horizontal road accelerates uniformly from a speed of 15 m s^{-1} to 20 m s^{-1} over a distance of 175 m.

(a) Find the time taken to travel the 175 m.

[2]

.....

.....

.....

.....

There is a constant resistance force of 800 N to the motion of the car.

- (b) (i) Use an energy method throughout to find the average power of the car's engine as the speed increases from 15 m s^{-1} to 20 m s^{-1} .

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) Find the steady speed that the car could maintain on the horizontal road if the engine is working at the power found in (b)(i).

[2]

.....

.....

.....

.....





- 4 A particle P of mass 0.1 kg is projected vertically upwards with speed 30 m s^{-1} from horizontal ground. At the same instant a particle Q of mass 0.4 kg is projected vertically upwards with speed 10 m s^{-1} from a height of 15 m above the ground. P and Q move in the same vertical line.

(a) Find the height above the ground at which P and Q collide.

[4]

[illegible]




When P and Q collide, they coalesce.

- (b)** Find the speed of the combined particle at the instant that it reaches the ground. [5]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school handwriting practice paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



5



A block of mass 5 kg is being pulled straight down a line of greatest slope of a rough plane by a force of magnitude 20 N. The plane is inclined at an angle of 10° to the horizontal and the 20 N force acts at an angle of 35° above the line of greatest slope of the plane (see diagram). The coefficient of friction between the block and the plane is 0.4. The speed of the block when it passes a point O is 2 m s^{-1} .

Find the speed of the block when it has moved 3 m down the plane from O .

[6]

[illegible]



- 6 A particle starts from rest at a point O . The acceleration of the particle at time t s after leaving O is $a \text{ ms}^{-2}$, where

$$a = 2(t+1)^{-\frac{1}{2}} - 1 \text{ for } t \geq 0.$$

Find the distance that the particle travels from O until the time at which its acceleration is zero. [8]

[illegible]




Fig. 7.1




Fig. 7.2

Four coplanar forces of magnitudes 20 N, 30 N, 15 N and 25 N act at a point P in the directions shown in Fig. 7.1. The forces act in a vertical plane. The resultant of these forces has magnitude S N and acts at an angle α° below the horizontal as shown in Fig. 7.2.

- (a)** Find the value of S and the value of α .

[6]

[illegible]



A small ring of mass 0.6 kg is threaded on a rough straight horizontal wire. The four forces shown in Fig. 7.1 act on the ring and are in the same vertical plane as the wire. The ring starts from rest and takes 3 s to travel a distance of 2 m along the wire.

- (b) Find the coefficient of friction between the ring and the wire. [5]

[illegible]



Additional page

If you use the following page to complete the answer to any question, the question number must be clearly shown.

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

