
COMPUTER SCIENCE

9608/12

Paper 1 Written Paper

May/June 2017

MARK SCHEME

Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.


Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© IGCSE is a registered trademark.

This document consists of **7** printed pages.

Question	Answer	Marks																
1(a)	Many-to-many relationship	1																
1(b)(i)	 <p>Both entities correctly labelled 1</p> <p>Correct relationship between SHOP and SHOP-SUPPLIER 1</p> <p>Correct relationship between SUPPLIER and SHOP-SUPPLIER 1</p>	3																
1(b)(ii)	<table border="1"> <thead> <tr> <th>Table</th> <th>Primary key</th> <th>Foreign keys(s) (if any)</th> <th>Explanation</th> </tr> </thead> <tbody> <tr> <td>SHOP</td> <td>ShopID</td> <td>None</td> <td></td> </tr> <tr> <td>SUPPLIER</td> <td>SupplierID</td> <td>None</td> <td></td> </tr> <tr> <td>SHOP-SUPPLIER</td> <td>ShopID AND SupplierID</td> <td>ShopID OR SupplierID (or both)</td> <td>To create a link with the SHOP or SUPPLIER table.</td> </tr> </tbody> </table> <p>SHOP has primary key ShopID and SUPPLIER has primary key SupplierID 1</p> <p>SHOP-SUPPLIER has primary key ShopID + SupplierID 1</p> <p>Both SHOP and SUPPLIER show foreign key as 'None' 1</p> <p>SHOP-SUPPLIER shows foreign key ShopID or SupplierID 1</p> <p>Explanation for SHOP-SUPPLIER foreign key describes ShopID or SupplierID creating a link 1</p>	Table	Primary key	Foreign keys(s) (if any)	Explanation	SHOP	ShopID	None		SUPPLIER	SupplierID	None		SHOP-SUPPLIER	ShopID AND SupplierID	ShopID OR SupplierID (or both)	To create a link with the SHOP or SUPPLIER table.	5
Table	Primary key	Foreign keys(s) (if any)	Explanation															
SHOP	ShopID	None																
SUPPLIER	SupplierID	None																
SHOP-SUPPLIER	ShopID AND SupplierID	ShopID OR SupplierID (or both)	To create a link with the SHOP or SUPPLIER table.															
1(b)(iii)	<p>Two from:</p> <p>The database user will <u>frequently</u> want to search on contact name 1</p> <p>The contact name attribute has been indexed 1</p> <p>It allows for a <u>fast/faster</u> search using contact name 1</p>	Max 2																
1(c)(i)	<pre>SELECT ShopID, Location FROM SHOP WHERE RetailSpecialism = 'GROCERY';</pre>	1 1 1	3															
1(c)(ii)	<pre>INSERT INTO SHOP-SUPPLIER (ShopID, SupplierID) VALUES (8765, 'SUP89');</pre>	1 1 1	3															

Question	Answer	Marks																				
2(a)	<p>One mark for each pair of rows</p> <table border="1" data-bbox="399 313 1117 660"> <thead> <tr> <th rowspan="2"></th> <th colspan="2">Type of printer</th> <th rowspan="2"></th> </tr> <tr> <th>Laser</th> <th>Inkjet</th> </tr> </thead> <tbody> <tr> <td>Impact printer</td> <td></td> <td></td> <td rowspan="2">} 1</td> </tr> <tr> <td>Non-impact printer</td> <td>✓</td> <td>✓</td> </tr> <tr> <td>Line printer</td> <td></td> <td>✓</td> <td rowspan="2">} 1</td> </tr> <tr> <td>Page printer</td> <td>✓</td> <td></td> </tr> </tbody> </table>		Type of printer			Laser	Inkjet	Impact printer			} 1	Non-impact printer	✓	✓	Line printer		✓	} 1	Page printer	✓		2
	Type of printer																					
	Laser	Inkjet																				
Impact printer			} 1																			
Non-impact printer	✓	✓																				
Line printer		✓	} 1																			
Page printer	✓																					
2(b)(i)	<p>Five from:</p> <p>The print head contains a large number of very small nozzles 1</p> <p>Ink is fed to each nozzle from a reservoir 1</p> <p>The print head fires <u>droplets</u> of ink onto the paper 1</p> <p>The print head moves horizontally across the paper 1</p> <p>Either:</p> <p>Tiny resistors create heat inside each nozzle 1</p> <p>The heat vaporises ink to create a bubble 1</p> <p>When the bubble pops the ink is deposited on the page 1</p> <p>The collapsing bubble creates a partial vacuum in the nozzle 1</p> <p>And ink is drawn from the reservoir ready for printing the next dot 1</p> <p>Or:</p> <p>There is a piezo crystal at the back of the ink reservoir of each nozzle 1</p> <p>The crystal vibrates when it receives a tiny electric charge 1</p> <p>Ink is forced out of the nozzle by the inward vibration 1</p> <p>The outward vibration creates a partial vacuum in the nozzle 1</p> <p>Replacement ink is pulled into the reservoir 1</p>	Max 5																				
2(b)(ii)	<p>Two from:</p> <p>The (print head) stepper motor is connected to the print head by a belt 1</p> <p>The (print head) stepper motor moves the print head across the paper 1</p> <p>The (parking) stepper motor parks the print head assembly when not in use 1</p> <p>The (paper feed) stepper motor turns the rollers that provide the paper feed // The (paper feed) stepper motor moves the paper in small increments 1</p>	Max 2																				
2(c)(i)	<p>Two from:</p> <p>External hard drive // External HDD 1</p> <p>External flash drive // External SSD 1</p> <p>Pen drive 1</p>	Max 2																				

Question	Answer	Marks
2(c)(ii)	<p>One from:</p> <p><i>(External) Hard drive</i></p> <p>Inexpensive per unit of storage 1</p> <p>Larger storage capacity than flash drive 1</p> <p>Or:</p> <p><i>Pen drive // (External) flash drive</i></p> <p>No moving parts / noise 1</p> <p>Low latency // fast access times 1</p> <p>Robust 1</p>	Max 1

Question	Answer	Marks
3(a)	<p>Definition: Max two from:</p> <p>The number of distinct values available to encode/represent each sample 1</p> <p>Specified by the number of bits used to encode the data for one sample 1</p> <p>Sometimes referred to as bit depth 1</p> <p>Explanation: Max two from:</p> <p>A larger sampling resolution will mean there are more values available to store each sample 1</p> <p>A larger sampling resolution will improve the accuracy of the digitised sound // A larger sampling resolution will decrease the distortion of the sound 1</p> <p>Increased sampling resolution means a smaller quantization error 1</p>	Max 3
3(b)(i)	<p>One from:</p> <p>The <u>number of pixels</u> per <u>unit measurement</u> 1</p> <p>The number of pixels in an image 1</p> <p>The number of pixels wide by the number of pixels high 1</p> <p>Number of pixels per row by the number of rows 1</p>	1
3(b)(ii)	4	1
3(b)(iii)	<p>Working: Max two from:</p> <p>Number of pixels is $8192 \cdot 256$ 1</p> <p>One pixel will be stored as one byte 1</p> <p>Number of kilobytes = $(8192 \cdot 256) / 1024$ 1</p> <p>Answer: One mark:</p> <p>Number of kilobytes = 2048 KB 1</p>	3
3(b)(iv)	<p>Two from:</p> <p>Confirmation that the file is a BMP 1</p> <p>File size 1</p> <p>Location/offset of image data within the file 1</p> <p>Dimensions of the image (in pixels) // image resolution 1</p> <p>Colour depth (bits per pixel, 1, 4, 8, 16, 24 or 32) 1</p> <p>Type of compression used, if any 1</p>	Max 2

Question	Answer	Marks
4(a)(i)	<p>Two from:</p> <p>The hardware is unusable without an OS // hides complexity of hardware from user 1</p> <p>Acts as an interface/ controls communications between user and hardware / hardware and software // or by example 1</p> <p>Provides software <u>platform / environment</u> on which other programs can be run 1</p>	2
4(a)(ii)	<p>One mark for the name and one mark for description. Max two management tasks.</p> <p>Provides the Human Computer Interface (HCI) 1</p> <p>Controls communications between user and hardware// or by example 1</p> <p>Main memory management 1</p> <p>Memory protection to ensure that two programs do not try to use the same space // Use of virtual memory // Location of processes within the memory // By example 1</p> <p>File / Secondary storage management 1</p> <p>Maintains directory structures // Provides file naming conventions // Controls access 1</p> <p>Peripheral / hardware / device / Input-Output management 1</p> <p>Installation of appropriate driver software // Controls access to data being sent to/from hardware/peripherals // Controls access to hardware/peripherals // manages communication between devices. 1</p> <p>Interrupt handling 1</p> <p>Identifies priorities of interrupts // Saves data on power outage // Loads appropriate Interrupt Service Routine (ISR) // By example 1</p> <p>Security management 1</p> <p>Makes provision for recovery when data is lost // Provides usernames and passwords // Prevents unauthorised access // Ensures privacy of data 1</p>	Max 4
4(b)(i)	File compression software	1
4(b)(ii)	Backup software	1
4(b)(iii)	Disk defragmenting software	1
4(b)(iv)	Anti-virus software	1

Question	Answer	Marks
5(a)(i)	351	1
5(a)(ii)	355	1
5(a)(iii)	22	1

Question	Answer	Marks																														
5(a)(iv)	86	1																														
5(b)	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center; border: none;">Op code</th> <th style="text-align: center; border: none;">Operand</th> <th style="border: none;"></th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">1</td><td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">1</td><td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">1</td> </tr> <tr> <td style="border: 1px solid black; text-align: center;">0</td><td style="border: 1px solid black; text-align: center;">1</td><td style="border: 1px solid black; text-align: center;">1</td> </tr> <tr> <td colspan="3" style="border: none; padding-top: 10px;">Both correct op codes</td> </tr> <tr> <td colspan="3" style="border: none; padding-top: 5px;">Operand 0100 0011</td> </tr> <tr> <td colspan="3" style="border: none; padding-top: 5px;">Operand 0000 0111</td> </tr> </tbody> </table>	Op code	Operand		0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	0	1	1	Both correct op codes			Operand 0100 0011			Operand 0000 0111			3
Op code	Operand																															
0	0	0																														
1	0	0																														
0	1	0																														
0	0	0																														
0	0	1																														
0	1	1																														
Both correct op codes																																
Operand 0100 0011																																
Operand 0000 0111																																
5(c)(i)	14 5E 14 5E	2																														
5(c)(ii)	LDR #77 LDR #77	2																														

Question	Answer	Marks
6(a)	<p>Two from:</p> <p>The <u>file</u> is made available from a web/email/FTP server 1</p> <p>The user's <u>browser</u> is the client software 1</p> <p>The client (software browser) <u>requests</u> the <u>file</u> from the server 1</p> <p>The desired <u>file</u> is returned to the client computer 1</p>	Max 2
6(b)	<p>1. The user keys in the Uniform Resource Locator (URL) into the browser Software. 1</p> <p>2. E // The Domain Name Service (DNS) uses the domain name from the browser to look up the IP address of the web server. 1</p> <p>3. D // The web server retrieves the page 1</p> <p>4. F // Sends the web page content to the browser 1</p> <p>5. B // Browser software renders the page and displays 1</p>	4
6(c)(i)	<p>Output1, Output2 1</p> <p>RunnerID // Runner ID 1</p>	2
6(c)(ii)	6 – 21	1
6(c)(iii)	13	1
6(c)(iv)	Checks that the RunnerID entered starts with the characters CAM or VAR only	1
6(c)(v)	<p>Two checks from: One mark for check and one mark for description</p> <p>Format check 1</p> <p>RunnerID is three letter characters followed by two digit characters 1</p> <p>//Position is digit characters only 1</p> <p>Length check 1</p> <p>RunnerID has exactly five characters 1</p> <p>Range check 1</p> <p>The value for Position is between 1 and (say) 50 1</p> <p>Presence check 1</p> <p>The text box for RunnerID or Position is not empty 1</p> <p>Existence check 1</p> <p>To ensure that RunnerID has been registered 1</p> <p>Uniqueness check 1</p> <p>To ensure no two runners have the same number 1</p>	Max 4