

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Level

MARK SCHEME for the November 2004 question paper

9691 COMPUTING

9691/03 Written Paper, maximum mark 90

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

- CIE will not enter into discussion or correspondence in connection with these mark schemes.



Grade thresholds taken for Syllabus 9691 (Computing) in the November 2004 examination.

	maximum mark available	minimum mark required for grade:		
		A	B	E
Component 3	90	60	54	30

The thresholds (minimum marks) for Grades C and D are normally set by dividing the mark range between the B and the E thresholds into three. For example, if the difference between the B and the E threshold is 24 marks, the C threshold is set 8 marks below the B threshold and the D threshold is set another 8 marks down. If dividing the interval by three results in a fraction of a mark, then the threshold is normally rounded down.

November 2004

Advanced Level

MARK SCHEME

MAXIMUM MARK: 90

SYLLABUS/COMPONENT: 9691/03

Computing
Written Paper 3



Page 1	Mark Scheme	Syllabus	Paper
	GCE A LEVEL– NOVEMBER 2004	9691	03

1 Reply

allows user to compose a response which is automatically sent to original correspondent by remembering address

Filing

storing the message for future use in
A selection of user designed files

Copying/forwarding

Making a copy of the message and
Forwarding it to another person by using their address

Multiple forwarding

Sending copy of message to many recipients by
Using address book

(Automatic) Deletion


Remove mail from message box after it has been sent to
Free up space

Blocking

If message is unsolicited and no further messages wanted from that source
Then provider will block future messages from that address

(2 per type, max 4 types, max 8) (8)

2.



4 marks for entities
6 marks for relationships
4 for relationship descriptions

(1 per point, max 10) (10)

Page 2	Mark Scheme	Syllabus	Paper
	GCE A LEVEL– NOVEMBER 2004	9691	03

3. (i) As jobs and files are loaded into memory they occupy space
which when vacated leaves gaps in memory
If a larger file is sent to that area and others
It has to be broken up to fit
This splitting of available memory into discontinuous pieces is called fragmentation
- (1 per point, max 3) (3)**
- (ii) Memory is divided into
regular sized areas called pages
Jobs or files are allocated a number of pages according to size of job
Pages may be discontinuous
Index of pages/files kept
Addresses can be calculated by adding page address to raw address
- (1 per point, max 3) (3)**
- (iii) Memory is divided into
variable length blocks called segments
Jobs or files can consist of many segments, different number each time taken
into memory
Segments normally match natural divide in jobs
Index of segments stored which must
Store base address and length of segment
- (1 per point, max 3) (3)**
- (iv) A whole job does not need to be resident in memory at the same time
When a new page is required it is loaded into memory over a redundant page
from a reserved area of the hard drive
User believes whole job in memory simultaneously
Erased page may need to be saved first if it has been altered
Use of cache memory
Problem of thrashing
- (1 per point, max 3) (3)**
4. Program is in modular form in machine code
The individual modules must be loaded by the loader into the computer's memory
Loader decides where modules are to be placed
Memory addresses adjusted by loader
Use of loader to load library routines
Linker links the modules correctly
Calculates addresses of the separate modules
Allows library routines to be linked to several programs
- (1 per point, max 6) (6)**

Page 3	Mark Scheme	Syllabus	Paper
	GCE A LEVEL– NOVEMBER 2004	9691	03

5. (a) Copy the address in the PC into the MAR
 Increment the PC
 Copy instruction at address held in MAR into the MDR
 Copy contents of MDR into CIR
 Execute the instruction
 By altering the PC to the value in the address part of instruction
 Reset by returning to first step
 Mark for mention of check for interrupt
- (1 per point, max 9) (9)**
- (b) (i) Many processors working together (on the same run of a program) **(1)**
- (ii) ADV speeds up processes because more than one calculation can be done at a time
 DIS Programs must be specially written **(2)**
6. (a) (i) 01101101 (1 for binary, 1 for 8 bits)
 (ii) 155 (1 for 1, 1 for 55)
 (iii) 6D (1 for 6, 1 for D) **(6)**
- (b) (i) $01111111/01111111 = 127/128 \times 2^{127}$
 $01000000/10000000 = 1/2 \times 2^{-128} (2^{-129})$
 $10000000/01111111 = -1 \times 2^{127}$
 $10111111/10000000 = -65/128 \times 2^{-128}$ **(8)**
- (c) Increase the number of bits used for the mantissa by reducing the number of bits for the exponent
 The range of numbers is reduced because
 The size of the index of the power of two is reduced
- (1 per point, max 3) (3)**
7. (a) (i) A variable which is defined for a particular use in only one part of a program /can only be used in block in which it is defined
- (ii) Can be used and have its value manipulated throughout a program
- (iii) Information about a data item being supplied to a function or procedure when it is called (and return data to calling routine) **(3)**

Page 4	Mark Scheme	Syllabus	Paper
	GCE A LEVEL– NOVEMBER 2004	9691	03

- (b) A parameter passed by value...**
a local copy of the data is stored
in a separate location from the original
the value of the parameter can be manipulated
new value is discarded and return to original when procedure is terminated
- A parameter passed by reference...**
parameter is stored in original location
a pointer is passed indicating where parameter is stored
any changes will remove old value of parameter
new value available to calling program
- (1 per point, max 5) (5)**

- (c) Empty stack**
- 100 entered as return address
6 as parameter
SP above 6
6 read by procedure
SP decremented
300,2,3 added to stack
SP above 3
3 and 2 read,
SP decremented twice
End of second procedure, return address read as 300
SP decremented
End of first procedure, return address 100 read
SP decremented
- Accept any consistent use of SP
- Diagrams showing the above are acceptable
- (1 per point, max 6) (6)**

- 8. (a)** Data collected about present conditions to include
wind speed/humidity/temperature/pressure
Also details about conditions close to required location
Predictions made (forecast) and
Prediction matched against actual results to
None predictions next time
Data collected by weather balloons/satellites/weather stations
- (1 per point, max 5) (5)**

- (b)** Vast quantities of data
Large number of calculations
To be carried out in a very short time
Application is time sensitive
Application is processor bound
Parallel processing can increase processing speeds massively
- (1 per point max 3) (3)**

Page 5	Mark Scheme	Syllabus	Paper
	GCE A LEVEL– NOVEMBER 2004	9691	03

- (c) No travel involved
Documents/maps can be shown
Discussions can be held in real time
Saves time in an application where time is of the essence
Many people may be involved giving rise to discussions

(1 per point, max 3) (3)

Total (90)