Location Entry Codes

Question Paper

Paper

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Mark Scheme

Introduction Introduction Introduction Introduction Introduction First variant Question Paper First variant Mark Scheme First variant Principal Examiner's Report Second variant Question Second variant Mark Second variant Principal

Principal Examiner's

Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

Scheme

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

• Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.

First Variant Question Paper



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

992712312

BIOLOGY 0610/31

Paper 3 Extended May/June 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	

This document consists of 17 printed pages and 3 blank pages.



Answer all the questions.

For Examiner's Use

1 Table 1.1 shows some of the external features of the five classes of vertebrates.

Complete the table by using a tick (\checkmark) to indicate if each class has the feature or a cross (\times) if it does not. The first row has been completed for you.

Table 1.1

feature	fish	amphibia	reptiles	birds	mammals
mammary glands	×	×	×	×	✓
fur / hair					
scales / scaly skin					
external ears					
feathers					

[4]

[Total: 4]

2 Fig. 2.1 shows the blood supply for the liver of a mammal.






Fig. 2.1

(a) Blood from organ X is carried to the liver by blood vessel Y.

Name

(i) organ X,

[1]

(ii) blood vessel Y.

[1]

Fig. 2.2 shows some liver cells as seen with a light microscope.




Fig. 2.2

(b) (i) Label, on Fig. 2.2, the structures A, B and C.

[3]

(ii) The distance P-Q is 0.06 mm.

Calculate the magnification of Fig. 2.2.

Show your working.

Magnification = x [2]

Liver cells absorb glucose and amino acids from the blood and help to regulate the concentrations of these substances in the blood.

For Examiner's Use

(c)	response to hormones from the pancreas in each of the following situations.	in
	Blood glucose concentration is higher than normal.	
	Blood glucose concentration is lower than normal.	
		[5]
(d)	Describe what happens to amino acids inside liver cells.	
		[3]

[Total: 15]

(a) Fig. 3.1 shows the activity of an enzyme produced by bacteria that live in very hot 35 30 25 20 enzyme activity/ arbitrary units 15 10 5 30 40 50 60 70 80 90 100 10 20 temperature/°C Fig. 3.1 Using the information in Fig. 3.1, describe the effect of increasing temperature on the activity of the enzyme. Enzymes extracted from bacteria are used in biological washing powders. **(b)** Describe how bacteria are used to produce enzymes for biological washing powders.

© UCLES 2009 0610/31/M/J/09

3

(c)	Food and blood stains on clothes may contain proteins and fats.
	Explain how enzymes in biological washing powders act to remove food and blood stains from clothes.
	[4]
(d)	When blood clots, an enzyme is activated to change a protein from one form into another.
	Describe the process of blood clotting.
	[3]
	[Total: 14]

4 Fig. 4.1 is a photograph of a root of radish covered in many root hairs.





Fig. 4.1

(a)	Using the term water potential, explain how water is absorbed into root hairs from the soil.	€
		501
		[3]

A potometer is a piece of apparatus that is used to measure water uptake by plants.

Most of the water taken up by plants replaces water lost in transpiration.

A student used a potometer to investigate the effect of wind speed on the rate of water uptake by a leafy shoot. As the shoot absorbs water the air bubble moves upwards.

The student's apparatus is shown in Fig. 4.2.




Fig. 4.2

The student used a fan with five different settings and measured the wind speed. The results are shown in Table 4.1.

For Examiner's Use

Table 4.1

wind speed / metres per second	distance travelled by the air bubble / mm	time / minutes	rate of water uptake / mm per minute
0	4	10	0.4
2	12	5	2.4
4	20	5	4.0
6	35	5	7.0
8	40	2	

(b)	Calculate the rate of water uptake at the highest wind speed and write your answer i the table.		
		[1]	
(c)	Describe the effect of increasing wind speed on the rate of water uptake. You may use figures from Table 4.1 to support your answer.		
		[2]	
(d)	State two environmental factors, other than wind speed , that the student should keep constant during the investigation.		
	1.		
	2.	[2]	

(e)	Some of the water absorbed by the plants is not lost in transpiration.	
	State two other ways in which water is used.	
	1.	
	2	[2]
(f)	Water moves through the xylem to the tops of very tall trees, such as giant redwoods North America. The movement of water in the xylem is caused by transpiration.	of
	Explain how transpiration is responsible for the movement of water in the xylem.	
		[4]
(g)	Plants that live in hot, dry environments show adaptations for survival.	
	State three structural adaptations of these plants.	
	1	
	2	
	3	[3]
	[Tatal	171
	[Total:	1/]

5	(a)	Define the term gene.				
						[1]
	the	e medical condition sickle cell at Americas. People with sickle ce naemoglobin.				
	The	e gene for haemoglobin exists in	two forms:			
	H ^N H ^S	= allele for normal haemoglobin = allele for abnormal haemoglob	oin			
	(b)	Complete the genetic diagram for this gene may have a child v				erozygous
		Use the symbols H ^N and H ^S in	n your answ	er.		
		parental phenotypes	normal	x	normal	
		parental genotypes		X		
		gametes		+		
		child's genotype				
		child's phenotype	sickle cell	anaem	ia	
	(c)	Describe the effects of sickle ce	ell anaemia o	n the b	ody.	[3]
						[4]

(d) Fig. 5.1 is a map that shows the distribution of the allele for the abnormal form of haemoglobin $(\mathbf{H^S})$ and malaria in Africa.

For Examiner's Use




Fig. 5.1

Explain how natural selection is responsible for the distribution of the allele for the abnormal form of haemoglobin $(\mathbf{H^s})$.	
	[5]

(e)	Sickle cell anaemia is an example of the variation that exists in the human population is a form of discontinuous variation.	on.
	Explain why sickle cell anaemia is a form of discontinuous variation.	
		[3]

[Total: 16]

BLANK PAGE

QUESTION 6 STARTS ON PAGE 16

0610/31/M/J/09 **[Turn over**

6 An agricultural student investigated nutrient cycles on a farm where cattle are kept for milk. The farmer grows grass and clover as food for the cattle. Clover is a plant that has bacteria in nodules in its roots.

For Examiner's Use

Fig. 6.1 shows the flow of nitrogen on the farm as discovered by the student. The figures represent the flow of nitrogen in kg per hectare per year. (A hectare is 10 000 m².)




Fig. 6.1

(a)	(i)	Name the process in which bacteria control that is available to clover plants.	onvert atmospheric nitrogen into a form	
				[1]
	(ii)	Name two processes that convert nitroions that can be absorbed by grass.	ogen compounds in dead plants into nitrat	:e
			and	[2]

(b)	The total quantity of nitrogen added to the farmer's fields is 120 kg per hectare per year.
	Calculate the percentage of this nitrogen that is present in the milk.
	Show your working.
	Anguar - 0/ [2]
	Answer =% [2]
(c)	State two ways in which the nitrogen compounds in the cattle's diet are used by the animals other than to produce milk .
	1
	2
(d)	The student found that a large quantity of the nitrogen compounds made available to the farmer's fields was not present in the milk or in the cattle.
	Use the information in Fig. 6.1 to suggest what is likely to happen to the nitrogen compounds that are eaten by the cattle, but are not present in compounds in the milk or in their bodies.
	[5]

(e)	The carbon dioxide concentration in the atmosphere has increased significantly of the past 150 years.	ver
	Explain why this has happened.	
		[2]

[Total: 14]

For Examiner's Use

BLANK PAGE

BLANK PAGE

Copyright Acknowledgements:

Fig. 4.1 Page 8: DR JEREMY BURGESS / SCIENCE PHOTO LIBRARY.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0610/31/M/J/09

Second Variant Question Paper



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/32

Paper 3 Extended May/June 2009

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	r Examiner's Use		
1			
2			
3			
4			
5			
6			
Total			

This document consists of 15 printed pages and 1 blank page.



Answer all the questions.

For Examiner's Use

1 Table 1.1 shows some of the external features of the five classes of vertebrates.

Complete the table by using a tick (\checkmark) to indicate if each class has the feature or a cross (\times) if it does not. The first row has been completed for you.

Table 1.1

feature	fish	amphibia	reptiles	birds	mammals
mammary glands	×	×	×	×	✓
fur / hair					
scales / scaly skin					
external ears					
feathers					

[4]

[Total: 4]

2 Fig. 2.1 shows the blood supply for the liver of a mammal.






Fig. 2.1

(a) Blood from organ **X** is carried to the liver by blood vessel **Y**.

Name

(i) organ X,

[1]

(ii) blood vessel Y.

_____[1

Fig. 2.2 shows some liver cells as seen with a light microscope.

For Examiner's Use




Fig. 2.2

(b) (i) Label, on Fig. 2.2, the structures A, B and C.

[3]

(ii) The distance P-Q is 0.06 mm.

Calculate the magnification of Fig. 2.2.

Show your working.

Magnification = x [2]

Liver cells absorb glucose and amino acids from the blood and help to regulate the concentrations of these substances in the blood.

For Examiner's Use

(c)	response to hormones from the pancreas in each of the following situations.	in
	Blood glucose concentration is higher than normal.	
	Blood glucose concentration is lower than normal.	
		[5]
(d)	Describe what happens to amino acids inside liver cells.	
		[3]

[Total: 15]

(a) Fig. 3.1 shows the activity of an enzyme produced by bacteria that live in very hot 35 30 25 20 enzyme activity/ arbitrary units 15 10 5 30 40 50 60 70 80 90 100 10 20 temperature/°C Fig. 3.1 Using the information in Fig. 3.1, describe the effect of increasing temperature on the activity of the enzyme. Enzymes extracted from bacteria are used in biological washing powders. **(b)** Describe how bacteria are used to produce enzymes for biological washing powders.

© UCLES 2009 0610/32/M/J/09

3

(c)	Food and blood stains on clothes may contain proteins and fats.
	Explain how enzymes in biological washing powders act to remove food and blood stains from clothes.
	[4]
(d)	When blood clots, an enzyme is activated to change a protein from one form into another.
	Describe the process of blood clotting.
	[3]
	[Total: 14]

4 Fig. 4.1 is a photograph of a root of radish covered in many root hairs.





Fig. 4.1

(a) Root hairs absorb ions, such as nitrate ions and magnesium ions, from the soil by active transport.

Explain how ions are absorbed by active transport into root hairs.	
	[3]

Many plants can be cultivated in nutrient solutions rather than in soil. This method of cultivation is called hydroponics. Using this method a student investigated the growth rate of radish plants.

Fig. 4.2 shows the apparatus that the student used.




Fig. 4.2

The student determined the dry mass of 10 radish plants over a period of time and calculated the rate of growth of the plants. The results are shown in Table 4.1.

For Examiner's Use

Table 4.1

time / weeks	dry mass of 10 radish plants / grams	rate of growth / grams per week
1	1.3	1.3
2	6.2	4.9
3	17.5	11.3
4	20.4	2.9
5	26.7	
6	28.0	1.3

(e)	ions	student also grew some radish plants in a solution that contained all the mineral required by plants except nitrate . The radish plants did not grow as well as those an all the mineral ions.
	(i)	Describe the appearance of plants grown without any nitrate ions.
		[2]
	(ii)	Outline how nitrate ions are used by plants to help their growth.
		[2]
(f)		nts also require magnesium ions. If plants are grown where there is very little gnesium available they show deficiency symptoms.
	Exp	lain how a deficiency of magnesium ions leads to poor growth in plants.
		[3]
		[Total: 17]
		[Total. 17]

					[1]		
he	e medical condition sickle cell Americas. People with sickle paemoglobin.		dely di				
he	e gene for haemoglobin exists i	n two forms:					
l ^N I ^S	= allele for normal haemoglob = allele for abnormal haemogl	in obin					
b)	Complete the genetic diagram for this gene may have a child				eterozygous		
	Use the symbols \mathbf{H}^{N} and \mathbf{H}^{S}	in your answ	er.				
	parental phenotypes	normal	х	normal			
	parental genotypes		х				
	gametes		+				
	child's genotype						
		sickle cell	anaan	io			
	child's phenotype	Sickle Cell	anaem	ıa	ro1		
					[3]		
C)	Describe the effects of sickle cell anaemia on the body.						
					[4]		

(d) Fig. 5.1 is a map that shows the distribution of the allele for the abnormal form of haemoglobin $(\mathbf{H^S})$ and malaria in Africa.

For Examiner's Use




Fig. 5.1

Explain how natural selection is responsible for the distribution of the allele for the abnormal form of haemoglobin $(\mathbf{H}^{\mathbf{S}})$.			
	[5]		

(e)	Sickle cell anaemia is an example of the variation that exists in the human populati It is a form of discontinuous variation.	on.
	Explain why sickle cell anaemia is a form of discontinuous variation.	
		[3]

[Total: 16]

An agricultural student investigated the flow of biomass and energy on a livestock farm in a country where winters are very cold. The farmer grows wheat to feed to the livestock, which are animals kept in sheds where they are not allowed to move very much. The student investigated the efficiency of this method of producing food for humans.

For Examiner's Use

The student discovered that an area of 250 m² of wheat provided 140 kg of animal feed.

Table 6.1 shows the results of the student's investigation.

Table 6.1

area of wheat field / m ²	250
energy from the Sun that is available to the wheat crop / kJ	9 x 10 ⁷
biomass of animal feed from the wheat crop / kg	140
energy in animal feed / kJ	2 000 000
increase in mass of animals fed 140 kg feed / kg	50
energy in 50 kg meat that is available to humans / kJ	380 000

(a) Table 6.1 shows how much energy the wheat crop receives from the Sun while it is growing in the field.

Suggest three reasons why only a small proportion of that energy is available in the animal feed from the harvested wheat.

1.	
2.	
3.	
	[2]
	[၁]

(b) Calculate the energy in the meat that is available to humans, as a percentage of the energy in the animal feed. Show your working.

Answer =% [2]

(c)	Using the information in Table 6.1, explain why it is more efficient for humans to gain their food from the first trophic level rather than from the second trophic level.	For Examiner's Use
	[5]	
(d)	The student suggests to the farmer that it is better for the livestock if they are not kept in sheds. The farmer replies that his animals will grow more slowly if kept outside.	
	Describe two reasons why animals kept in sheds gain weight faster than those kept outside.	
	1	
	2.	
	[2]	
(e)	Explain why acid rain has become an important environmental problem in some parts of the world over the past 100 years.	
	[2]	
	[Total: 14]	

BLANK PAGE

Copyright Acknowledgements:

Fig 4.1 Page 8 DR JEREMY BURGESS / SCIENCE PHOTO LIBRARY.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

0610/32/M/J/09