

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/31

Paper 3 Extended May/June 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

SUITABLE FOR HEARING IMPAIRED CANDIDATES.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	

This document consists of 18 printed pages and 2 blank pages.



1 Fig. 1.1 shows a section of a villus at two different magnifications.

For Examiner's Use




Fig. 1.1

(a) Label the structures shown in Fig. 1.1.

Write the labels in the boxes in Fig. 1.1.

[3]

(b)	Suggest the role of the muscle tissue shown in the villus in Fig. 1.1.
	[2]

Fig. 1.2 shows an experiment to investigate the uptake of glucose by cells of the villi.

- Two leak-proof bags were set up.
- One bag was made from artificial partially permeable membrane (Visking tubing).
- The other bag was made from a piece of small intestine containing living cells, with its inner surface inside the bag.
- The bags were filled with equal volumes of a dilute glucose solution.
- The bags were suspended in the same glucose solution for two hours.
- After two hours, the volumes of the bags were measured and the contents were tested for the concentration of glucose.




Fig. 1.2

Inside the bag made from small intestine the volume and concentration of the glucose solution decreased. There were no changes to the volume and concentration in the Visking tubing bag.

(c)			responsible small intest	the	decrease	ın	the	glucose
								[2]

(d)	After two hours there	was less water in the l	pag made from small	intestine.			
		in the bag made from sisking tubing did not cl		sed, but the volume in			
				[3]			
(e)	An investigation stud Table 1.1 shows the r		nto and out of the hu	man alimentary canal.			
		Table 1.1	I				
	water into the a	limentary canal	water out of the alimentary canal				
	source of water	volume of water / dm³ per day	method of water loss	volume of water / dm³ per day			
	water from diet	2.5	stomach to the blood	0.00			
	saliva	1.5	small intestine to the blood	9.00			
	gastric juice	2.4	large intestine to the blood	0.85			
	bile	0.8	in the faeces	0.15			
	pancreatic juice	0.8					
	intestinal secretions	2.0					
	(i) Name the part of	the alimentary canal t	hat secretes most wat				
	(ii) Name the part of	the alimentary canal t	hat absorbs most wat				

(iii)	Explain why water is added to food by the secretions shown in Table 1.1.	For Examiner's Use
		Ose
	[3]	
(iv)	Explain why it is important that water is absorbed in the alimentary canal.	
	[2]	
	[Total: 17]	

Fig. 2.1 shows part of the nitrogen cycle. 2

For Examiner's Use

[4]




Fig. 2.1

(a)	Name the processes A and B shown in Fig. 2.1.

Α	
В	[2]

(b) Fig. 2.1 shows that legumes have root nodules.

ese root nodules are importa	

(c)	Proteins and DNA are important nitrogen-containing compounds in cells.
	Describe the roles of proteins and DNA in cells.
	proteins
	[3]
	DNA
	[2]
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers. Describe how fertilisers may affect freshwater ecosystems.

© UCLES 2011 0610/31/M/J/11 **[Turn over**

3 Fig. 3.1 shows a fetus in the uterus immediately before birth.

For Examiner's Use




Fig. 3.1

(a)	Describe the functions of the amniotic sac and amniotic fluid.
	[4]

(b)	List three functions of the placenta.
	1.
	1.
	2.
	3.
	[3]
(c)	State what happens to structures A and B during birth.
	[2]
	[2]
/ al\	
(a)	Discuss the advantages and possible disadvantages of breast-feeding.
	[1/]
	[4]
	FT 4 1 403

[Total: 13]

For Examiner's Use **4** A healthy kidney controls the excretion of urea and other waste products of metabolism from the blood.

For Examiner's Use

After kidney failure there are two possible treatments: dialysis or a kidney transplant.

Fig. 4.1 shows how blood and dialysis fluid move through a dialysis machine.




Fig. 4.1

(a)	Describe the from A to B .	changes th	nat occur t	o the blood	as it flows	through	the dialysis	machine
								[2]

b)	Discuss the advantages of kidney transplants compared with dialysis.
	[3]

(c) Two brothers have to make a difficult decision.

One brother, with blood group AB, has kidney failure and is on dialysis.

The healthy brother has agreed to donate one of his kidneys to his brother. He has to have a blood test.

For Examiner's Use

Their father has blood group A and their mother has blood group B.

The brothers have a sister who has blood group O.

(i) Explain how this girl has blood group O when her parents have different blood groups. You **must** use the space below for a genetic diagram to help your answer.

Use the symbols ${\bf I}^{\bf A},\,{\bf I}^{\bf B}$ and ${\bf I}^{\bf O}$ to represent the alleles involved in the inheritance of blood groups.

parenta	l phenotypes	blood group	Α	blood group B	
parenta	l genotypes				
gamete	S		+		
girl's ge	notype				
girl's ph	enotype				
					[4]
(ii)	The healthy bro	=	e the kidney to	his brother if they both ha	ave the
	What is the prob	pability that the heal	thy brother also	has blood group AB?	
					[1]
				[To	otal: 10]

BLANK PAGE

Question 5 begins on page 14

5 (a) Write a balanced equation for photosynthesis using symbols.

For Examiner's Use

[3]

Plants that live in water are called hydrophytes.

Fig. 5.1 shows a cross-section of a leaf of the hydrophyte, *Nuphar lutea*. The leaves of *N. lutea* float on the surface of water.




Fig. 5.1

(b) Complete Table 5.1 by describing the function of each feature. The function for feature **A** has already been completed.

For Examiner's Use

Table 5.1

feature	function
A	transparent to allow light to penetrate into the leaf
В	
С	
D	

ro	7
U	וו

(c)	State and explain one way in which the leaves of <i>N. lutea</i> are adapted to their environment.	
		••••
		••••
		[2]

(d) A student investigated how magnesium affects the growth of duckweed, *Spirodela polyrhiza*.

For Examiner's Use

He prepared dishes each containing 30 plants of *S. polyrhiza*. Each dish contained a growth medium with different concentrations of a magnesium salt.

Fig. 5.2 shows one of the dishes.




Fig. 5.2

After 33 days, the student counted the number of plants in each dish and recorded their appearance. The results are shown in Table 5.2.


Table 5.2

concentration of magnesium salt / mg per dm ³	number of plants after 33 days	appearance of leaves after 33 days
0.05	27	yellow with some green patches
0.10	64	green with yellow spots
0.15	92	green with yellow spots
0.20	105	green
0.25	109	green

(i)	Describe the effects of decreasing the concentration of magnesium salt on the growth of <i>S. polyrhiza</i> .	For Examiner's Use
	[3]	
(ii)	Explain how magnesium deficiency affects the growth and appearance of this plant.	
	[3]	
	[Total: 14]	

Fig. 6.1 shows three different insects. 6







Vespula rufa insect 2



For Examiner's Use

Callicera rufa insect 3

Fig. 6.1

(a)	Insects 1	and 2 are	more closely	/ related t	to each	other	than to	insect	3.
-----	-----------	-----------	--------------	-------------	---------	-------	---------	--------	----

(i)	Explain how the binomial names indicate that insects 1 and 2 are more closely related.
	[2]
(ii)	Explain how the appearance of the three insects suggests that insects 1 and 2 are more closely related.
	[2]

Vespula flavopilosa gives a painful sting. The insect shown in Fig. 6.2 is very similar in appearance to *Vespula flavopilosa* but does not give a sting.

For Examiner's Use

[Total: 11]



Chrysotoxum cautum

Fig. 6.2

(b)	Chrysotoxum cautum is very similar in appearance to Vespula flavopilosa. Explain how this is an advantage.
	[2]
(c)	It is thought that <i>Chrysotoxum cautum</i> evolved from an insect that did not have any stripes.
	Suggest how these insects became striped.
	[5]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.