

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

0000021

BIOLOGY 0610/53

Paper 5 Practical Test May/June 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 8 printed pages.



Read through all the questions on this paper carefully before starting work.

1 The enzyme lipase breaks down fats into fatty acids and glycerol.

You are going to investigate how temperature affects the break down of the fats in milk using lipase.

You are going to use a pH indicator, bromothymol blue, and observe the colour every minute for a total time of 10 minutes.

Table 1.1 shows the colour changes of this indicator.

Table 1.1

рН	6	7	8
colour	yellow	green	blue

- You have three containers labelled **cold**, **warm** and **hot**, each containing a test-tube.
- Use a dropping pipette to put 5 drops of bromothymol blue indicator into each test-tube.
- Use a syringe to add 1 cm³ of sodium carbonate solution to each test-tube.
- Use a clean syringe to add 2 cm³ of milk to each test-tube.
- Label another three test-tubes lipase. Place one in each of the containers labelled cold, warm and hot.
- Use a clean syringe to add 3 cm³ of lipase to each test-tube labelled lipase.
- Raise your hand when you are ready for hot water to be added to the container labelled hot.
- Use the thermometer to measure the temperature in each container.

Record the temperatures in Table 1.2.

Leave the experiment for 5 minutes. Continue with Question 1(b).

• After 5 minutes, pour the lipase from the test-tube labelled **lipase** in the **cold** container into the other test-tube in the **cold** container. Shake the test-tube to mix the liquids.

Repeat this process for the **warm** container and the **hot** container.

(a) Observe the colour of the bromothymol blue indicator every minute for 10 minutes. Record the colours in Table 1.2.

© UCLES 2014 0610/53/M/J/14

Table 1.2

	colour of indicator				
time/min	cold	warm	hot		
	°C	°C	°C		
0					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

		[6]
(b)	(i)	Sodium carbonate solution has a pH of 8. Suggest why sodium carbonate solution was added to the milk in this investigation.
		[1]
	(ii)	State why the two test-tubes in each of the labelled containers were left for 5 minutes before mixing their contents.
		[1]
	(iii)	Explain why the colour of the bromothymol blue indicator changed during the investigation.

	(iv)	Predict the colour change that you would observe if the experiment had been repeated using water at 80 $^{\circ}\text{C}.$
		Explain your answer.
		[2]
(c)	Stat	te two variables that have been controlled in the experiment you have carried out.
	For	each of these variables, describe how it has been controlled.
	1 va	ariable
	how	t has been controlled
	2 va	ariable
	how	it has been controlled
		[4]
(d)	_	igest two ways to modify this investigation to find the optimum (best) temperature for the yme lipase to break down the fats in milk.
	1	
	2	
		[2]
		[Total: 18]

© UCLES 2014 0610/53/M/J/14

2 The species of plant *Musa acuminata* produces banana fruits.

You are provided with a covered piece of a banana on a white tile.

(a) (i) Cut a slice from the banana, approximately 1 cm thick, as shown in Fig. 2.1.




Fig. 2.1

Make a large drawing of the freshly cut surface of the banana to show:

- the number of layers;
- the thickness of the layers.


Label the region where seeds may develop.

(ii)	Measure the distance across the diameter of the freshly cut slice of the banana and record your result. Include the unit.
	diameter of the banana
	Draw a line across the diameter of your drawing, measure the distance and record your result. Include the unit.
	diameter of the drawing of the banana[2]
(iii)	Calculate the magnification of your drawing.
	Show your working.
	magnification ×[2]
(b) (i)	Add five drops of iodine solution to the cut surface of the banana.
	Make sure the iodine solution spreads evenly and observe the colours.
	On your drawing of the cut surface of the banana, label the colour of each of the different layers that you have drawn. [2]
(ii)	Use your observations to state where starch is stored in the banana.
	[1]

(c) Some students collected food packaging labels to find the nutrients present in bananas. The table below is a summary of their findings.

nutrient	mass/g per 100 g
carbohydrate	22.25
fat	0.25
protein	2.00
fibre	2.50

(i) Plot a bar chart of the data.



[4]

(ii) The remaining mass of a banana is mostly water, as the mass of vitamins and minerals is very small.

Calculate, to the nearest whole number, the mass of water in 100 g of banana.

Show your working.

	a [5]
 	9 [∠.

(d) In another investigation, students kept unripe bananas at room temperature for seven days. They studied some of the changes during ripening.

Each day the students took one banana and:

- observed the colour of the banana skin;
- removed a sample of the flesh tissue and determined the reducing sugar content.

The table below shows their results.

time / days	change during ripening			
time/days	skin colour	reducing sugar content /%		
1	green	5		
2	green and yellow	12		
3	mostly yellow	18		
4	all yellow	25		
5	yellow, some brown	29		
6	yellow and brown	30		
7	mostly brown	30		

(i)	The reducing sugar content increased as the bananas ripened.
	Calculate how many times greater was the sugar content on day 6 compared with day 1
	Show your working.

	[2]
(ii)	Suggest the source of the reducing sugar.
	[1]
(iii)	Animals eat wild bananas and spread the seeds in their faeces. Suggest one feature of ripe bananas that attracts animals.
	[1]

[Total: 22]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2014 0610/53/M/J/14