



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

BIOLOGY

0610/63

Paper 6 Alternative to Practical

May/June 2017

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **5** printed pages.

Mark schemes will use these abbreviations

- ; separates marking points
- / alternatives
- I ignore
- R reject
- A accept (for answers correctly cued by the question, or guidance for examiners)
- AW alternative wording (where responses vary more than usual)
- AVP any valid point
- ecf credit a correct statement / calculation that follows a previous wrong response or reverse argument
- ora
- () the word / phrase in brackets is not required, but sets the context
- underline actual word given must be used by candidate (grammatical variants excepted)
- max indicates the maximum number of marks that can be given

Question	Answer	Marks	Guidance												
1(a)	table with two columns ; column 1 heading 'vegetable extract', column 2 headed volume of iodine and with unit as cm ³ ; correct readings from Fig 1.2 ;	3													
1(b)	to allow iodine to change colour ;	1	A as an indicator												
1(c)	volume of vegetable extract ; volume / concentration of starch solution ; concentration of iodine ; temperature ; mixing time ;	2	I amount R volume iodine solution												
1(d)	<table border="1"> <tbody> <tr> <td>source of error ; contamination</td> <td>improvement ; washing all apparatus / use new syringes</td> </tr> <tr> <td>overshoot of end-point / adding too much iodine / many drops</td> <td>add smaller quantities of iodine</td> </tr> <tr> <td>determination of end-point</td> <td>allow sufficient time for colour to change / use colorimeter / colour standard</td> </tr> <tr> <td>change in vitamin C with time</td> <td>test same time after extraction for each</td> </tr> <tr> <td>no repeats</td> <td>repeat each concentration</td> </tr> <tr> <td>AVP e.g. difficult reading scale coloured vegetable extracts</td> <td>AVP e.g. use burette</td> </tr> </tbody> </table>	source of error ; contamination	improvement ; washing all apparatus / use new syringes	overshoot of end-point / adding too much iodine / many drops	add smaller quantities of iodine	determination of end-point	allow sufficient time for colour to change / use colorimeter / colour standard	change in vitamin C with time	test same time after extraction for each	no repeats	repeat each concentration	AVP e.g. difficult reading scale coloured vegetable extracts	AVP e.g. use burette	4	improvement must relate to given error A subjective colour change
source of error ; contamination	improvement ; washing all apparatus / use new syringes														
overshoot of end-point / adding too much iodine / many drops	add smaller quantities of iodine														
determination of end-point	allow sufficient time for colour to change / use colorimeter / colour standard														
change in vitamin C with time	test same time after extraction for each														
no repeats	repeat each concentration														
AVP e.g. difficult reading scale coloured vegetable extracts	AVP e.g. use burette														

Question	Answer	Marks	Guidance
1(e)(i)	L: 25.00 ; N: 62.5 ; correct number of decimal places on both ;	3	
1(e)(ii)	axes labelled and units ; even scale to fill more than half of the printed grid ; plot three / four points correctly ; line of best fit / trend line ;	4	ecf candidate result for 1(e)(i)
1(e)(iii)	mark volume of iodine used on (<i>y</i> -axis of) graph / extended horizontally and extended line vertically from plotted point to <i>x</i> -axis ; correct reading from graph on answer line ;	2	
1(f)	range of temperatures ; values for temperatures stated ; time at each temperature ; use of water-bath / named method ; description of extracting juice ; detail of use of iodine drops / volume / addition of starch for end point ; ; at least two repeats ; (controlled variables) heating time / same type of vegetable / all samples from same vegetable ; relevant reference to safety ;	6	minimum of three at least one above 50

Question	Answer	Marks	Guidance
2(a)	<i>any four from:</i> drawing with clear outline ; scaled to fit more than half the space ; shape 5 / 6 sides for both ; detail showing 3 / 4 layers with no shading and no cells ;	4	
2(b)(i)	length of PQ = 80 mm ; (x)64 ;;	3	± 1mm (80) ÷ 1.25
2(b)(ii)	plane of section / AW ; magnification ; number of villi different ;	2	
2(c)(i)	A: 3 B: 9 C: 11 ;	1	A 2 instead of 3 for A 3 correct answers = 1 mark
2(c)(ii)	30 °C ; has highest rate of reaction / AW ;	2	
2(c)(iii)	it is much higher / different than trial 1 and 3 / AW ;	1	
2(c)(iv)	(IV) temperature ; (DV) rate of reaction ;	2	