



Cambridge IGCSE™


BIOLOGY

0610/52

Paper 5 Practical Test

May/June 2020

CONFIDENTIAL INSTRUCTIONS



This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

INSTRUCTIONS

- If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
email info@cambridgeinternational.org
phone +44 1223 553554

This document has **8** pages. Blank pages are indicated.

General information about practical exams

Centres must follow the guidance on science practical exams given in the *Cambridge Handbook*.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

C	corrosive	MH	moderate hazard
HH	health hazard	T	acutely toxic
F	flammable	O	oxidising
N	hazardous to the aquatic environment		

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor **must** perform the experiments and record the results as instructed. This must be done **out of sight** of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor (NOT the invigilator) must do the experiment in Question 1 and record their results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

Question 1

Each candidate should be provided with:

hazard	materials and apparatus	Quantity per candidate
	dialysis tubing bags provided in a small beaker of distilled water labelled dialysis tubing bags	2
	2% starch suspension provided in a small beaker labelled starch	100 cm ³
	iodine solution in a small beaker labelled iodine solution	20 cm ³
	large test-tubes (150 mm × 25 mm)	2
	elastic bands to fit around the top of a large test-tube	2
	30 cm transparent plastic ruler with mm measurements (also required for question 2)	1
	1 cm ³ dropping pipette	1
	1 cm ³ syringe	1
	10 cm ³ syringe	1
	distilled water in a beaker, at room temperature, labelled distilled water	200 cm ³
	empty 250 cm ³ beaker labelled waste	1
	test-tube rack	1
	a supply of water at 50 °C Candidates will raise their hand when they are ready for hot water.	100 cm ³
	empty 250 cm ³ beaker labelled hot water	1
	stop-clock	1
	paper towels	5
	gloves	1 pair
	suitable eye protection	1
	permanent marker pen	1
	thermometer, -10 °C to +110 °C at 1 °C graduations	1

Preparation of solutions

2% starch suspension

To prepare the starch suspension add 2g of soluble starch to 10 cm³ of distilled water, shake well, and make up to a total volume of 100 cm³ by adding distilled water. Stir thoroughly and boil for one minute or until the suspension becomes clear. Leave to cool.

The starch suspension can be made the day before the exam and stored in a refrigerator. The starch suspension should be provided to candidates at room temperature.

iodine solution

A commercially prepared iodine solution suitable for food tests can be used.

dialysis tubing bags

Dialysis tubing comes in a variety of widths. Use dialysis tubing that will fit into a large test-tube when the tubing contains 10 cm³ of liquid. The dialysis tubing bags may be prepared the day before the exam but must be kept submerged in distilled water.

Prepare the dialysis tubing by soaking 20 cm lengths of dialysis tubing in distilled water for 10 minutes. Knot one end of the damp dialysis tubing tightly to form a bag. The distance of the knot from the open end of the dialysis tubing should be approximately 17 cm.

The dialysis tubing bags should be presented to candidates in a small beaker of distilled water labelled **dialysis tubing bags**.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

Supervisor's report

Syllabus and component number

				/		
--	--	--	--	---	--	--

Centre number

--	--	--	--	--

Centre name

Time of the practical session

Laboratory name/number

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

Declaration

- 1 Each packet that I am returning to Cambridge International contains the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed (supervisor)

Name (in block capitals)