UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Paper 6 Alternative to practical October/November 2005 Candidates answer on the Question Paper. There are no Additional Materials 1 hour Candidate Name Candidate Candidate Candidate

Number

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen in the spaces provided on the Question Paper.

You may use a pencil for any diagrams, graphs or rough working.

DO NOT WRITE IN THE BARCODE.

DO NOT WRITE IN THE GREY AREAS BETWEEN THE PAGES.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

Number

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part questions.

For Exam	iner's Use
1	
2	
3	
Total	

This document consists of 8 printed pages and 4 blank pages.



1 Fifteen pieces of raw Irish potato, *Solanum tuberosum*, were cut carefully to a length of 60mm.

For Examiner's Use

Three pieces were placed in each of five different concentrations of glucose solution and left for 2 hours. The pieces were removed and their lengths measured.

Table 1.1 shows the appearance of these pieces at the end of the two hours.


Table 1.1

	I able 1.1		
concentration of glucose solution/ mol dm ⁻³	potato pieces after being left in glucose solutions	length of potato/mm	change in length/mm
0.2		1 65 2 67 3 66 mean 66.	
0.4		165 261 363 mean63	
0.6		1 56 2 61 3 60	
0.8		1	
1.0		1	

(a) (i)	Measure the length of each piece carefully and record these measurements in Table 1.1. Write in the figures on the dotted lines. Nine measurements have been completed for you.
	[1]
(ii)	Calculate the mean [average] length of the potato pieces. The first three rows have been completed for you.
	[1]
(iii)	Calculate the change in mean length in all five concentrations of glucose solutions. [2]
(iv)	Explain why three pieces of potato were used in each solution and not just one piece.
	[1]

(b) (i) Plot the change in mean length of potato against concentration of glucose solution on the grid below.

Draw a line of best fit through the points.



concentration of glucose solution/mol ${\rm dm^{-3}}$

[4]

Examiner's Use

(ii)		scribe and explain the changes in mean length of the potato pieces in the different cose solutions.	Exa
		[41]	
		[4]	
(c)	(i)	Using the information from the graph, estimate the glucose concentration which results in no change in mean length.	
		[1]	
	(ii)	Suggest why, at this glucose concentration, there is no change in length.	
		[2]	
		total [16]	

For Examiner's Use

QUESTION 2 IS ON PAGE 6

2 Fig. 2.1 shows a fresh seed of broad bean, Vicia faba, which has been cut in half.






Fig. 2.1

(a) (i) Make a large, labelled drawing of the cut surface of the seed.

[6]

For Examiner's Use

(ii)	Measure the length of the seed in Fig. 2.1 and in your drawing.	
	Indicate on Fig. 2.1 where the measurement was taken.	
	length of seed in Fig. 2.1	
	length of seed in your drawing	
	Calculate the magnification of your drawing.	
	Show your working.	
	magnification [2]	
	magnification [3]	
(b)	The broad bean is an example of a legume. Legumes are a good source of protein.	
	Describe how you would compare the protein content of two different beans.	
	[4]	
	total [13]	

© UCLES 2005 0610/06/O/N/05 **[Turn over**

3 If all conditions required for growth are present, some yeast cells in a flask can divide every hour.

For Examiner's Use

Fig. 3.1 shows the number of yeast cells in a flask measured over a period of 12 hours.




Fig. 3.1

© UCLES 2005 0610/06/O/N/05

For Examiner's Use

(a)		gest how you would observe the yeast cells and how you would estimate their total pulation in the flask.
		[A1
		[4]
(b)		Fig. 3.1, indicate clearly and name, the two phases shown in this population curve. k when the change occurs between the two phases with a Q .
(c)	(i)	State two factors needed to maintain the maximum growth of the yeast population.
	1.	
	2.	[2]
	(ii)	Suggest what would happen to the numbers of yeast in Fig. 3.1 if one of these conditions becomes limiting after 12 hours.
		[1]
	(iii)	Draw a sketch to show the effect of your suggestion given in (c)(ii), by continuing the curve on Fig. 3.1 .
		[1]
		total [11]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.