

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			NDIDATE IMBER		

BIOLOGY 0610/51

Paper 5 Practical Test

October/November 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 9 printed pages and 3 blank pages.



In order to plan the best use of your time, read through all of the questions in this paper carefully before starting work.

1 Yeast, *Saccharomyces cerevisiae*, is used in bread-making. When the yeast cells respire, the carbon dioxide produced is used to make the bread dough rise.

You are provided with an active yeast suspension and a mixture of 25 g flour and 1 g sugar. You are going to investigate the rate at which bread dough rises.

- You have three 20 cm³ syringes that have been sealed as shown in Fig. 1.1.
- Label the syringes 1, 2 and 3.
- Add the yeast suspension to the mixture of flour and sugar.
- Stir the mixture until it forms an even mixture. This is the bread dough.
- Support each syringe vertically.
- Carefully pour 5 cm³ of the bread dough into the open end of each of the syringes. This is the starting volume of bread dough at 0 minutes.

note the time




Fig. 1.1

(a) Leave the syringes for 5 minutes.

You are going to measure and record the volume of bread dough in each syringe after 5 minutes, 10 minutes, 15 minutes and 20 minutes. You already know the volume at 0 minutes. This will give you five readings, taken at 5 minute intervals.

Prepare a table to record your results whilst you are waiting during the first 5 minute period.

•	Measure the volume of bread dough in each syringe every 5 minutes for a total of 20 minutes			
	Rec	cord your results in your table.	[6]	
	Cor	ntinue with question 1(c) and 1(d) between measurements.		
(b)	(i)	Give a reason why three syringes were used.		
			[1]	
	(ii)	Calculate the average volume of the bread dough in the three syringes after 20 minute	∋s.	
		Show your working.		
		Give your answer to the nearest whole number.		
		3	F 4 1	
		cm ³	[ו]	

(c)	volume of bread dough. Do not carry out this investigation.
	[4]
(d)	Some students used the same method described in part (a) to investigate the effect of temperature on the volume of bread dough.
	They used three 50 cm ³ syringes at each of seven temperatures.
	The starting volume in each syringe was 5 cm ³ .

Table 1.1

temperature / °C	average volume of bread dough after 20 minutes / cm ³	average increase in volume / cm ³
10	6	1
20	10	5
30	20	15
40	35	
50	47	42
60	30	25
70	7	2


(i) Calculate the average increase in volume at 40 °C.

Write your answer in the space in Table 1.1.

[1]

Their results are recorded in Table 1.1.

(ii) Use the data in Table 1.1 to plot a graph of the average increase in volume of bread dough against temperature.



(iii)	Describe the results shown by the graph.
	[2]
(iv)	Suggest what the students could conclude from this investigation about the effect of temperature on the activity of yeast.
	[1]
	[Total: 20]

[4]

- 2 You are provided with two leaves from different plants, labelled ${\bf R}$ and ${\bf S}$.
 - (a) (i) Make a large drawing of **R** to show:
 - the shape of the leaf
 - the arrangement of the veins in the leaf.

Label the main vein (midrib).

(ii)	Measure, in millimetres, the distance Include your units.	e across the widest part of R and record your	result.
	distance across the widest part of R		
	Draw a line across the widest part o and record your result. Include your	f your drawing, measure the distance (in millin units.	netres)
	distance across widest part of drawi	ng of R	[3]
(iii)	Calculate the magnification of your	drawing.	
	Show your working.		
	Give your answer to the nearest who	ole number.	
	maç	gnification ×	[2]
(b) (i)	Complete Table 2.1 by recording to leaves R and S .	wo visible differences, other than colour, be	etween
	Tak	1- 04	
	Tab	le 2.1	
	R	S S	
1			
1	R	S	
	R	S	
2	R	S	
	R	S	
	R	S	[2]
	R	S	[2]
2	R	S	

(c)	inve	Some students were provided with two leaves, ${\bf V}$ and ${\bf W}$, from different plants. In an investigation into water loss, the students recorded the mass of each of these leaves every 5 minutes for 60 minutes.				
	(i)	The humidity did not change during the investigation.				
		State one other variable that should be kept constant during the investigation.				
		[1]				
	The	results are shown in Table 2.2.				

Table 2.2

time / min	mass of V / g	mass of W / g
0	5.2	7.5
5	4.8	7.2
10	4.0	6.5
15	5.5	6.0
20	3.2	5.5
25	2.9	5.1
30	2.8	4.3
35	2.7	4.0
40	2.4	3.6
45	2.2	3.2
50	1.8	3.0
55	1.8	2.9
60	1.8	2.7

(ii)	The students assumed that the change in mass was due to water loss.
	Describe how the students could show that water is lost from the leaves.
	מו

(iii)	Describe two similarities and two differences in the pattern of water loss of leaf ${\bf V}$ and leaf ${\bf W}$.
	similarities
	1
	2
	differences
	1
	2
	[4]

[Total: 20]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.