



Cambridge IGCSE™ (9–1)

BIOLOGY

0970/32

Paper 3 Theory (Core)

October/November 2023

MARK SCHEME

Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **13** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State two reasons ...):</p> <ul style="list-style-type: none">• The response should be read as continuous prose, even when numbered answer spaces are provided.• Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>.• Incorrect responses should not be awarded credit but will still count towards <i>n</i>.• Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.• Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations

- ; separates marking points
- / alternative responses for the same marking point
- **R** reject the response
- **A** accept the response
- **I** ignore the response
- ecf error carried forward
- AVP any valid point
- ora or reverse argument
- AW alternative wording
- underline actual word given must be used by candidate (grammatical variants excepted)
- () the word / phrase in brackets is not required but sets the context

Question	Answer	Marks	Guidance
1(a)(i)	A ; C ; G ; E ;	4	
1(a)(ii)	<i>any one from:</i> kill / destroy, (harmful) microorganisms ; to provide an, optimum / acidic / correct / low, pH / AW ;	1	
1(b)(i)	breaks down (AW) starch ; to (simple reducing) sugar(s) ;	2	
1(b)(ii)	<i>any two from:</i> protein ; is a (biological) catalyst ; speeds up (chemical) reactions / is unchanged / is not used up ;	2	

Question	Answer	Marks	Guidance
2(a)	chloroplast ;	1	
2(b)	<i>any three from:</i> it / the white part of the leaf, cannot <u>photosynthesise</u> ; no <u>glucose</u> is produced ; <u>glucose</u> is stored as starch ; iodine solution remains yellow-brown in the absence of <u>starch</u> / the white part does not contain <u>starch</u> / negative result for <u>starch</u> / AW ;	3	
2(c)	yellow-brown ; yellow-brown ;	2	
2(d)(i)	<p>The diagram consists of three boxes on the left: 'cellulose', 'nectar', and 'sucrose'. On the right, there are four boxes: 'to attract insects for pollination', 'to build cell walls', 'for transpiration', and 'for transport in the phloem'. Lines connect 'cellulose' to 'to build cell walls', 'nectar' to 'to attract insects for pollination', and 'sucrose' to 'for transport in the phloem'.</p>	3	R each additional line
2(d)(ii)	carbon, hydrogen, oxygen ;	1	any order R each additional element

Question	Answer	Marks	Guidance
3(a)(i)	X drawn, in the left atrium only / with a label line ending in left atrium ;	1	
3(a)(ii)	<u>valve</u> ; valve identified with label line ;	2	
3(a)(iii)	B and C ;	1	either order
3(a)(iv)	septum ;	1	
3(a)(v)	<u>muscle</u> ;	1	
3(b)(i)	<i>any three from:</i> <i>similarities:</i> 1 CHD increases with age for males and females / AW / ora ; 2 In age group 0–34 no CHD in males and females / AW ; <i>differences:</i> 3 (overall) more males (than females) with CHD / ora ; 4 greatest difference (between males and females) is in age group 75–84 ; 5 use of comparative data quote between males and females ;	3	
3(b)(ii)	<i>any three from:</i> diet ; lack of exercise / AW ; stress ; smoking ; genetic predisposition ; AVP ;	3	e.g. high blood pressure

Question	Answer	Marks	Guidance																				
4(a)(i)	<table border="1"> <thead> <tr> <th data-bbox="336 213 539 312">organism</th> <th data-bbox="539 213 712 312">carnivore</th> <th data-bbox="712 213 880 312">herbivore</th> <th data-bbox="880 213 1048 312">producer</th> <th data-bbox="1048 213 1227 312">tertiary consumer</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 312 539 379">algae</td> <td data-bbox="539 312 712 379"></td> <td data-bbox="712 312 880 379"></td> <td data-bbox="880 312 1048 379">✓</td> <td data-bbox="1048 312 1227 379"></td> </tr> <tr> <td data-bbox="336 379 539 446">zooplankton</td> <td data-bbox="539 379 712 446"></td> <td data-bbox="712 379 880 446">✓</td> <td data-bbox="880 379 1048 446"></td> <td data-bbox="1048 379 1227 446"></td> </tr> <tr> <td data-bbox="336 446 539 513">shark</td> <td data-bbox="539 446 712 513">✓</td> <td data-bbox="712 446 880 513"></td> <td data-bbox="880 446 1048 513"></td> <td data-bbox="1048 446 1227 513">✓</td> </tr> </tbody> </table>	organism	carnivore	herbivore	producer	tertiary consumer	algae			✓		zooplankton		✓			shark	✓			✓	3	one mark for each correct row R each additional tick
organism	carnivore	herbivore	producer	tertiary consumer																			
algae			✓																				
zooplankton		✓																					
shark	✓			✓																			
4(a)(ii)	algae → limpet → octopus → shark or phytoplankton → mussel → octopus → shark ;;	2	MP1 for correct organisms MP2 for correct order of organisms and arrows in the correct direction																				
4(a)(iii)	sardine ;	1																					
4(b)	decomposer ;	1																					
4(c)	(the) Sun ;	1																					
4(d)	<i>any three from:</i> overharvesting (of food species) / AW ; hunting / poaching ; pollution / pesticides ; habitat destruction ; introduction of new species ; extinction ; AVP ;	3																					

Question	Answer	Marks	Guidance
5(a)	<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 5px; margin-right: 10px;">Antibiotic drugs</div> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="border: 1px solid black; padding: 5px;">affect chemical reactions in the body.</div> <div style="border: 1px solid black; padding: 5px;">are less effective against organisms that show resistance.</div> <div style="border: 1px solid black; padding: 5px;">are used to cure coronary heart disease.</div> <div style="border: 1px solid black; padding: 5px;">are the main cause of rickets.</div> <div style="border: 1px solid black; padding: 5px;">kill bacteria.</div> <div style="border: 1px solid black; padding: 5px;">kill viruses.</div> </div> </div>	3	R each additional line
5(b)(i)	<i>country A = 42 (doses) and country F = 22 (doses) ; difference = 20 (doses) ;</i>	2	ecf from incorrect values
5(b)(ii)	D and E ;	1	either order

Question	Answer	Marks	Guidance
6(a)(i)	(root) cortex (cell) ;	1	
6(a)(ii)	root hair (cell) ; large surface area / elongated shape / AW ;	2	
6(a)(iii)	osmosis ;	1	
6(b)	<i>any two from:</i> photosynthesis / metabolic processes ; support / AW ; solvent ; transport ; germination ;	2	
6(c)	<i>any two from:</i> wind(speed) ; temperature ; AVP ;	2	e.g. humidity/ light intensity

Question	Answer	Marks	Guidance												
7(a)	<table border="1"> <thead> <tr> <th>name of the part</th> <th>letter in Fig. 7.1</th> <th>function</th> </tr> </thead> <tbody> <tr> <td>uterus</td> <td>A ;</td> <td>where the fetus grows</td> </tr> <tr> <td>oviduct ;</td> <td>E ;</td> <td>where fertilisation occurs</td> </tr> <tr> <td>ovary ;</td> <td>D</td> <td>maturation / release, of egg (cells) ;</td> </tr> </tbody> </table>	name of the part	letter in Fig. 7.1	function	uterus	A ;	where the fetus grows	oviduct ;	E ;	where fertilisation occurs	ovary ;	D	maturation / release, of egg (cells) ;	5	
name of the part	letter in Fig. 7.1	function													
uterus	A ;	where the fetus grows													
oviduct ;	E ;	where fertilisation occurs													
ovary ;	D	maturation / release, of egg (cells) ;													
7(b)	guard (cell) ; palisade (mesophyll cell) ; red blood (cell) ; ciliated (cell) ;	4	MP1 and MP2 can be in either order												
7(c)	when (existing) cells divide ;	1													
7(d)(i)	<i>any three features labelled correctly:</i> acrosome / enzymes ; nucleus ; cell membrane ; cytoplasm ; mitochondria ; flagellum ;	3													
7(d)(ii)	sperm (cell) ;	1													

Question	Answer	Marks	Guidance
8(a)(i)	fertile ; binomial ; birds ; animal ; backbone / AW ;	5	
8(a)(ii)	nutrition circled ;	1	R each additional circle
8(b)(i)	3365 (fish) ;	1	
8(b)(ii)	40–59 (cm) ;	1	
8(b)(iii)	continuous ;	1	
8(c)	second row ticked: variation is the differences between individuals of the same species ;	1	R each additional tick