



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**0620/31**

Paper 3 (Extended)

**May/June 2012**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

A copy of the Periodic Table is printed on page 12.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
<b>Total</b>	

This document consists of **11** printed pages and **1** blank page.




- 1 The diagram below shows part of the Water Cycle.



- (a) (i) State the name of each of the following changes of state.



name .....



name .....

[2]

- (ii) Which **one** of the above changes of state is exothermic? Explain your choice.

.....  
.....

[1]

- (b) The rain drains into rivers and then into reservoirs. Describe how water is treated before it enters the water supply.

.....  
.....

[2]

- (c) (i) Explain how acid rain is formed.

.....  
.....  
.....  
.....

[4]

- (ii) Fish live in water which is neutral (neither acidic nor alkaline). Acid rain decreases the pH of water in lakes and rivers. Both of the bases, calcium oxide and calcium carbonate, can neutralise this acid and increase the pH. Explain why calcium carbonate is a better choice.

.....  
.....

[2]

[Total: 11]

**2** Three ways of making salts are

- titration using a soluble base or carbonate
- neutralisation using an insoluble base or carbonate
- precipitation.

- (a) Complete the following table of salt preparations.

method	reagent 1	reagent 2	salt
titration	..... .....	.....	sodium nitrate
neutralisation	nitric acid	..... .....	copper(II) nitrate
precipitation	..... .....	.....	silver(I) chloride
neutralisation	sulfuric acid	zinc(II) carbonate	..... .....


[6]

- (b) (i) Write an ionic equation with state symbols for the preparation of silver(I) chloride.

.....

[2]

- (ii) Complete the following equation.



[2]

[Total: 10]

3 The Group I metals show trends in both their physical and chemical properties.


(a) (i) How do their melting points vary down the Group?

..... [1]

(ii) Which element in the Group has the highest density?

..... [1]

(iii) All Group I metals react with cold water. Complete the following equation.



[2]

(b) Lithium reacts with nitrogen to form the ionic compound, lithium nitride.

(i) State the formula of the lithium ion. .... [1]

(ii) Deduce the formula of the nitride ion. .... [1]

(iii) In all solid ionic compounds, the ions are held together in a lattice.  
Explain the term *lattice*.

.....  
..... [1]

(iv) What is the ratio of lithium ions to nitride ions in the lattice of lithium nitride?  
Give a reason for your answer.

..... lithium ions : ..... nitride ions

.....  
..... [2]

[Total: 9]

4 Vanadium is a transition element. It has more than one oxidation state.

The element and its compounds are often used as catalysts.

(a) Complete the electron distribution of vanadium by inserting one number.

$$2 + 8 + \dots + 2$$

[1]

(b) Predict **three** physical properties of vanadium which are typical of transition elements.

1. ....

2. ....

3. .... [2]

- (c) Vanadium(V) oxide is used to catalyse the exothermic reaction between sulfur dioxide and oxygen in the Contact Process.



The rate of this reaction can be increased either by using a catalyst or by increasing the temperature. Explain why a catalyst is used and not a higher temperature.

.....  
.....  
.....

[2]

- (d) The oxidation states of vanadium in its compounds are V(+5), V(+4), V(+3) and V(+2). The vanadium(III) ion can behave as a reductant or an oxidant.

- (i) Indicate on the following equation which reactant is the oxidant.



[1]


- (ii) Which change in the following equation is oxidation?  
Explain your choice.



[2]

[Total: 8]

- 5 Reactive metals tend to have unreactive compounds. The following is part of the reactivity series.



- (a) Sodium hydroxide and sodium carbonate do not decompose when heated. The corresponding calcium compounds do decompose when heated. Complete the following equations.

calcium carbonate → .....

+

.....

$\text{Ca(OH)}_2 \rightarrow \dots + \dots$

[2]

(b) All nitrates decompose when heated.

(i) The equation for the thermal decomposition of silver(I) nitrate is given below.



What are the products formed when copper(II) nitrate is heated?

..... [1]

(ii) Complete the equation for the action of heat on sodium nitrate.



[2]

(c) Which of the metals in the list on page 5 have oxides which are not reduced by carbon?


..... [1]

(d) Choose from the list on page 5, metals whose ions would react with zinc.

..... [2]

[Total: 8]

**6** Butane is an alkane. It has the following structural formula.



(a) The equation for the complete combustion of butane is given below. Insert the two missing volumes.



.....               .....               40               volume of gas / cm<sup>3</sup> [2]

(b) Butane reacts with chlorine to form two isomers of chlorobutane.

(i) What type of reaction is this?

..... [1]

(ii) Explain the term *isomer*.

.....  
..... [2]

- (iii) Draw the structural formulae of these two chlorobutanes.

[2]

- (c) One of the chlorobutanes reacts with sodium hydroxide to form butan-1-ol. Butan-1-ol can be oxidised to a carboxylic acid.

- (i) State a reagent, other than oxygen, which will oxidise butan-1-ol to a carboxylic acid.

..... [1]

- (ii) Name the carboxylic acid formed.

..... [1]

- (iii) Butan-1-ol reacts with ethanoic acid to form an ester. Name this ester and give its structural formula showing all the individual bonds.

name ..... [1]

structural formula

[2]

[Total: 12]

7 Plastics are polymers. They are formed from their monomers by polymerisation.

(a) Two methods for the disposal of waste plastics are

- burning
- recycling.

Describe one advantage **and** one disadvantage of each method.

burning .....

.....  
.....

recycling .....

.....  
.....

[4]

(b) (i) There are two types of polymerisation reaction. Give their names and explain the differences between them.

.....  
.....  
.....

[4]


(ii) Give the structural formula of a polymer which is formed from two different monomers.

[2]

[Total: 10]

- 8 Iron and steel rust when exposed to water and oxygen. Rust is hydrated iron(III) oxide.

(a) The following cell can be used to investigate rusting.



(i) What is a cell?

..... [2]

(ii) Which electrode will be oxidised and become smaller? Explain your choice.

.....  
.....  
..... [3]

(iii) What measurements would you need make to find the rate of rusting of the electrode you have chosen in (ii)?

..... [2]

(iv) Suggest an explanation why the addition of salt to the water increases the rate of rusting.

..... [1]

(b) A sample of rust had the following composition:

51.85 g of iron      22.22 g of oxygen      16.67 g of water.

Calculate the following and then write the formula for this sample of rust.

number of moles of iron atoms, Fe = ..... [1]

number of moles of oxygen atoms, O = ..... [1]

number of moles of water molecules, H<sub>2</sub>O = ..... [1]

simplest mole ratio Fe : O : H<sub>2</sub>O is ..... : ..... : .....

formula for this sample of rust is ..... [1]

[Total: 12]



**DATA SHEET**  
**The Periodic Table of the Elements**

I		II		Group													
				III				IV		V		VI		VII		0	
7	Li	9	Be					11	B	12	C	14	N	16	F	4	
Lithium	Beryllium							5	Boron	Carbon	Nitrogen	Oxygen	Fluorine	Chlorine	He	2	
3	23	Na	24	Mg				27	Al	Si	Phosphorus	Sulfur	Sulfur	Chlorine	Neon	10	
Sodium	Magnesium							13	Aluminum	Silicon	15	16	17	18	Argon		
11	39	K	40	Ca	45	Sc	48	Ti	51	Cr	52	Fe	56	Co	Zn	20	
Potassium	Potassium	Calcium	Scandium	Titanium	Vanadium	Vanadium	Chromium	24	26	Manganese	25	Nickel	28	Copper	Zinc	Ne	10
19	85	Rb	86	Sr	89	Y	91	Zr	93	Mo	96	Rh	101	Pd	Ag	As	21
Rubidium	Rubidium	Strontium	Yttrium	Zirconium	Yttrium	Zirconium	Yttrium	40	42	Molybdenum	Technetium	Ruthenium	44	Palladium	Silver	Arsenic	11
37	133	Cs	137	Ba	139	La	178	Hf	181	Ta	184	Re	186	Os	Ir	Ge	32
Ceasium	Ceasium	Barium	Lanthanum	Hafnium	Tantalum	Tungsten	Hafnium	57	73	Tungsten	74	Rhenium	75	Osmium	Iridium	Germanium	33
55	Fr	87	88	Ra	226	Ac	227	Ac	89	Actinium	89	Platinum	78	Platinum	79	Antimony	34
												197	195	192	190	Kr	35
												80	201	204	207	Br	36
												81	80	82	83	Xe	54
												82	83	84	85	Radon	
												81	80	82	83		
												79	75	73	74		
												50	51	50	51		
												49	48	47	46		
												46	47	46	45		
												41	42	43	44		
												41	42	43	44		
												39	40	41	42		
												27	28	29	30		
												24	25	26	27		
												23	24	25	26		
												21	22	23	24		
												20	21	22	23		
												19	20	21	22		
												13	14	15	16		
												11	12	13	14		
												9	10	11	12		
												7	8	9	10		
												5	6	7	8		
												3	4	5	6		
												2	3	4	5		
												1	2	3	4		

<b>*58-71 Lanthanoid series</b>	140	Ce	141	Pr	144	Nd	150	Sm	152	Eu	157	Gd	162	Dy	165	Ho	167	Er	169	Yb	173
<b>†90-103 Actinoid series</b>	58	Cerium	59	Praseodymium	60	Neodymium	61	Promethium	62	Samarium	63	Europium	64	Gadolinium	65	Terbium	66	Therbium	68	Thulium	69
	232	Th	238	Pa	238	U	240	Np	242	Am	243	Bk	245	Cf	247	Einsteinium	249	Fermium	250	Mendelevium	251
	90	Thorium	91	Protactinium	92	Uranium	93	Neptunium	94	Americium	95	Berkelium	96	Californium	97	Curium	98	Fermium	99	Mendelevium	100
<b>Key</b>	a	X	b																		
		a = relative atomic mass																			
		X = atomic symbol																			
		b = proton (atomic) number																			

The volume of one mole of any gas is  $24 \text{ dm}^3$  at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.