



Cambridge IGCSE™

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

* 9 2 1 7 3 1 6 5 5 7 *



CHEMISTRY

0620/52

Paper 5 Practical Test

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

You will need: The materials and apparatus listed in the confidential instructions

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].
- Notes for use in qualitative analysis are provided in the question paper.

For Examiner's Use	
1	
2	
3	
Total	


This document has **12** pages. Any blank pages are indicated.

- 1 You are going to investigate the volume of gas made when sodium carbonate reacts with dilute hydrochloric acid.

Read all of the instructions carefully before starting the experiments.

Instructions

You are going to do five experiments using the apparatus shown.



Experiment 1

- Use a 25 cm³ measuring cylinder to pour 16 cm³ of dilute hydrochloric acid into a boiling tube.
- Set up the apparatus as shown in the diagram. Ensure the inverted measuring cylinder is full of water.
- Remove the bung from the boiling tube.
- Add a 2.5 g sample of sodium carbonate to the boiling tube and immediately replace the bung.
- When the volume of gas in the measuring cylinder stops changing, measure the volume of gas in the measuring cylinder. Record the volume in the table in **(a)**.

Experiment 2

- Repeat Experiment 1 using 14 cm³ of dilute hydrochloric acid instead of 16 cm³.

Experiment 3

- Repeat Experiment 2 using 12 cm³ of dilute hydrochloric acid instead of 14 cm³.

Experiment 4

- Repeat Experiment 3 using 10 cm³ of dilute hydrochloric acid instead of 12 cm³.
- Use a 10 cm³ measuring cylinder to measure the volume of the acid.

Experiment 5


- Repeat Experiment 4 using 6 cm³ of dilute hydrochloric acid instead of 10 cm³.

(a) Complete the table.

experiment	volume of dilute hydrochloric acid / cm ³	volume of gas collected / cm ³
1		
2		
3		
4		
5		

[4]

(b) Write a suitable scale on the y-axis and plot your results from Experiments 1 to 5 on the grid. Draw a straight line of best fit.



[4]

- (c) (i) **From your graph**, deduce the volume of gas that would be collected if 7 cm³ of dilute hydrochloric acid was used.

Show clearly **on the grid** how you worked out your answer.

..... cm³
[2]

- (ii) The volume of gas made per cm³ of dilute hydrochloric acid can be calculated using the equation shown.

$$\text{volume of gas per cm}^3 \text{ of acid} = \frac{\text{volume of gas collected in cm}^3}{\text{volume of acid in cm}^3}$$

Use this equation and your answer to (c)(i) to calculate the volume of gas made per cm³ of dilute hydrochloric acid.

..... [1]

- (d) The bung is removed and then replaced immediately after the sodium carbonate is added to the boiling tube.

- (i) Explain why the bung must be replaced immediately after the sodium carbonate is added to the boiling tube.

.....
..... [1]

- (ii) Explain how the apparatus could be altered so that the bung does **not** have to be removed. You may draw a diagram to explain your answer.

.....
..... [2]

- (e) State **one** advantage of using a burette rather than a measuring cylinder to measure the volume of the dilute hydrochloric acid.

..... [1]

(f) In Experiments 1 to 5, the sodium carbonate was in excess.

Sketch **on the grid** the graph you would expect if all of the experiments were repeated using dilute hydrochloric acid of half the concentration.

Label your line **F**.

[2]

[Total: 17]

- 2 You are provided with one solution, solution **G**, and one solid, solid **H**.
Do the following tests on the substances, recording all of your observations at each stage.

tests on solution G

Divide solution **G** into four approximately equal portions in three test-tubes and one boiling tube.

Keep one portion in a test-tube for use in the tests on solid **H**.

- (a) To the first portion of solution **G** in a test-tube, add aqueous sodium hydroxide dropwise and then in excess.
Record your observations.

.....
..... [2]

- (b) To the second portion of solution **G** in a test-tube, add about 1 cm depth of dilute nitric acid followed by a few drops of aqueous silver nitrate.
Record your observations.

..... [1]

Keep the third portion of solution G for use in (i).

- (c) To the portion of solution **G** in a boiling tube, add approximately 15cm³ of aqueous hydrogen peroxide. Test any gas produced.
Record your observations.

.....
.....
..... [3]

- (d) Identify the gas formed in (c).
..... [1]

- (e) Use the results of (a) and (b) to identify solution **G**.
.....
.....
..... [2]

tests on solid H

- (f) Carry out a flame test on solid **H**.
Record your observations.

..... [1]

Place solid **H** in a boiling tube. Add about 10 cm³ of distilled water to the boiling tube. Place a stopper in the boiling tube and shake the tube to dissolve solid **H** and form solution **H**.

Divide solution **H** into three approximately equal portions in three test-tubes.

- (g) To the first portion of solution **H** add aqueous ammonia dropwise and then in excess.
Record your observations.

.....

 [3]

- (h) To the second portion of solution **H** add approximately 1 cm depth of dilute nitric acid followed by a few drops of aqueous barium nitrate.
Record your observations.

.....
 [1]

- (i) To the third portion of solution **H** add your remaining portion of solution **G**.
Record your observations.

.....
 [1]

- (j) Identify solution **H**.

.....
 [2]

[Total: 17]

Notes for use in qualitative analysis

Tests for anions

anion	test	test result
carbonate (CO_3^{2-})	add dilute acid	effervescence, carbon dioxide produced
chloride (Cl^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
bromide (Br^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	cream ppt.
iodide (I^-) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO_3^-) [in solution]	add aqueous sodium hydroxide, then aluminium foil; warm carefully	ammonia produced
sulfate (SO_4^{2-}) [in solution]	acidify, then add aqueous barium nitrate	white ppt.
sulfite (SO_3^{2-})	add dilute hydrochloric acid, warm gently and test for the presence of sulfur dioxide	sulfur dioxide produced will turn acidified aqueous potassium manganate(VII) from purple to colourless

Tests for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al^{3+})	white ppt., soluble in excess, giving a colourless solution	white ppt., insoluble in excess
ammonium (NH_4^+)	ammonia produced on warming	–
calcium (Ca^{2+})	white ppt., insoluble in excess	no ppt., or very slight white ppt.
chromium(III) (Cr^{3+})	green ppt., soluble in excess	grey-green ppt., insoluble in excess
copper(II) (Cu^{2+})	light blue ppt., insoluble in excess	light blue ppt., soluble in excess, giving a dark blue solution
iron(II) (Fe^{2+})	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe^{3+})	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn^{2+})	white ppt., soluble in excess, giving a colourless solution	white ppt., soluble in excess, giving a colourless solution

Tests for gases

gas	test and test result
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint
sulfur dioxide (SO ₂)	turns acidified aqueous potassium manganate(VII) from purple to colourless

Flame tests for metal ions

metal ion	flame colour
lithium (Li ⁺)	red
sodium (Na ⁺)	yellow
potassium (K ⁺)	lilac
copper(II) (Cu ²⁺)	blue-green

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.