



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**0620/31**

Paper 3 (Extended)

**October/November 2012**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

A copy of the Periodic Table is printed on page 12.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

<b>For Examiner's Use</b>	
1	
2	
3	
4	
5	
6	
7	
<b>Total</b>	

This document consists of **12** printed pages.



- 1 A list of techniques used to separate mixtures is given below.

filtration

diffusion

fractional distillation

simple distillation

crystallisation

chromatography

From this list, choose the most suitable technique to separate the following mixtures.  
A technique may be used once, more than once or not at all.

- (a) butane from a mixture of propane and butane ..... [1]
- (b) oxygen from liquid air ..... [1]
- (c) water from aqueous magnesium sulfate ..... [1]
- (d) potassium chloride from aqueous potassium chloride ..... [1]
- (e) silver chloride from a mixture of silver chloride and water ..... [1]
- (f) glucose from a mixture of glucose and maltose ..... [1]

[Total: 6]

- 2 Three of the halogens in Group VII are listed below.

chlorine  
bromine  
iodine

- (a) (i) How does their colour change down the Group?

..... [1]

- (ii) How do their melting points and boiling points change down the Group?

..... [1]

- (iii) Predict the colour and physical state (solid, liquid or gas) of astatine, At.

colour .....

physical state ..... [2]

- (b) A radioactive isotope of iodine,  $^{131}_{53}\text{I}$ , is used to treat cancer.

- (i) Define the term *isotope*.

..... [2]

- (ii) How many protons, electrons and neutrons are there in one atom of  $^{131}_{53}\text{I}$ ?

number of protons .....

number of electrons .....

number of neutrons .....

[2]

- (iii) When this isotope,  $^{131}_{53}\text{I}$ , emits radiation, a different element with a proton number of 54 is formed.

What is the name of this element?

..... [1]

- (c) Fluorine, the most reactive halogen, forms compounds with the other halogens. It forms two compounds with bromine.

Deduce their formulae from the following information.

compound 1

The mass of one mole of this compound is 137 g.

Its formula is .....

[1]

compound 2

0.02 moles of this compound contain 0.02 moles of bromine atoms and 0.1 moles of fluorine atoms.

Its formula is .....

[1]

[Total: 11]

- 3 The speed (rate) of a chemical reaction depends on a number of factors which include temperature and the presence of a catalyst.

(a) Reaction speed increases as the temperature increases.


(i) Explain why reaction speed increases with temperature.

.....  
 .....  
 .....

[3]

(ii) Reactions involving enzymes do not follow the above pattern.

The following graph shows how the speed of such a reaction varies with temperature.



Suggest an explanation why initially the reaction speed increases then above a certain temperature the speed decreases.


.....  
 .....

[2]

(b) An organic compound decomposes to give off nitrogen.



The speed of this reaction can be determined by measuring the volume of nitrogen formed at regular intervals. Typical results are shown in the graph below.



(i) The reaction is catalysed by copper.

Sketch the graph for the catalysed reaction on the diagram above.

[2]


- (ii) How does the speed of this reaction vary with time?

..... [1]

- (iii) Why does the speed of reaction vary with time?

..... [2]

- (c) Catalytic converters reduce the pollution from motor vehicles.



- (i) Describe how carbon monoxide and the oxides of nitrogen are formed in car engines.

.....  
.....  
.....  
..... [4]

- (ii) Describe the reaction(s) inside the catalytic converter which change these pollutants into less harmful gases. Include at least one equation in your description.

.....  
.....  
..... [3]

[Total: 17]

- 4 Silicon(IV) oxide,  $\text{SiO}_2$ , and zirconium(IV) oxide,  $\text{ZrO}_2$ , are both macromolecules. They have similar physical properties but silicon(IV) oxide is acidic and zirconium(IV) oxide is amphoteric.

(a) Define the term *macromolecule*.

.....  
.....  
.....

[1]

(b) (i) Predict **three** physical properties of these two oxides.

.....  
.....  
.....

[3]

(ii) Name an element which has the same physical properties as these two oxides.

.....

[1]

(c) (i) Name a reagent that reacts with the oxides of both elements.

.....

[1]

(ii) Name a reagent that reacts with only one of the oxides.

reagent .....


oxide which reacts .....

[2]

[Total: 8]

- 5 Carbonyl chloride,  $\text{COCl}_2$ , is widely used in industry to make polymers, dyes and pharmaceuticals.

- (a) Carbonyl chloride was first made in 1812 by exposing a mixture of carbon monoxide and chlorine to bright sunlight. This is a photochemical reaction.



- (i) Explain the phrase *photochemical reaction*.

.....  
.....  
.....


[2]

- (ii) Give another example of a photochemical reaction and explain why it is important either to the environment or in industry.

.....  
.....  
.....

[3]

- (b) Carbonyl chloride is now made by the reversible reaction given below.



The forward reaction is exothermic.

The reaction is catalysed by carbon within a temperature range of 50 to 150 °C.

- (i) Predict the effect on the yield of carbonyl chloride of increasing the pressure. Explain your answer.

.....  
.....

[2]

- (ii) If the temperature is allowed to increase to above 200 °C, very little carbonyl chloride is formed. Explain why.

.....  
.....


[2]

- (iii) Explain why a catalyst is used.

.....

[1]

- (c) The structural formula of carbonyl chloride is given below.




Draw a diagram showing the arrangement of the outer (valency) electrons in one molecule of this covalent compound.

Use o to represent an electron from a carbon atom.  
Use x to represent an electron from a chlorine atom.  
Use • to represent an electron from an oxygen atom.

[3]

[Total: 13]

- 6 A sandwich contains three of the main constituents of food.



- (a) (i) These constituents of food can be hydrolysed by boiling with acid or alkali. Complete the table.

constituent of food	product of hydrolysis
protein	
fat	
complex carbohydrate	

[3]


- (ii) What type of synthetic polymer contains the same linkage as

fats, .....

proteins? .....

[2]

- (b) An incomplete structural formula of a protein is given below. Complete this diagram by inserting the linkages.



[2]

- (c) Butter contains mainly saturated fats. Fats based on vegetable oils, such as olive oil, contain mainly unsaturated fats.

A small amount of fat was dissolved in an organic solvent. Describe how you could determine if the fat was saturated or unsaturated.

.....  
.....  
.....

[3]

[Total: 10]

- 7 Both strontium and sulfur have chlorides of the type  $XCl_2$ . The table below compares some of their properties.

	strontium chloride	sulfur chloride
appearance	white crystals	red liquid
formula	$SrCl_2$	$SCl_2$
melting point/°C	874	-120
boiling point/°C	1250	59
conductivity of liquid	good	poor
solubility in water	dissolves to form a neutral solution	reacts to form a solution of pH 1


- (a) (i) Use the data in the table to explain why sulfur chloride is a liquid at room temperature, 25 °C.
- .....
- [2]

- (ii) Strontium is a metal and sulfur is a non-metal. Explain why both have chlorides of the type  $XCl_2$ .  
The electron distribution of a strontium atom is 2 + 8 + 18 + 8 + 2.
- .....
- .....
- [2]

- (iii) Deduce the name of the acidic compound formed when sulfur chloride reacts with water.
- .....
- [1]

- (iv) Explain the difference in the electrical conductivity of liquid strontium chloride and liquid sulfur chloride.
- .....
- .....
- [3]

- (b) Strontium chloride-6-water can be made from the insoluble compound, strontium carbonate, by the following reactions.



The following method was used to prepare the crystals.

- 1 Add excess strontium carbonate to hot hydrochloric acid.
- 2 Filter the resulting mixture.
- 3 Partially evaporate the filtrate and allow to cool.
- 4 Filter off the crystals of  $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$ .
- 5 Dry the crystals between filter papers.

- (i) How would you know when excess strontium carbonate had been added in step 1?

.....

[1]

- (ii) Why is it necessary to filter the mixture in step 2?

.....

[1]

- (iii) In step 3, why partially evaporate the filtrate rather than evaporate to dryness?

.....

[1]

- (c) In the above experiment,  $50.0 \text{ cm}^3$  of hydrochloric acid of concentration  $2.0 \text{ mol/dm}^3$  was used.  $6.4 \text{ g}$  of  $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$  was made.  
Calculate the percentage yield.

number of moles of  $\text{HCl}$  used = .....

number of moles of  $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$  which could be formed = .....

mass of one mole of  $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$  is  $267 \text{ g}$

theoretical yield of  $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$  = ..... g

percentage yield = ..... %

[4]

[Total: 15]

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																							
		I    II								III								IV		V		VI		VII	
7	Li	9	Be	Beryllium						1	H	Hydrogen													
3	23	Na	24	Mg	Magnesium																				
11	39	40	41	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr					
19	Potassium	20	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Nickel	Cobalt	28	29	30	31	32	33	Arsenic	Selenium	Bromine	Krypton				
37	85	86	88	Sr	Y	Zr	Yttrium	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe				
55	133	137	139	Ba	La	Hf	Ta	Rhenium	Re	W	186	190	192	Os	Ir	Tl	Hg	Pb	Bi	Thallium	Tellurium				
87	Fr	226	227	Ra	Barium	Lanthanum	Hafnium	Tantalum	Tungsten	Rhenium	Osmium	Iridium	Platinum	Gold	197	201	204	207	209	Po	At	Rn			
						*																			

11	B	12	C	Carbon	14	N	Oxygen	16	O	19	F	Fluorine	20	Ne	Neon	2	He	Helium					
5	Boron	6	Nitrogen	7	P	Phosphorus	15	S	Sulfur	16	Cl	Chlorine	17										
27	Al	28	Si	Silicon	13	Germanium	14	Ga	Gallium	31	In	Indium	50										

11	Lanthanoid series	140	Ce	Praseodymium	Nd	Pm	150	Sm	Eu	152	Gd	Tb	159	Dy	Ho	165	Er	Tm	Yb	Lu				
		58	Centium	Neodymium	60	Promethium	61	Samarium	62	Europium	63	Terbium	65	Dysprosium	66	Hholmium	67	Thulium	69	Ytterbium	71			
		232	Th	Pa	U	Np	238	Am	Cm	Bk	Cf													
		90	Thorium	Protactinium	Uranium	Neptunium	92	Americium	Curium	Berkelium	96													

**Key**  
 a = relative atomic mass  
 X = atomic symbol  
 b = proton (atomic) number  
 † = relative atomic mass

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.