



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY		06:	20/42
CENTRE NUMBER	CANDIDATE NUMBER		
CANDIDATE NAME			

Paper 4 Theory (Extended)

October/November 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.



Par	ticle	s behave differently when in o	different physical states.				
(a)		Solids have a fixed volume and a definite shape. Gases have no fixed volume and take the shape of the container.					
	Des	scribe the volume and shape	of liquids.				
				[1]			
(b)		mplete the table to show the vsical state.	separation, arrangement and ı	movement of particles in each			
state		separation of particles	arrangement of particles	movement of particles			
solid							
liquid		touching one another	randomly arranged	move over one another			
gas							
	1			[6]			
(c)	Naı	me the following changes of s	tate.				
	(i)	Ice turning into water.					
				[1]			
	(ii)	Solid carbon dioxide turning	directly into gaseous carbon d	ioxide at room temperature.			
				[1]			
				[Total: 9]			

1

2	This	s question is about atoms, ions and isotopes.	
	(a)	Define the term <i>nucleon number</i> .	
	(b)	Give the electronic structure of the following atom and ion.	
		Na	
		P ³⁻	 [2]
	(c)	State one medical use of radioactive isotopes.	
			[1]
	(d)	What is meant by the term relative atomic mass?	
			[2]
	(e)	Suggest why the relative atomic mass of chlorine is not a whole number.	
			[2]

(f) Aluminium is a metal in Group III.

Describe the bonding in aluminium. Include a labelled diagram and any appropriate charges in your answer.

[3]

[Total: 12]

- 3 Clean, dry air contains a small amount of carbon dioxide.
 - (a) The percentages of the **other** gases present in clean, dry air are shown in the table.

Complete the table by inserting the names of these gases.

name of gas	percentage present
	78
	21
	1

[2]

(b)	Oxides of nitrogen are atmospheric pollutants which can cause acid rain.
	Describe the formation of oxides of nitrogen and suggest how they can cause acid rain.
	[3]
(c)	Methane contributes to the greenhouse effect.
	State two sources of methane.
	1
	2
	[2]
(d)	Combustion and respiration add carbon dioxide to the atmosphere.
	Name one natural process which removes carbon dioxide from the atmosphere.
	[1]
	[Total: 8]

4	Dilute nitric acid behaves	as a typical acid in some	reactions but not in oth	er reactions
_	Dilate filtilo dola bellaveo	ao a typical acia ili collic	reactions but not in our	CI I CUCLIONO

(a)	Dilute r	nitric	acid	behaves	as	а	typical	acid	when	reacted	with	copper(II)	oxide	and	with
	copper((II) ca	arbon	ate.											

Describe what you would **see** if excess dilute nitric acid is added separately to solid samples of copper(II) carbonate and copper(II) oxide followed by warming the mixtures.

copper(II) carbonate	
copper(II) oxide	
	[4]

- **(b)** When dilute nitric acid is added to pieces of copper and heated, a reaction takes place and copper(II) nitrate is formed.
 - (i) Part of the chemical equation for the reaction between copper and dilute nitric acid is shown.

Complete the chemical equation by inserting the formula of copper(II) nitrate and balancing the equation.

.....Cu(s) +
$$8HNO_3(aq) \rightarrow$$
(aq) + $4H_2O(I) + 2NO(g)$ [2]

. ,	How is the reaction of dilute nitric acid with copper different from that of a typical metal with a typical acid?

[Total: 7]

5	Chlorine.	bromine	and iodine	are halogens

(a)	Chlorine can be made in the laboratory by heating manganese(IV) oxide with concentrated
	hydrochloric acid.

$$MnO_2(s) + 4HCl(aq) \rightarrow MnCl_2(aq) + 2H_2O(l) + Cl_2(g)$$

Calculate the volume of 8.00 mol/dm³ HCl(aq) needed to react with 3.48 g of MnO₂.

moles of MnO₂ used

• moles of HCl needed

volume of HCl needed

(b) A student bubbled chlorine gas into a test-tube containing aqueous potassium bromide.

(i) Describe the colour change seen in the test-tube.

from	to	
		[2]

(ii) Complete the **ionic** equation for this reaction.

Include state symbols.

$$Cl_2(g) +Br^-(aq) \rightarrow +$$
 [3]

(c)		en one mole of bromine, $\mathrm{Br_2}$, reacts with one mole of propene, one organic product is ned.
	(i)	Which part of the propene molecule reacts with bromine?
		[1]
	(ii)	What is the name of the type of reaction which takes place between bromine and propene?
		[1]
(d)		en one mole of chlorine, Cl_2 , reacts with one mole of propane, a mixture of two structural mers is formed.
	(i)	What is the name of the type of reaction which takes place between chlorine and propane?
		[1]
	(ii)	Explain what is meant by the term structural isomers.
		[2]
	(iii)	Draw the structure of two structural isomers formed when one mole of chlorine reacts with one mole of propane.

(e) Iodine forms an oxide which has the composition by mass: I, 76.0%; O, 24.0%.

(i)	Use this information to determine the empirical formula of this oxide of iodine.
	empirical formula [3]
(ii)	The oxide of iodine in (e)(i) dissolves in water.
	Predict and explain the effect of adding Universal Indicator to an aqueous solution of this oxide of iodine.
	effect on Universal Indicator
	explanation
	[2]

[Total: 21]

6 Aluminium is a very important met	6	Aluminium	is	а	very	importan	t meta
-------------------------------------	---	-----------	----	---	------	----------	--------

Aluminium is extracted from its ore, bauxite, by electrolysis. Bauxite is an impure form of aluminium oxide, Al_2O_3 .

(a)	Describe how aluminium is extracted from bauxite . Include an ionic half-equation for reaction at each electrode.	the
	description	
	ionic half-equation for the anode reaction	
	ionic half-equation for the cathode reaction	[5]
(b)	Explain why the anodes have to be replaced regularly.	
(c)	Give two uses of aluminium and give a reason why aluminium is suitable for each use.	
	use 1	
	reason	
	use 2	
	reason	[4]

[Total: 11]


Question 7 starts on the next page.

7 Proteins are a	major	constituent	of food.
-------------------------	-------	-------------	----------

Drotoine	ara	noly	marc
Proteins	aıc	יוטע	VIIICI

(a)	Wh	at is a polymer?
		ro1
		[2]
(b)	Pro	teins can be converted into amino acids.
	(i)	Name the type of chemical reaction which occurs when proteins are converted into amino acids.
		[1]
	(ii)	Suggest a condition needed to convert proteins into amino acids.

(c) A colourless mixture of amino acids was separated by chromatography. Amino acid \mathbf{X} has an $R_{\rm f}$ value of 0.8. The chromatogram of the mixture after treatment with a locating agent is shown.



(i) How is an R_f value calculated?

$R_{\rm f}$ =	
·	[1]

(ii) On the diagram put a ring around the spot caused by amino acid **X**. [1]

(iii)	Describe how you would perform a chromatography experiment to produce the chromatogram shown in (c). Assume you have been given the mixture of amino acids and a suitable locating agent. You are provided with common laboratory apparatus.
	[3]

(d) When one molecule of an amino acid **A** combines with one molecule of another amino acid **B**, two different dipeptide molecules could be formed.

Draw the structures of the **two** different dipeptide molecules. Show all of the atoms and all of the bonds in the linkages.

amino acid A

amino acid B

[3]

[Total: 12]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
				6	щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Po	molonium —	116	_	livermorium —
	>			7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium -
	≡			22	Ф	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	1L	thallium 204			
										30	Zn	zinc 65	48	g	cadmium 112	80	Я	mercury 201	112	S	copernicium -
										59	on	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	₽	platinum 195	110	Ds	darmstadtium -
ق				,						27	ဝိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	Μţ	meitnerium -
		- エ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium –
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Б	tantalum 181	105	op O	dubnium —
					atc	rel				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	¥	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium _
	_			က	=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	ВВ	rubidium 85	22	Cs	caesium 133	87	ቷ	francium -

7.1	Γn	Iutetium	175	103	۲	lawrencium	I
	Υp					_	
69	H	thulium	169	101	Md	mendelevium	1
89	ш	erbinm	167	100	Fm	ferminm	1
29	웃	holmium	165	66	Es	einsteinium	I
99	۵	dysprosium	163	86	ర్	californium	1
65	q	terbium	159	97	BK	berkelium	1
64	Gd	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	I	93	d d	neptunium	ſ
09	pN	neodymium	144	92	\supset	uranium	238
29	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	드	thorium	232
22	Гa	lanthanum	139	89	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).