



Cambridge IGCSE™

CANDIDATE NAME




CENTRE NUMBER

--	--	--	--	--

CANDIDATE NUMBER

--	--	--	--



COMPUTER SCIENCE

0478/11

Paper 1 Computer Systems

October/November 2024

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- Calculators must **not** be used in this paper.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].
- No marks will be awarded for using brand names of software packages or hardware.

This document has 12 pages.



1 The size of a file can be measured using different units.

(a) Tick (✓) **one** box to show which of these is **not** a unit of measurement for a file.

- A bit
- B bot
- C nibble
- D byte

[1]

(b) The size of a file can be reduced by compressing it.

(i) Give **two** types of compression that can be used to reduce the size of a file.

1

2

[2]

(ii) Give **three** benefits of reducing the size of a file for storage and transmission.

1

.....

2

.....

3

.....

[3]





2 A student has a smartphone.

(a) Identify **two** input devices that can be built into the smartphone.

1

2

[2]

(b) Identify **two** output devices that can be built into the smartphone.

1

2

[2]

(c) The smartphone contains secondary storage.

(i) Explain the purpose of the secondary storage in the smartphone.

.....
.....
.....
..... [2]

(ii) Identify the most suitable type of secondary storage for the smartphone.

Explain your choice.

Secondary storage type

Explanation

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

[4]



DO NOT WRITE IN THIS MARGIN



3 A user enters text into a computer system, using a keyboard.

An American standard code for information interchange (ASCII) character set is used to convert the text to binary.

(a) Identify **one** other character set that could be used to convert the text to binary.

..... [1]

(b) The character 'A' is represented by the denary ASCII number 65.

The character 'm' is represented by the denary ASCII number 109.

(i) Convert the **two** denary ASCII numbers to binary.

65

109 [2]

Working space

.....
.....
.....
.....

(ii) Convert the **two** denary ASCII numbers to hexadecimal.

65

109 [2]

Working space

.....
.....
.....
.....

DO NOT WRITE IN THIS MARGIN





(c) The character 'y' is represented by the binary ASCII number 01111001.

(i) Convert the binary ASCII number to denary.

..... [1]

Working space

.....
.....
.....
.....

(ii) Convert the binary ASCII number to hexadecimal.

..... [1]

Working space

.....
.....
.....
.....

(iii) A logical right shift of two places is performed on the binary ASCII number 01111001.

Give the binary number after the logical right shift of **two** places is performed.

..... [1]

Working space

.....
.....
.....
.....

DO NOT WRITE IN THIS MARGIN





(b) The company decides to use parallel full-duplex data transmission to send the data across the network.

(i) Explain the reasons why the company have chosen this method of data transmission.

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

(ii) Give **two** drawbacks of the company using this method of data transmission.

1

.....

2

.....

..... [2]

(iii) Give **one** other method of data transmission the company could have chosen.

..... [1]

DO NOT WRITE IN THIS MARGIN





5 A central processing unit (CPU) performs the fetch–decode–execute (FDE) cycle.

(a) Give the name of **two** registers that are used in the fetch stage of the cycle.

1

2

[2]

(b) Describe what happens at the decode stage of the cycle.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

[3]

(c) Give **one** register in the CPU that is used in the execute stage of the cycle.

.....

[1]

(d) Buses are used in the CPU to transmit data through the FDE cycle.

Circle **three** buses that are used in the CPU.

- fetch address register execute
- data decode calculation
- central value binary control

[3]

(e) A user changes their CPU from one with a dual core and a clock speed of 2.4 GHz to one with a dual core and a clock speed of 3.5 GHz.

Explain the effect this change will have on the performance of the CPU.

.....
.....
.....
.....

[2]

DO NOT WRITE IN THIS MARGIN





6 A computer programmer uses assembly language to create a computer program for an embedded system in a washing machine.

(a) State what is meant by an embedded system.

.....
..... [1]

(b) Give the name of the translator that will be used for the program.

..... [1]

(c) The washing machine needs to display error codes on a small screen if there is a problem with the washing machine.

The error codes are stored as binary. The binary numbers are too long to be displayed on the washing machine.

State how the error codes could be reduced in length to be displayed on the screen.

..... [1]

(d) Give **one** benefit to the programmer of using assembly language to write the program.

.....
..... [1]

DO NOT WRITE IN THIS MARGIN





(ii) Identify **one** other function of an operating system.

Describe the purpose of this function.

.....

.....

.....

..... [2]

(b) Give the name of the set of instructions that are provided to the operating system to allow it to run.

..... [1]

8 Draw and annotate a diagram to show how a payment transaction is made using digital currency and blockchain.



DO NOT WRITE IN THIS MARGIN



9 A doctor’s surgery has an expert system that helps diagnose the illnesses of its patients.

(a) Complete the paragraph about the operation of the expert system.

Use the terms from the list.

Some of the terms in the list will **not** be used. Some terms may be used more than once.

artificial binary central processing unit (CPU) data

inference engine interface knowledge base primary storage

process real read only memory (ROM) rule base

An expert system is a type of intelligence. The doctor will type data about the symptoms of the illness into the

The will decide which questions to ask the doctor.

It will do this by linking the facts in the to the

The will decide on a diagnosis and this will be output on the

[7]

(b) The expert system has the ability to automatically adapt its own processes and data.

Give the name of this ability.

..... [1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.



DO NOT WRITE IN THIS MARGIN