
COMPUTER SCIENCE**0478/12**

Paper 1

March 2019

MARK SCHEME

Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the March 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer		Marks
1(a)	File size	Tick (✓)	1
	20 MB		
	10 GB	✓	
1(b)	File size	Tick (✓)	1
	3500 kB	✓	
	3 MB		

Question	Answer	Marks
2(a)(i)	– (A device that allows) data to be entered (into a computer system)	1
2(a)(ii)	One from e.g.: – Keyboard – Mouse – Microphone – Sensor – Touch screen	1
2(b)(i)	– (A device that allows the user to) view/hear the data (that has been entered into a computer system)	1
2(b)(ii)	One from e.g. : – Monitor – Speaker – Headphones – Printer	1

Question	Answer	Marks
3(a)(i)	– 000000100111 └──┬──┘ └──┬──┘ 1 mark 1 mark	2
3(a)(ii)	– 000101011110 └──┬──┘ └──┬──┘ 1 mark 1 mark	2
3(a)(iii)	1 mark for working, 1 mark for correct answer – 1024 + 512 + 128 + 64 + 4 + 2 + 1 – 1735	2
3(b)(i)	Two from: – Pressure sensor – Light sensor – Motion sensor – Magnetic field (can be used if competitors are wearing a compatible chip)	2
3(b)(ii)	– Sensor sends signal to microprocessor – Signal is analogue and is converted to digital (using ADC) – Data is compared to stored value // Check for signal – If data does not match / is out of range/ in range // signal detected ... – ... counter is incremented by 1 – Continuous process	6

Question	Answer	Marks																		
4(a)	<p>Two from:</p> <ul style="list-style-type: none"> – Closer to English statements / human language – Easier / quicker to write / read / understand / remember – Easier / quicker to debug – Less likely to make errors – One line of code can carry out multiple commands – Portable language 	2																		
4(b)	<p>1 mark for correct tick(s) for each statement</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 70%;">Statement</th> <th style="width: 15%;">Compiler</th> <th style="width: 15%;">Interpreter</th> </tr> </thead> <tbody> <tr> <td>A report of errors is produced at the end of translation</td> <td style="text-align: center;">✓</td> <td></td> </tr> <tr> <td>The program is translated one line at a time</td> <td></td> <td style="text-align: center;">✓</td> </tr> <tr> <td>The program is translated from high-level language into machine code</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>An executable file is produced</td> <td style="text-align: center;">✓</td> <td></td> </tr> <tr> <td>The program will not run at all if an error is detected</td> <td style="text-align: center;">✓</td> <td></td> </tr> </tbody> </table>	Statement	Compiler	Interpreter	A report of errors is produced at the end of translation	✓		The program is translated one line at a time		✓	The program is translated from high-level language into machine code	✓	✓	An executable file is produced	✓		The program will not run at all if an error is detected	✓		5
Statement	Compiler	Interpreter																		
A report of errors is produced at the end of translation	✓																			
The program is translated one line at a time		✓																		
The program is translated from high-level language into machine code	✓	✓																		
An executable file is produced	✓																			
The program will not run at all if an error is detected	✓																			
4(c)	<ul style="list-style-type: none"> – Lossy would remove data – Lossless does not remove data // No data can be lost ... – Can be restored to original state ... – ... otherwise will not run / work correctly 	4																		
4(d)(i)	<ul style="list-style-type: none"> – Sending device creates value from calculation on data // By example – Value is transmitted with the data – Receiving device performs same calculation – Values are compared after transmission // If values do not match ... – ... an error is detected 	5																		

Question	Answer	Marks
4d(ii)	<ul style="list-style-type: none"> – Parity check – Check digit – Automatic repeat request 	3

Question	Answer	Marks
5(a)	<p>1 mark for each correct logic gate with correct input(s)</p>	6

Question	Answer	Marks																																													
5(b)	<p>4 marks for 8 correct outputs 3 marks for 6/7 correct outputs 2 marks for 4/5 correct outputs 1 mark for 2/3 correct outputs</p> <table border="1" data-bbox="618 384 1655 971"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>Working space</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>0</td> </tr> <tr> <td>0</td> <td>0</td> <td>1</td> <td></td> <td>0</td> </tr> <tr> <td>0</td> <td>1</td> <td>0</td> <td></td> <td>1</td> </tr> <tr> <td>0</td> <td>1</td> <td>1</td> <td></td> <td>0</td> </tr> <tr> <td>1</td> <td>0</td> <td>0</td> <td></td> <td>0</td> </tr> <tr> <td>1</td> <td>0</td> <td>1</td> <td></td> <td>1</td> </tr> <tr> <td>1</td> <td>1</td> <td>0</td> <td></td> <td>1</td> </tr> <tr> <td>1</td> <td>1</td> <td>1</td> <td></td> <td>1</td> </tr> </tbody> </table>	A	B	C	Working space	X	0	0	0		0	0	0	1		0	0	1	0		1	0	1	1		0	1	0	0		0	1	0	1		1	1	1	0		1	1	1	1		1	4
A	B	C	Working space	X																																											
0	0	0		0																																											
0	0	1		0																																											
0	1	0		1																																											
0	1	1		0																																											
1	0	0		0																																											
1	0	1		1																																											
1	1	0		1																																											
1	1	1		1																																											

Question	Answer	Marks
6(a)	<p>Three from:</p> <ul style="list-style-type: none"> – Universal Serial Bus – Data transmission method – Uses serial transmission // bits of data are sent one at a time – Universal standard // common interface 	3
6(b)(i)	– Laser printer	1

Question	Answer	Marks																								
6(b)(ii)	Two from: <ul style="list-style-type: none"> – Cheaper printing cost per page – It prints at a faster speed – It prints text at a high quality – Colour fast 	2																								
6(b)(iii)	One from: <ul style="list-style-type: none"> – Expensive to purchase printer – Toner is expensive – Print images at a lower quality – Can be quite large in size 	1																								
6(c)(i)	1 mark per each correct tick <table border="1" data-bbox="591 700 1682 1094" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th data-bbox="591 700 1120 767">Storage example</th> <th data-bbox="1120 700 1308 767">Primary</th> <th data-bbox="1308 700 1496 767">Secondary</th> <th data-bbox="1496 700 1682 767">Off-line</th> </tr> </thead> <tbody> <tr> <td data-bbox="591 767 1120 834">Solid state drive (SSD)</td> <td data-bbox="1120 767 1308 834"></td> <td data-bbox="1308 767 1496 834" style="text-align: center;">✓</td> <td data-bbox="1496 767 1682 834"></td> </tr> <tr> <td data-bbox="591 834 1120 901">Blu-ray disc</td> <td data-bbox="1120 834 1308 901"></td> <td data-bbox="1308 834 1496 901"></td> <td data-bbox="1496 834 1682 901" style="text-align: center;">✓</td> </tr> <tr> <td data-bbox="591 901 1120 968">USB flash memory</td> <td data-bbox="1120 901 1308 968"></td> <td data-bbox="1308 901 1496 968"></td> <td data-bbox="1496 901 1682 968" style="text-align: center;">✓</td> </tr> <tr> <td data-bbox="591 968 1120 1035">Random access memory (RAM)</td> <td data-bbox="1120 968 1308 1035" style="text-align: center;">✓</td> <td data-bbox="1308 968 1496 1035"></td> <td data-bbox="1496 968 1682 1035"></td> </tr> <tr> <td data-bbox="591 1035 1120 1102">Read only memory (ROM)</td> <td data-bbox="1120 1035 1308 1102" style="text-align: center;">✓</td> <td data-bbox="1308 1035 1496 1102"></td> <td data-bbox="1496 1035 1682 1102"></td> </tr> </tbody> </table>	Storage example	Primary	Secondary	Off-line	Solid state drive (SSD)		✓		Blu-ray disc			✓	USB flash memory			✓	Random access memory (RAM)	✓			Read only memory (ROM)	✓			5
Storage example	Primary	Secondary	Off-line																							
Solid state drive (SSD)		✓																								
Blu-ray disc			✓																							
USB flash memory			✓																							
Random access memory (RAM)	✓																									
Read only memory (ROM)	✓																									

Question	Answer	Marks
6(c)(ii)	<p>Six from:</p> <ul style="list-style-type: none"> – Storage device has platters – Platters/disk divided into tracks – Storage platter / disk is spun – Has a read/write arm that moves across storage media – Read/writes data using electromagnets – Uses magnetic fields to control magnetic dots of data – Magnetic field determines binary value <p>NOTE: Marks can be awarded for an alternative description e.g. magnetic tape</p>	6
6(c)(iii)	<ul style="list-style-type: none"> – Magnetic is cheaper per unit of data – Magnetic has more longevity // Magnetic can perform more read/write cycles 	2

Question	Answer	Marks
7	<p>For each of three risks Naming the risk – 1 mark, describing the risk – 1 mark:</p> <ul style="list-style-type: none"> – Hacking ... – ... when a person tries to gain unauthorised access to a computer system – ... data can be deleted/corrupted by hacker – Malware ... – ... a software program designed to damage data / disrupt the computer system – ... replicates itself and fills the hard disk – Virus ... – ... a program that replicates itself to damage / delete files <p>NOTE: Multiple kinds of malware can be awarded if listed and given a matching description e.g. trojan horse, worm.</p>	6