

## Cambridge IGCSE™ (9-1)

MATHEMATICS
Paper 2 (Extended)
MARK SCHEME
Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

### **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

#### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

#### GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

#### GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

### GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

### GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

## GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

### **Mathematics-Specific Marking Principles**

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

### Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

#### **Annotations**

Annotation	Meaning
^	More information required
AO	Accuracy mark awarded zero
A1	Accuracy mark awarded one
A2	Accuracy mark awarded two
A3	Accuracy mark awarded three
ВО	Independent mark awarded zero
B1	Independent mark awarded one
B2	Independent mark awarded two
ВЗ	Independent mark awarded three
BOD	Benefit of the doubt
С	Communication mark
×	Incorrect
FT	Follow through
Highlighter	Highlight a key point in the working
ISW	Ignore subsequent work
МО	Method mark awarded zero
M1	Method mark awarded one
M2	Method mark awarded two
МЗ	Method mark awarded three

Annotation	Meaning
MR	Misread
0	Omission
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
Pre	Premature rounding/approximation
SC	Special case
SEEN	Indicates that work/page has been seen
TE	Transcription error
<b>✓</b>	Correct
XP	Correct answer from incorrect working

#### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

### Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

#### **Abbreviations**

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)	or	1	
1(b)		1	
2(a)	4.4 to 4.6	2	<b>B1</b> for 8.8 [cm] to 9.2 [cm]
			or M1 for $0.5 \times their$ written measurement where <i>their</i> measurement is in the range 8 to 10
2(b)	108 to 112	1	
3	[x =] 70 and $[y =] 65$	3	<b>B2</b> for either correct or <b>B1</b> for 45 <b>and</b> 65 correctly placed on diagram
			or <b>M1</b> for 180 – 45 – 65 oe
4(a)	$\frac{4}{7}$ oe	1	
4(b)	20	1	FT their (a) $\times$ 35 provided $0 < their$ (a) $< 1$
5(a)	Triangle at $(-1, -1)$ , $(-1, 1)$ , $(-2, -1)$	1	
5(b)	Rotation	3	B1 for each
	90 anticlockwise oe		
	(2, 2)		
6(a)	4	2	<b>M1</b> for $8x = 39 - 7$ or better
6(b)	2.6 or $\frac{13}{5}$ oe	3	M1 for correct first step e.g. $5y - 1 = \frac{24}{2}$ or $10y - 2 = 24$ or better
			M1 for correctly isolating terms in y FT <i>their</i> first step e.g. $5y = 12 + 1$ or $10y = 24 + 2$
7(a)	-1	1	

Question	Answer	Marks	Partial Marks
7(b)	14 - 3n oe final answer	2	<b>B1</b> for $c - 3n$ or $14 - kn$ ( $k \neq 0$ ) or $14 - 3n$ seen then spoilt
8	18	2	B1 for answer 2, 3, 6 or 9 or M1 for answer $2 \times 3^2$ oe or for $2 \times 2 \times 3 \times 3$ and $2 \times 3 \times 3 \times 3$
			or 2 correct factor trees or tables
9(a)	(7, –9)	2	<b>B1</b> for $(7, k)$ or $(k, -9)$ or $\begin{pmatrix} 7 \\ -9 \end{pmatrix}$
			or for $\begin{pmatrix} 4 \\ -8 \end{pmatrix}$ seen
			or M1 for $\begin{pmatrix} 3 \\ -1 \end{pmatrix} + 2 \begin{pmatrix} 2 \\ -4 \end{pmatrix}$
9(b)	2	2	<b>M1</b> for $2^2 + ([-]4)^2$ oe or better
9(c)	$\begin{pmatrix} 3.5 \\ -2 \end{pmatrix}$ oe	2	<b>B1</b> for answer $\begin{pmatrix} 3.5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$
			or for $\begin{pmatrix} 0.5 \\ -1 \end{pmatrix}$ or $\begin{pmatrix} \frac{1}{2} \\ -1 \end{pmatrix}$ seen
			or <b>M1</b> for $\begin{pmatrix} 3 \\ -1 \end{pmatrix} + \frac{1}{4} \begin{pmatrix} 2 \\ -4 \end{pmatrix}$ oe
10	$\frac{9}{2}$ oe	2	M1 for $\frac{45}{360} \times 2 \times [\pi] \times 18$ oe
11(a)	$7.08 \times 10^{-3}$ cao	1	
11(b)	$4.18 \times 10^{23}$ cao	2	B1 for figs 418 or M1 for $0.38 \times 10^{23}$ or $38 \times 10^{22}$ or $10^{22}(3.8 + 3.8 \times 10)$ or $10^{23}(3.8 \div 10 + 3.8)$ oe
12	16	2	<b>B1</b> for 16 or angle in a semicircle = 90
	and angle in a semicircle = 90		
	and angle sum of a triangle = 180		

Question	Answer	Marks	Partial Marks
13(a)(i)	53	4	M1 for correct midpoints soi
			M1 for $\Sigma fx$ where $x$ is in correct interval including boundaries
			<b>M1</b> for $\Sigma fx \div 100$ dep on second <b>M1</b>
13(a)(ii)	Two correct bars with correct widths and heights 2 and 0.75	2	B1 for one correct bar
	and neights 2 and 0.73		or M1 for 40/20 oe and 30/40 oe soi
13(b)(i)	Correct diagram	3	<b>B1</b> for correct horizontal placement for 6 plots
			<b>B1</b> for correct vertical placement for 6 plots
			<b>B1FT</b> dep on at least B1 for reasonable increasing curve or polygon through <i>their</i> 6 points
			If 0 scored, <b>SC1</b> for 5 out of 6 points correctly plotted
13(b)(ii)(a)	62 to 64	1	FT <i>their</i> increasing curve or polygon reading at 40
13(b)(ii)(b)	46 to 48	1	FT <i>their</i> increasing curve or polygon reading at 20
14	$\frac{23}{2}$ oe fraction	2	<b>M1</b> for 25.55 – 2.55 oe
	90		or for $90x = 23$ oe
			or for $\frac{2}{10} + \frac{5}{90}$ oe
15(a)	(2, 0)	1	
15(b)	x = 0, y = -1	2	B1 for each
15(c)	y = x ruled	B1	_
	x = -2 and $x = 1$	B2	<b>B1</b> for one correct or for two correct answers FT from <i>their</i> line

Question	Answer	Marks	Partial Marks
16	168 π	4	<b>B3</b> for answer 168
			OR
			M3 for
			$\pi \times 6^2 + \frac{1}{2} \times 4\pi \times 6^2 + 2\pi \times 6 \times 5 \text{ oe}$
			OR
			To a maximum of 2 marks ignoring extra areas added or subtracted
			<b>M1</b> for $\pi \times 6^2$
			<b>M1</b> for $\frac{1}{2} \times 4 \times \pi \times 6^2$ oe
			<b>M1</b> for $2 \times \pi \times 6 \times 5$
17(a)	25	2	<b>M1</b> for $(\sqrt[3]{125})^2$ or $\sqrt[3]{125^2}$ or $(5^3)^{\frac{2}{3}}$
			or <b>B1</b> for $\sqrt[3]{125} = 5$
17(b)	$[\pm]$ $\frac{1}{32}$	2	<b>M1</b> for $\frac{1}{2^5}$ or $32^{-1}$ or $\frac{1}{\sqrt{1024}}$
18(a)	$3\sqrt{3}$ cao	2	M1 for $\frac{9}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}}$ oe
18(b)	[c =] -1 [k =] 14	2	B1 for each
			or for 3 correct terms from $5+15\sqrt{2}-\sqrt{2}-3\sqrt{2}\sqrt{2}$ oe
19(a)	$\frac{5b}{2}$ cao final answer	2	<b>B1</b> for $\frac{15ab}{6a}$ or better seen
19(b)	$\frac{2p+3t}{4}$ cao final answer	2	M1 for adding two correct fractions with a common denominator e.g. $\frac{4p}{8} + \frac{6t}{8}$
19(c)	$\frac{8-x}{(x-2)(x+1)}$ or $\frac{8-x}{x^2-x-2}$	3	<b>B1</b> for $2(x + 1) - 3(x - 2)$ or better isw
	$(x-2)(x+1)$ $x^2-x-2$		<b>B1</b> for common denominator $(x-2)(x+1)$
	cao final answer		oe isw

Question	Answer	Marks	Partial Marks
20(a)	[±] 1	3	M1 for $2 = \frac{k}{\sqrt{9}}$ oe
			M1 for $\frac{their k}{\sqrt{36}}$
			OR
			<b>M2</b> for $2 \times \sqrt{9} = y \times \sqrt{36}$
20(b)	$\frac{1}{2}$ oe	1	
21(a)	$[A =] -\sqrt{3} \text{ oe}$	3	<b>B2</b> for $-\sqrt{3}$ oe or $\sqrt{3}$ oe
	$[B=] \sqrt{3}$ oe		or <b>M1</b> for $[x](3-x^2)[=0]$ or better
			or $\frac{0 \pm \sqrt{0^2 - 4 \times -1 \times 3}}{2 \times -1}$ oe
21(b)(i)	$3 - 3x^2$ final answer	2	<b>B1</b> for 3 or $-3x^2$ correct in an expression or for correct answer spoilt
21(b)(ii)	[P =] (-1, -2) and	4	<b>B3</b> for $(-1, -2)$ or $(1, 2)$ or for two correct values of $x$
	[Q =] (1, 2)		or <b>M2</b> for $x^2 = 1$ or for $[3](1-x)(1+x) = 0$ oe factorised or $\frac{0 \pm \sqrt{0^2 - 4 \times -3 \times 3}}{2 \times -3}$ oe
			OR
			<b>M1</b> for $[3](1-x^2) [= 0]$
			or their (b)(i) = 0 or for stating $\frac{dy}{dx} = 0$
			dx  M1 for correct method to solve <i>their</i> quadratic
22(a)	$\sqrt{3}$	1	
22(b)	30, 150	3	<b>B2</b> for 30 or 150
			or M1 for $\sin x = \frac{1}{2}$
			If 0 or M1 scored, <b>SC1</b> for one acute angle and one obtuse angle with a sum of 180

Question	Answer	Marks	Partial Marks
23	$2\mathbf{a} + \frac{1}{2}\mathbf{b}$ final answer	3	B2 for a correct route in terms of a and b not in its simplest form
			or for $\overrightarrow{AM}$ (or $\frac{1}{2}\overrightarrow{AC}$ ) = $\mathbf{a} + \frac{1}{2}\mathbf{b}$ oe
			or <b>B1</b> for $\overrightarrow{AC} = -\mathbf{a} + \mathbf{b} + 3\mathbf{a}$ oe
			or M1 for correct route for $\overrightarrow{OM}$ using the lines of the diagram
24	(5, 38) and $(-3, -18)$	5	<b>B4</b> for one correct coordinate
			or for $x = 5$ and $x = -3$
			OR
			M2 for $x^2 - 2x - 15 = 0$ or $y^2 - 20y - 684 = 0$
			or M1 for $7x + 3 = x^2 + 5x - 12$ oe
			or $y = \left(\frac{y-3}{7}\right)^2 + 5\left(\frac{y-3}{7}\right) - 12$
			M1 for correct method to solve <i>their</i> three- term quadratic $(x - 5)(x + 3)$
			$\frac{-(-2) \pm \sqrt{(-2)^2 - 4 \times 1 \times -15}}{2 \times 1} \text{ oe}$
			If B0 scored and at least 2 method marks scored, <b>SC1</b> for correct substitution of both of <i>their x</i> values or <i>their y</i> values into $y = 7x + 3$ or $y = x^2 + 5x - 12$