UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2009 question paper

for the guidance of teachers

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/06   Paper 6 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

UNIVERSITY *of* CAMBRIDGE
International Examinations

M marks are given for a correct method.

A marks are given for an accurate answer following a correct method.

B marks are given for a correct statement or step.

D marks are given for a clear and appropriately accurate drawing.

P marks are given for accurate plotting of points.

E marks are given for correctly explaining or establishing a given result.

C marks are given for clear communication.

Abbreviations

cao   correct answer only

cso   correct solution only

ft   follow through

oe   or equivalent

soi   seen or implied

ww   without working

www   without wrong working

Section A

Question	Answer	Mark	Notes	Comments
1	(table below)	7	**B7**	1 for each shaded square

Number of discs	Last disc	Number of discs	Last disc	Number of discs	Last disc
2	2	9	2	17	2
3	2	10	4	18	4
4	4	11	6	19	6
5	2	12	8	20	8
6	4	13	10		
7	6	14	12		
8	8	15	14		
		16	16		

[7]

Question	Answer	Mark	Notes	Comments
2	32, 64, 128	2	**B1** for 32 **B1** for 64 and 128 **[2]**	
3 (a)	2	1	**B1**	
(b)	122	2	**B2** **M1** for 2(125 – their 64) or their 128 – 2(their 128–125) oe **A1** for correct evaluation	Dependent on 3 values in Question 2 ft from their 128

© UCLES 2009

(c)	144	2	**B2** OR **M1** for $2(200 - \text{their } 128)$ or $256 - 2(256 - 200)$ oe **A1** for correct evaluation	ft with $2 \times$ their 128 for 256
(d)	68928	3	**B3** OR **M1** evidence of 16 or 17 or 65536 or 131072 seen **M1** for $2(100\,000 - 2^{16})$ or $2^{17} - 2(2^{17} - 100000)$ oe **A1** for correct evaluation If 0 scored, **SC2** 34464	$\dfrac{\log 100000}{\log 2} = 16.6$ **[8]**
4	$2^n + 5$ for $n > 2$	3	**B1** for 2^n **B1** for $n > 2$ oe **B1** for $+ 5$ or 5 more than $(2, 4,)$ 8, 16, 32… oe OR **SC3** for $2^{n+2} + 5$	Ignore "n=" and subsequent "working" **[3]**

5	(a)	(i) (10) 8, 6, 4, 2, 9, 5, 1, 3 (7)	1	**B1**	Accept one omission or error.
		(ii) corresponding terms add to 11	1	**B1** ft with consistent pattern	Accept a diagram indicating this
	(b)	(i) $x + y = n + 1$ oe	1	**B1** ft with their consistent pattern	
		(ii) 29	2	**B2** ft with their consistent pattern OR **M1** 72 identified OR anticlockwise table **[5]**	
			2	**C1** for communication by one of: **C2** for communication by at least two of: Showing strategy Comparing Checking.	Award marks for: Strategy shown in question 2 question 3(b) 3(c) 3(d) Variables defined in question 4 Indicating comparison of corresponding terms in question 5(a)(ii) Strategy shown in question 5(b)(ii) Checking of a result **[2]**
					[Total: 27 scaled to 24]

Section B

Question	Answer	Mark	Notes	Comments
1	(–2, 7.52) (2, 7.52) (0, 2)		**B2** **SC1** for ($\pm$ 4, 7.52) **B1**	One for each point, seen anywhere Accept inclusion of units **[3]**
2	(y =) ax^2+b	1	**B1**	Accept mention of quadratic **[1]**
3	2	1	**B1ft** from (0, their 2)	**[1]**
4	1.38	2	**B2** OR **M1** for substituting ($\pm$ 2, 7.52) or their A or B into their function soi, **A1** correct evaluation	Allow follow-through Condone –2² appearing **[2]**
5	5.1(1m) or 5.1(05m)	2	**B2** OR **M1** for substituting $x = \pm 1.5$ **A1** correct evaluation OR **SC1** correct answer from substituting $x = \pm 0.5$	Allow follow-through Implied by 2.345 or 2.09 or better **[2]**

6 (a)	1 www	2	**M1** Substituting (0, their 2) to get $2 = k(w^0 + \frac{1}{w^0})$ **A1** k = 1 or $\frac{their\,2}{2}$	
(b)	2.7(17..) www	3	**M1** Substitute their A or B **M1ft** **A1ft** $w = 2.7(17….)$	Allow follow-through (or *k* not yet found) $(\pm 2, 7.52)$ gives $7.52 = w^2 + \frac{1}{w^2}$ $w^2 = \dfrac{7.52 \pm \sqrt{7.52^2 - 4}}{2}$ Allow extra decimal places **[5]**
7 (a)		2	**G1** approximate shape **G1** through (0,0) dependent	Accept reflection in *x*-axis Allow domain beyond –2 to 2. Follow-through only if quadratic in question 2.
(b)	0.4(m) to 0.45(m)	1	**B1ft**	**[3]**

		2	**C1** for communication by one example of:
			 C2 for communication by at least three examples of:
			     Showing strategy
			     Checking
			     Scale.
				Working shown in Question 4
				                  Question 5
				                  Question 6(a)
				                  Question 6(b)
				 Scale in Question 7(a) **[2]**

				[Total: 19 scaled to 16]

© UCLES 2009