

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

## **MARK SCHEME for the May/June 2015 series**

# **0607 CAMBRIDGE INTERNATIONAL MATHEMATICS**

**0607/13**

Paper 1 (Core), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2015</b>	<b>0607</b>	<b>13</b>

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfw	not from wrong working
soi	seen or implied

<b>1 (a)</b>	45 000	<b>1</b>	
<b>(b)</b>	Two thousand one hundred [and] thirty six	<b>1</b>	
<b>2</b>	23	<b>1</b>	
<b>3</b>	0.25, 30%, $\frac{6}{10}$ or $\frac{3}{5}$	<b>3</b>	<b>B1</b> for each value in correct place in table
<b>4 (a)</b>	9	<b>1</b>	Ignore signs
<b>(b)</b>	5	<b>1</b>	
<b>5</b>	4100 or $4.1 \times 10^3$	<b>1</b>	
<b>6</b>	Rectangle, rhombus or parallelogram	<b>2</b>	<b>B2</b> for any two and no incorrect solutions or <b>B1</b> for one correct
<b>7</b>	20 and 15	<b>2</b>	<b>M1</b> for $35 \div (3 + 4)$
<b>8</b>	7	<b>2</b>	<b>M1</b> for 40 or $4 \times 10$ seen
<b>9</b>	$\frac{3}{10}$	<b>2</b>	<b>M1</b> for $\frac{7}{10} - \frac{4}{10}$
<b>10</b>	$8x^2 - 12x$	<b>2</b>	<b>B1</b> for $8x^2$ or $-12x$
<b>11</b>	$[x=] 3$ $[y=] 1$	<b>1</b> <b>1</b>	If 0 scored <b>SC1</b> for correct substitution and evaluation to find the other variable  If no working shown, <b>SC1</b> for 2 correct answers given.
<b>12 (a)</b>	110 Corresponding	<b>1</b> <b>1</b>	
<b>(b)</b>	90 Angle [in a] semi-circle	<b>1</b> <b>1</b>	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	13

13	$\frac{2}{6}$ oe	1	
14	5	2	<b>M1</b> for $\frac{x}{12.5} = \frac{2}{5}$ or $\frac{12.5}{x} = \frac{5}{2}$ or 2.5 seen
15 (a)	13	1	
(b)	0	1	
16 (a)	Translation $\begin{pmatrix} 1 \\ -6 \end{pmatrix}$	1 1	accept equivalent in words
(b)	Enlargement [SF]3 [Centre] (0, 0) or origin	1 1 1	
17 (a)	21	1	
(b)	13	2	<b>B1</b> for 28 and 15 seen
(c)	6	2	<b>B1</b> for 94 or <b>M1</b> for $100 - (their\ 94)$