



---

**PHYSICAL SCIENCE**

**0652/51**

Paper 5 Practical Test

**October/November 2016**

MARK SCHEME

Maximum Mark: 30

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0652	51

Question	Answer	Mark
1(a)	<p><b>cation</b></p> <p>add sodium hydroxide solution / NaOH <b>AND</b> green ppt. ; (ALLOW gas changes red litmus to blue)</p> <p>iron(II) / Fe<sup>2+</sup> ; (DO NOT ALLOW ammonium if alternative observation given because ammonium given in question)</p> <p><b>anion</b></p> <p>add barium nitrate (solution) / Ba(NO<sub>3</sub>)<sub>2</sub> <b>AND</b> white ppt. ; ALLOW barium chloride</p> <p>sulfate / SO<sub>4</sub><sup>2-</sup> ;</p>	4
1(b)(i)	<p>colourless solution ; fizzing / bubbles / effervescence ; lighted splint pops ; hydrogen / H<sub>2</sub> (depends on use of splint) ;</p>	4
1(b)(ii)	<p>white ppt. ; ppt. dissolves / <u>becomes</u> colourless solution ;</p> <p>(element <b>L</b> is) zinc / Zn ; independent mark</p>	3
1(c)(i)	<p>observations: effervescence / bubbles / fizzing / gets hot ;</p> <p>filtrate: colourless / <u>paler</u> green ;</p>	2
1(c)(ii)	<p>white ppt. / faint ppt. / milky / no ppt. ;</p>	1

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0652	51

Question	Answer	Mark
1(d)	displacement/redox/cation reduced / $\text{Fe}^{2+}$ goes to Fe / $\text{Fe}^{2+}$ disappears / (cation) reacted ;	1
	<b>Total:</b>	<b>15</b>

Questions	Answer	Mark
2(a)(i)	$l$ present to the nearest millimetre AND $60.0 \pm 0.2$ ;	1
2(a)(ii)	appropriate precaution ( <b>either written or shown on diagram</b> ): take reading at eye level/use of set square to ensure rule vertical/use of fiducial aid/place ruler close to pendulum ;	1
2(b)(i)	time recorded to 1 decimal place ; sensible time = $31 \text{ s} \pm 0.5$ (accuracy mark) ;	2
2(b)(ii)	time recorded and less than that in (i) ;	1
2(b)(iii)	all time values recorded with pattern of decreasing times ;	1
2(c)(i)	$T$ values calculated correctly (ignore no. of decimal places) ;	1
2(c)(ii)	complete set of $T^2$ values recorded, correctly rounded to 1 decimal place ;	1
2(d)(i)	suitable choice of scales (more than half the grid used) AND from (0,0) ; at least 4 plots correct to $\frac{1}{2}$ small square ; good best-fit straight line judgement ;	3
2(d)(ii)	triangle method indicated on graph AND more than half the line used ; correct calculation from graph ;	2
2(e)	$9.8 \pm 0.3$ (accuracy mark) ;	1

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2016</b>	<b>0652</b>	<b>51</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>
2(f)	yes agree – values close enough allowing for <b>experimental error</b> OR no disagree – difference too large to be attributed to <b>experimental error</b> ;	<b>1</b>
	<b>Total:</b>	<b>15</b>