UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

PHYSICS 0625/02

Paper 2

May/June 2005

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

You may lose marks if you do not show your working or if you do not use appropriate units.

Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall = 10 m/s^2).

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Examiner's Use

This document consists of 16 printed pages.

SPA (MML 8112 3/04) S80361/3 © UCLES 2005



[Turn over

1 (a) A measuring cylinder contains 100 cm³ of water. 20 cm³ of the water is poured into a beaker.

On Fig. 1.1, mark the level of the water left in the cylinder.






Fig. 1.1

(b) A rule, calibrated in cm, is placed alongside the measuring cylinder, as shown in Fig. 1.2.




Fig. 1.2

(i) What is the length of the measuring cylinder, from zero up to the 100 cm³ mark?

(ii) The volume of a cylinder is found using the equation

volume = cross-sectional area \times length.

Calculate the cross-sectional area of the measuring cylinder.

cross-sectional area =

[5]

A boat sails along a river, stopping at various places along the way. Fig. 2.1 shows how the speed of the boat changes during the day, starting at 0900 hrs and reaching its final destination at 2100 hrs.




Fig. 2.1

(a) Calculate how long the whole journey takes.

time t	aken =	hours	2	
--------	--------	-------	---	--

(b) State the time of day at which the boat reaches its greatest speed.

(c) State the longest time for which the boat was stationary at one place.

(d) If the speed axis had values marked on it, state

(i) how the graph could be used to find the distance travelled between 0900 hrs and 1130 hrs,

(ii) how the average speed for the whole journey could be found.

[3] | [Turn over 3 (a) A light vertical triangular piece of rigid plastic PQR is pivoted at corner P.

A horizontal 5 N force acts at Q, as shown in Fig. 3.1.




Fig. 3.1

 	 	 	[2]

(b) On another occasion, two horizontal 5 N forces act on the piece of plastic, as shown in Fig. 3.2.




Fig. 3.2

(i) Describe what, if anything, will happen to the piece of plastic.

.....

(ii) On Fig. 3.2, mark the force that the pivot exerts on the piece of plastic. Show the direction of the force by means of an arrow and write the magnitude of the force next to the arrow.
[4]

4 Fig. 4.1 represents a hydroelectric system for generating electricity.




Fig. 4.1

Answer the following questions, using words from this list.

	chemical	electrical	gravitati	onal i	nternal (heat)	
	kinetic	light	nuclear	sound	strain	
(a)	What sort of energy, energy for this system	-	y the water in	n the reserv	oir, is the main s	ource of
						[1]
(b)	When the water flows because of this move		e, it is movinç	g. What sort	of energy does it	possess
						[1]
(c)	The water makes the turbines possess bec		-	ion rotate. W	/hat sort of energ	y do the
						[1]
(d)	What sort of energy of	loes the powe	r station gene	erate?		
						[1]
(e)	None of the energy t energy released?	ransfer proce	sses is perfec	ct. In what fo	orm is most of the	wasted
						[1]

5 (a) On a hot day, a child drinks all the water in a plastic bottle. She then screws the cap back tightly on the bottle, so that the bottle contains only air.




Fig. 5.1

She throws the bottle into a waste basket, where the Sun shines on it.

After a while in the Sun's rays, the air in the bottle is much hotter than before.

(1)	State what has happened to the pressure of the air in the bottle.
(ii)	In terms of the behaviour of the air molecules, explain your answer to (a)(i).
	[5]

(b) Also in the waste basket is a broken glass bottle containing a small quantity of water, as shown in Fig. 5.2.




Fig. 5.2

As the Sun shines on it, the volume of water slowly decreases.

(i)	State the name of the process causing this decrease.
(ii)	In terms of the effect of the Sun's rays on the water molecules, explain your answer to (b)(i) .
	[4]


6 The table below shows the potential difference (p.d.) needed at different times during a day to cause a current of 0.03 A in a particular thermistor.

time of day (24-hour clock)	0900	1200	1500	1800
p.d./V	15.0	9.9		7.5
resistance/ Ω	500		210	250

(a) Calculate the two values missing from the table. You may use the space below for your working. Write your answers in the table.

[3]

(b) On Fig. 6.1, plot the four resistance values.



[2]

(c) (i) Draw a smooth curve through your points.

(ii) Why do we draw a smooth curve rather than a series of straight lines joining the points?

Fig. 6.1

[7]

[2]

(d)	The thermistor is a circuit component with a resistance that decreases as the temperatur increases.							
	(i) From your graph, estimate the time of day when the temperature was greatest.							
		time of day =						
	(ii)	State the reason for your answer to (d)(i).						
		[2]						

7 Fig. 7.1 shows the various regions of the electromagnetic spectrum.




Fig. 7.1

Two of the regions have been labelled.

- (a) In the boxes provided, write the names of the other regions. [4]
- (b) Only one of the following types of wave is not an electromagnetic wave.

Tick one box to show which type of wave is **not** electromagnetic.

microwave	
radar	
sound	

[1]

8 An inventor is trying to make a device to enable him to see objects behind him. He cuts a square box in half diagonally and sticks two plane mirrors on the inside of the box.

A side view of the arrangement is shown in Fig. 8.1.




Fig. 8.1

Fig. 8.2 shows the arrangement, drawn larger.




Fig. 8.2

Fig. 8.2 shows parallel rays from two different points on a distant object behind the man.

- (a) Carefully continue the two rays until they reach the place where the inventor's head will be. [3]
- **(b)** Look at what has happened to the two rays.

What can be said about the image the inventor sees?

.....[1]

9 The speed of sound in air is 332 m/s. A man stands 249 m from a large flat wall, as shown in Fig. 9.1, and claps his hands once.




Fig. 9.1

(a) Calculate the interval between the time when the man claps his hands and the time when he hears the echo from the wall.

time interval =s [3]

[2]

(b) A woman is standing 249 m further away from the wall than the man. She hears the clap twice, once directly and once after reflection from the wall.

How long after the man claps does she hear these two sounds? Tick two boxes.

0.75 s

1.50 s

2.25 s

3.00 s

10	(a)	(i)	What name do we give to the type of material that allows electrical charges to pass through it?
		(ii)	Give an example of such a material.
		(iii)	What must be done to this type of material in order to make electrical charges pass through it?
			[3]
	(b)	(i)	What name do we give to the type of material that does not allow electrical charges to pass through it?
		(ii)	Give an example of such a material.
			[2]
	(c)		ch of the two types of material in (a)(i) and (b)(i) may be held in the hand and rged by friction (e.g. by rubbing with a soft cloth)?
			[1]

11 The circuit in Fig. 11.1 is connected up.




Fig. 11.1

(a) How does the current in the resistance wire compare with the current in the 2Ω resistor? Tick one box.

smaller	same	greater	[1]

(b) A voltmeter connected across the resistance wire shows the same reading as a voltmeter connected across the 2Ω resistor.

State the value of the resistance of the resistance wire.

.....
$$\Omega$$
 [1]

(c) Calculate the combined resistance of the wire and the resistor.

combined resistance =
$$\Omega$$
 [2]

(d) The wire and resistor are disconnected and then reconnected in parallel, as shown in Fig. 11.2.




Fig. 11.2

(i)	What is the combined resistance of the wire and resistor in Fig.11.2? Tick one box							X.
	zero							
	1Ω							
	2Ω							
	3Ω							
(ii)	(ii) The ammeter in Fig. 11.1 reads 0.3 A. What is the reading on the am Fig. 11.2? Tick one box.					ammeter	in	
	zero							
	less than	n 0.3 A						

(e) Walls in buildings sometimes develop cracks. The width of a crack can be monitored by measuring the resistance of a thin wire stretched across the crack and firmly fixed on either side of the crack, as illustrated in Fig. 11.3.




Fig. 11.3

The wall moves and the crack widens slightly.

State what happens to

0.3A

more than 0.3 A

(ii) the resistance of the wire.

[2]

[2]

[6]

12 (a) Complete the following table about the particles in an atom. The first row has been filled in as an example.

particle	mass	charge	location	
proton	1 unit	+1 unit	in the nucleus	
neutron				
electron				

(b)	(i) Which of the particles in the table make up an $\alpha\text{-particle?}$						
	(ii)	 On	the same scale as indicated by the table, state				
		1.	the mass of an α -particle,				
		2.	the charge of an α -particle	[3			

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.