

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

205152729

PHYSICS 0625/63

Paper 6 Alternative to Practical

May/June 2024

1 hour

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each guestion in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].

This document has 16 pages. Any blank pages are indicated.


DC (LK/JG) 329907/2 © UCLES 2024

[Turn over

1 A student determines the density of modelling clay by two methods.

Method 1

He uses the block of modelling clay shown in Fig. 1.1.






Fig. 1.1

(a)	(i)	Measure the dimensions of the block of modelling clay shown in Fig. 1.1. Record the
		values in centimetres to the nearest millimetre.

1 =	 cm
w =	 cm
h =	

(ii) Calculate the volume V_A of the block. Use your measurements from (a)(i) and the equation $V_A = l \times w \times h$.

$$V_{\Delta}$$
 = cm³ [1]

(b) Suggest why the value of $V_{\rm A}$ is only an approximation of the volume of the block.

Describe how the accuracy of $V_{\rm A}$ can be improved.

suggestion	
improvement	
	[2]

(c) Record the mass $m_{\rm A}$ of the block shown on the top-pan balance in Fig. 1.2.




Fig. 1.2

Calculate a value $\rho_{\rm A}$ for the density of the modelling clay. Use your results from (a)(ii) and (c) and the equation $\rho_{\rm A} = \frac{m_{\rm A}}{V_{\rm A}}$. Include the unit for the density.

ρ_{A} =	
	[2]

Method 2

(d) The student then uses a smaller block of modelling clay.




Fig. 1.3

Record the weight $W_{\rm B}$ of the block of modelling clay shown in Fig. 1.3.

(e) (i) The student pours water into a measuring cylinder.

Record the volume V_1 of the water in the measuring cylinder shown in Fig. 1.4.

$$V_1 = \dots cm^3$$
 [1]




Fig. 1.4

(ii)	Describe briefly water.	how a measu	ing cylinder	is read to	o obtain a	value for the	volume of
							[41

(f) (i) The student lowers the modelling clay into the water, as shown in Fig. 1.5.




Fig. 1.5

Record the new reading $\boldsymbol{V_2}$ of the measuring cylinder.

$$V_2 = \dots cm^3$$

Calculate another value ρ_{R} for the density of	modelling clay. Use your value for V_2 , your
Calculate another value $ ho_{\rm B}$ for the density of readings from (d) and (e)(i) and the equation	$\rho_{\rm B} = \frac{W_{\rm B} \times k}{(V_2 - V_1)}, \text{ where } k = 100 {\rm g/N}.$

	$ ho_{\mathrm{B}}$ =[1]
(ii) S	uggest which of $\rho_{\rm A}$ and $\rho_{\rm B}$ is likely to be the more accurate value.
Jı	ustify your answer by referring to method 1 and method 2.
	[1]
	[Total: 11]

2 A student investigates how the volume of water affects the rate at which water in a beaker cools.

She uses the apparatus shown in Fig. 2.1.




Fig. 2.1

(a) Record the room temperature $\theta_{\rm R}$ shown on the thermometer in Fig. 2.1.

(b) The student pours a volume of $200\,\mathrm{cm}^3$ of hot water into the beaker and records the temperature θ of the water at time t=0.

She records the temperature of the water in the beaker every 30 s.

She pours the water out and pours a volume of 75 cm³ of hot water into the beaker.

The student repeats the temperature measurements for this volume of water.

2				
•••				
He	er readings a	are shown in Table 2.1.		
Ac	dd units to th	ne column headings in Table 2	.1.	
		Table 2.1		
		beaker with 200 cm ³ of hot water	beaker with 75 cm ³ of hot water	
	t/	θΙ	θl	
	0	87.5	85.5	_
	30	85.5	82.0	
	60	84.0	78.5	
	90	82.5	75.0	
	120	81.0	72.0	
	150	80.0	69.5	
	180	79.0	67.0	
		stating how the volume of war by reference to the results.	ter affects the rate of cooling	

© UCLES 2024 0625/63/M/J/24

(c)

		9
(d)	(i)	Using the values for $75\mathrm{cm^3}$ of water, calculate the average cooling rate x_1 for the first 90 s of the experiment. Use the readings from Table 2.1 and the equation
		$x_1 = \frac{\theta_0 - \theta_{90}}{T}$
		where T = 90 s and θ_0 and θ_{90} are the temperatures at t = 0 and t = 90 s. Include the unit for the cooling rate.
		x ₁ =
		Using the values for $75\mathrm{cm}^3$ of water, calculate the average cooling rate x_2 for the last 90 s of the experiment. Use the readings from Table 2.1 and the equation
		$x_2 = \frac{\theta_{90} - \theta_{180}}{T}$
		where $T = 90 \mathrm{s}$ and θ_{90} and θ_{180} are the temperatures at $t = 90 \mathrm{s}$ and $t = 180 \mathrm{s}$.
		x ₂ =[2]
	(ii)	A student states that it is important to start the two experiments in (b) with water at the same initial temperature.
		Explain whether your values for x_1 and x_2 support this statement.
		[1]
(e)	And	other student repeats the experiment.
		te two variables, other than initial water temperature, that he should control to obtain

1	 	 	 	 	 	 	
٠.	 	 	 	 	 	 	
2							
_	 	 	 	 	 	 	

[Total: 11]

[2]

3 A student determines the focal length of a converging lens.

illuminated object



Fig. 3.1

(a) The student sets up the apparatus as shown in Fig. 3.1.

He sets the distance *u* between the illuminated object and the lens to 25.0 cm.

He places the screen near the lens and moves the screen until a focused image of the illuminated object is seen on the screen.

Describe a technique for obtaining an image that is as sharp as possible.

[41

(b) The shapes of the illuminated object and the image seen on the screen are shown full size in Fig. 3.2 and Fig. 3.3.




Fig. 3.2




Fig. 3.3

(i) Measure $h_{\rm O}$, the height of the illuminated object, as shown in Fig. 3.2.

Measure $h_{\rm I}$, the height of the image on the screen, as shown in Fig. 3.3.

$$h_{\rm I}$$
 = cm [2]

(ii) Calculate a value W using your measurements from (b)(i) and the equation $W = \frac{h_O}{h_I}$.


$$W = \dots$$
 [1]

(c) The student repeats this procedure for $u = 20.0 \,\mathrm{cm}$, $30.0 \,\mathrm{cm}$, $40.0 \,\mathrm{cm}$, $50.0 \,\mathrm{cm}$ and $60.0 \,\mathrm{cm}$. His results are shown in Table 3.1.

Table 3.1

u/cm	h _I /cm	W
20.0	5.0	0.4
30.0	2.0	1.0
40.0	1.3	1.6
50.0	0.8	2.4
60.0	0.7	2.9

Plot a graph of u/cm (y-axis) against W (x-axis). Use the results from Table 3.1. You do **not** need to start your axes at the origin (0,0). Draw the best-fit line.



[4]

(d) (i) Determine the gradient *G* of the line. Show clearly on the graph how you obtained the necessary information.

\sim	14
(7 —	
_	 ι.

(ii) The focal length *f* of the lens is numerically equal to the gradient *G*.

Record a value of *f* for this experiment.

 $f = \dots$ cm [1]

(e)	A student decides to continue the experiment using larger values of <i>u</i> .	
	Explain why this produces less accurate values for <i>W</i> .	
	[1]	
	[Total: 11]	

BLANK PAGE

4 A student investigates the relationship between the diameter of a wire and the electrical resistance of the wire.

Plan an experiment which enables her to investigate how the diameter of a wire affects the resistance of the wire.

Resistance *R* is calculated from the equation $R = \frac{V}{I}$

where *V* is the potential difference (p.d.) across the wire and *I* is the current in the wire.

The apparatus available includes wires of different known diameters.

In your plan:

- list any additional apparatus needed
- complete Fig. 4.1 to show a circuit suitable for measuring the resistance of a wire
- explain briefly how to do the experiment, including the measurements to take so that the resistance can be determined
- state the key variables to keep constant
- draw a table, or tables, with column headings, to show how to display the readings (you are not required to enter any readings in the table)
- explain how to use the readings to reach a conclusion.




Fig. 4.1

r

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.