

Cambridge IGCSE™

PHYSICS
Paper 3 Theory (Core)
MARK SCHEME
Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

Cambridge IGCSE – Mark Scheme PUBLISHED Canadia Marking Principles

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- · marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' quidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards n.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standard isation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
✓	correct point or mark awarded
×	incorrect point or mark not awarded
^	information missing or insufficient for credit
Α	allow or accept
AE	evaluation attempted
I	incorrect or insufficient point ignored while marking the rest of the response
CON	contradiction in response, mark not awarded
BOD	benefit of the doubt given
ECF	error carried forward applied
NAQ	response has not answered question

Annotation	Meaning
RE	rounding error
SEEN	point has been noted, but no credit has been given or blank page seen
SF	error in number of significant figures
TE	transcription error
TV	response is too vague or there is insufficient detail in response
T	answer outside the tolerance of the mark scheme
~~~	used to highlight parts of an extended response
{	used to highlight parts of an extended response
MO	mandatory mark not awarded
SC	special case

### Acronyms and shorthand in the mark scheme

Acronym / shorthand	Explanation
A mark	Final answer mark which is awarded for fully correct final answers including the unit.
C mark	Compensatory mark which may be scored when the final answer (A) mark for a question has not been awarded.
B mark	Independent mark which does not depend on any other mark.
M mark	Method mark which must be scored before any subsequent final answer (A) mark can be scored.
Brackets ( )	Words not explicitly needed in an answer, however if a contradictory word / phrase / unit to that in the brackets is seen the mark is not awarded.
Underlining	The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there.
/ or OR	Alternative answers any one of which gains the credit for that mark.
owtte	Or words to that effect.
ignore	Indicates either an incorrect or irrelevant point which may be disregarded, i.e., not treated as contradictory.
insufficient	An answer not worthy of credit <u>on its own</u> .
CON	An incorrect point which contradicts any correct point and means the mark cannot be scored.
ecf [question part]	Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here.
cao	Correct answer only.
ORA	Or reverse argument.

Question	Answer	Marks
1(a)	(section) KL OR LK	B1
1(b)	(distance travelled =) 150 (m)	А3
	(distance travelled =) ½ × 20 × 15	C2
	(distance travelled =) area under graph <b>OR</b> $\frac{1}{2} \times b \times h$	C1
1(c)(i)	(section LM is) constant / steady speed	B1
1(c)(ii)	(section MN is) decelerating	B1
1(d)	(average speed =) 25 (m/s)	А3
	(average speed =) 500 ÷ 20	C2
	(average speed =) (total) distance travelled ÷ (total) time	C1

Question	Answer	Marks
2(a)	0.83 (s)	B1
2(b)	(average time =) 0.78 (s)	A2
	(average time =) (total) time ÷ (number of complete) oscillations  OR  11.7 ÷ 15	C1
2(c)	idea / description of pendulum swings (from P) to Q and back (to P) / (almost) to start position	A2
	idea of pendulum moving (from P) to Q <b>OR</b> Q to P	C1

Question	Answer	Marks
3(a)	390 (N)	A2
	(weight =) mass $\times$ $g$ <b>OR</b> (weight =) 40 $\times$ 9.8	C1
3(b)	270 (N)	A4
	$W \times 1.6 = 360 \times 1.2$ <b>OR</b> $(W =) 432 \div 1.6$ <b>OR</b> $(W =) \{360 \times 1.2\} \div 1.6$	C3
	(clockwise moment <b>OR</b> moment of child B =) 360 × 1.2 <b>OR</b> 430 <b>OR</b> 432 seen	C1
	(total) clockwise moment = (total) anticlockwise moment	C1

Question	Answer	Marks
4(a)(i)	12 (J)	А3
	(work done =) $15 \times 0.8(0)$	C2
	(work done =) force × distance (moved in the direction of the force)	C1
4(a)(ii)	EITHER	
	(some input energy is transferred) as thermal / internal energy	B1
	to surroundings / motor / power supply	B1
	OR	
	(energy) used against / to overcome / work done	(B1)
	(against) friction (in motor)	(B1)
	OR	
	idea of electrical (current causes) heating	(B1)
	in motor / power supply / connecting wires / in electrical resistance	(B1)
4(b)	<ul> <li>any three from:</li> <li>water has energy in gravitational potential store (behind dam)</li> <li>idea of water moving / flowing OR water has energy in kinetic store</li> <li>(water) turns turbine(s)</li> <li>(turbines) turns generator(s)</li> </ul>	В3

Question	Answer	Marks
5(a)	black container / air has higher temperature <b>OR</b> black container / air is hotter <b>OR</b> black container / air heats (up) fastest	M1
	(because) black is a better / good absorber (of infrared radiation)	A1
5(b)	idea of heating one end of (each) rod	B1
	method of comparing conduction along rods	B1
	idea of how to compare: the better the conductor, the shorter the length of unmelted wax (remaining) <b>OR</b> wax melts furthest (along rod) <b>OR</b> which wax melts in the shortest time	B1
	detail: any one from:  use of same Bunsen flame (at same time)  use of timer for each separate rod  pins attached at same distance from end of rod  rods have {same thickness of wax} / {even coat with wax} / {same length of wax}	B1

Question	Answer	Marks
6(a)(i)	normal	B1
6(a)(ii)	angle of incidence indicated	B1
6(a)(iii)	ray refracted away from normal	B1
6(b)(i)	(focal length of lens =) 20 (cm)	B1
6(b)(ii)	any <b>two</b> from:  • real  • inverted <b>OR</b> upside down owtte  • diminished <b>OR</b> small(er) owtte	B2

Question	Answer	Marks
7(a)(i)	0.8 (cm)	B1
7(a)(ii)	(frequency =) 2(.0) (Hz)	A2
	idea that frequency is number of waves (sent out) in one second	C1
7(b)(i)	infrared (waves) (in left box)	B1
	ultraviolet (light / waves) (in right box)	B1
7(b)(ii)	$5.2 \times 10^{14}  (Hz)$	А3
	$3.0 \times 10^8 = f \times 5.8 \times 10^{-7}$ <b>OR</b> $(f =) 3.0 \times 10^N \div 5.8 \times 10^N$	C2
	$v = f\lambda$ in any form <b>OR</b> $(f =)$ $v \div \lambda$	C1

Question	Answer	Marks
8(a)	$24  (\Omega)$	A2
	(combined resistance =) $R_1 + R_2$ <b>OR</b> $16 + 8(.0)$	C1
8(b)	(I =) 0.25 (A)	A3
	$(I =) 2(.0) \div 8(.0)$	C2
	$V = IR$ in any form <b>OR</b> $(I =) V \div R$	C1
8(c)	<u>electrons</u>	B1
8(d)	voltmeter correctly connected across 16 $\Omega$ resistor	A2
	correct voltmeter symbol in wrong place $\bf OR$ incorrect meter connected across 16 $\Omega$ resistor	C1

Question	Answer	Marks
9(a)	(current =) 0.75 (A)	A3
	(current =) 9 ÷ 12	C2
	power = $IV \mathbf{OR} (I =) P \div V$	C1
9(b)	11 (cents)	A3
	$(\cos t =) 0.009(0) \times 24 \times 50$ <b>OR</b> $0.216 \times 50$ <b>OR</b> $0.009 \times 1200$ <b>OR</b> $0.45 \times 24$	C2
	(cost =) (energy in) kW h $\times$ (number of) hours $\times$ cost (of one unit)	C1
9(c)	(N _s =) 180	A3
	$(N_s =) \{12 \times 3600\} \div 240 \text{ OR } (N_s =) 3600 \div 20 \text{ OR } 240 \div 12 = 3600 \div N_s$	C2
	$V_s \div V_p = N_s \div N_p$	C1
9(d)	any three from:  idea of large current (in fuse or any part of circuit)  (large current causes) heating in fuse  idea that fuse is made from low melting point wire  fuse / (fuse) wire melts  (and) idea disconnects / isolates (router / wires / circuit) from supply / mains	В3

Question	Answer			Marks	
10(a)(i)	plutonium-241 AND americium(-241)				B1
10(a)(ii)	plutonium-241 <b>OR</b> ²⁴¹ ₉₄ Pu <b>OR</b> Pu-241				A2
	(Am =) 241 – 95 <b>OR</b> 146 <b>OR</b>	OR	(Pu-239 =) 239 – 94 <b>OR</b> 145		C1
	(Pu-241 =) 241 – 94 <b>OR</b> 147	OR	(U =) 238 – 92 <b>OR</b> 146		
10(b)	9(.0) (mg)				А3
	$72 \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \text{ OR } 72 \times \{1 \div 8\}$				C2
	idea that 42 years = 3 half-lives				C1

Question	Answer	
11(a)(i)	gravitational (force / attraction)	
11(a)(ii)	Milky Way	
11(b)	distance travelled (in the vacuum of space) by light in one year	
11(c)	<ul> <li>any three from:</li> <li>redshift of light / redshift of (em) radiation (from distant / receding galaxies compared to light emitted on Earth)</li> <li>an increase in the (observed) wavelength of light / em radiation (emitted from distant / receding galaxies)</li> <li>the most / more distant galaxies have greater redshift than closer galaxies</li> <li>more distant galaxies are moving away faster than closer galaxies</li> </ul>	В3