## MARK SCHEME for the October/November 2006 question paper

## 0625 PHYSICS

0625/02

2 Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0625	2

## NOTES ABOUT MARK SCHEME SYMBOLS

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets. e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
- <u>underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.
- un.pen. means "unit penalty". An otherwise correct answer will have one mark deducted if the unit is wrong or missing. This **only** applies where specifically stated in the mark scheme. Elsewhere, incorrect or missing units are condoned.
- OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

age 3			Mark Sch		Syllabus	Paper
			IGCSE - OCT/I	NOV 2006	0625	2
QI	J.		SCH	EME		MARK
1	(a)	55 (s)				B1
	(b)	55/5 ecf				C1
		11 (s) ec	f			A1
	(c)	EITHER	OR	OR	OR	
		300/hour	1 takes 11s	5 takes 55s	1hour for 300	B1
		= 5/min	300 take 3300s	300 take 60x55s	3600/300s for 1	B1
		takes less than 1 min for 5	less than 1hr for 300	less than 1hr for 300	1 takes less time than this	B1
		YES/NO t	icked according to	his working		<u>B1</u> _7
2	2 <sup>nd</sup>	box ticked				B1
		box ticked $e \checkmark + x = 0$	for extras)			<u>B1</u> _2
3	(a)	OP acce	elerating			B1
		PQ acce	elerating			B1
		QR con	stant speed			B1
			ving down (howev	er expressed)		B1
	(b)	O <u>and</u> S (	both)			B1
	(c)	6 (m/s)				B1
	(d)	70 (s)				B1
_	(e)	find area	OPQRS (however	expressed)		<u>B1</u> _8
4	(a)	(i) radi	ation			B1
		(ii) con	duction			B1
	(b)	(i) kine	tic (however expres	ssed)		B1
		pote	ential (however exp	ressed)		B1

Page 4		Mark SchemeSyllabusIGCSE - OCT/NOV 20060625			Paper 2
				0020	2
5	(a)	(mag	initude of) force		B1
		dista	nce (from fulcrum)		B1
	(b)	(i)	force		B1
			moment OR turning effect		B1
		(ii)	$F_1 + F_2 + W$		B1
		(iii)	F		<u>B1</u> 6
6	(a)	(i)	eye to image line perpendicular to mirror, by eye		B1
			object distance = image distance, by eye		B1
		(ii)	normal correctly drawn, by eye		B1
		(iii)	ray to bottom edge of mirror correct		M1
			reflected ray at correct angle to mirror, by eye (condone sloppy normal)		A1
	(b)	sens	ible attempt at explanation		B1
	(c)	(i)	2 (m) (NO ecf)		B1
		(ii)	distance lady to mirror = 3 (m)		C1
			distance moved = 2 (m) (NO ecf)		A1
			away from mirror/wall		<u>B1</u> <u>10</u>
					<u>10</u>
7	(a)	(i)	large, OR accept any large example e.g. cliff		B1
		(ii)	speed = distance/time OR speed = 2xdistance/t (in any form)	ime	C1
			correct substitution		C1
			480 (m) c.a.o.		A1
	(b)	spee	d = 6/50 OR 3/50		C1
		0.12	(m/s) OR 0.06 (m/s)		<u>A1</u> _6

Page 5		Mark Scheme IGCSE - OCT/NOV 2006	Syllabus 0625	Paper 2
		IGCSE - OCT/NOV 2006	0025	2
8	(a)	(i) (group) 1		B1
		(ii) (group) 2		B1
		(iii) plastics OR glass OR ebonite		B1
	(b)	top – <u>and</u> bottom +		B1
	(c)	region/area/space etc.		B1
		charge		B1
		experiences a force		<u>B1</u> _7
				_7
9	(a)	good straight line through first 5 points, drawn with a rule		B1
	(b)	intelligent attempt at a reason		B1
	(c)	67 – 40		C1
		27 (mm)		A1
	(d)	2.4 – 2.5 (N)		<u>B1</u> 5
				_5
10	(a)	less turns on Sy OR more turns on Py		B1
	(b)	voltage OR p.d. OR volts is less		B1
	(c)	$V_1/V_2 = N_1/N_2$ in any form		C1
		correct substitution		C1
	<i>(</i> <b>)</b>	12 (V)		A1
	(d)	voltage too high OR bell would be damaged		<u>B1</u> 6
11	(a)	92		B1
	(b)	orbit OR outside nucleus		B1
	(c)	146		B1
	(d)	nucleus		B1
	(e)	decreases		M1
		by 2		<u>A1</u>
		-		<u>A1</u> _6

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0625	2

12 (a	a) re	everse connections to ammeter or battery	B1					
(1	<b>b)</b> c	urrent OR amps OR amperes	B1					
(•	<b>c)</b> 4	components in series (ignore symbols)	B1					
	4	recognisably correct symbols (ignore connections)	B1					
(•	d) (i	i) voltmeter OR multimeter on volts scale	B1					
	(i	ii) voltmeter shown connected in parallel with resistor	B1					
(4	e) I	= V/R in any form	C1					
	C	orrect substitution no ecf from wrong equation	C1					
	0	0.4 (A) c.a.o.						
(1	<b>f)</b> h	is value of (e)	B1					
(9	g) (i	i) 7.5 $\Omega$ ticked	B1					
	(i	ii) increases current e.c.f.	<u>B1</u> 12					