#### **Location Entry Codes**

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Question Paper	Mark Scheme	Principal Examiner's Report
Introduction	Introduction	Introduction
First variant Question Paper	First variant Mark Scheme	First variant Principal Examiner's Report
Second variant Question Paper	Second variant Mark Scheme	Second variant Principal Examiner's Report

Who can I contact for further information on these changes? Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

• Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Paper 3 Extended	October/November 2008
PHYSICS	0625/31
CENTRE NUMBER	CANDIDATE NUMBER
CANDIDATE NAME	

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

You may lose marks if you do not show your working or if you do not use appropriate units. Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall =  $10 \text{ m/s}^2$ ).

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.


#### This document consists of **16** printed pages.



**1** Fig. 1.1 shows apparatus used to find a relationship between the force applied to a trolley and the acceleration caused by the force.

2

For Examiner's Use





For each mass, hung as shown, the acceleration of the trolley is determined from the tape. Some of the results are given in the table below.

weight of the hanging mass/N	acceleration of the trolley m/s <sup>2</sup>
0.20	0.25
0.40	0.50
0.70	
0.80	1.0

(a) (i) Explain why the trolley accelerates.

	 •••••
	 [2]
_	

(ii) Suggest why the runway has a slight slope as shown.

------

- (b) Calculate the mass of the trolley, assuming that the accelerating force is equal to the weight of the hanging mass.

(c)	Calculate the value missing from the table. Show your working.	For Examiner's Use
	value =	
(d)	In one experiment, the hanging mass has a weight of 0.4N and the trolley starts from rest.	
	Use data from the table to calculate	
	(i) the speed of the trolley after 1.2 s,	
	speed =[2]	
	(ii) the distance travelled by the trolley in 1.2 s.	
	distance =[2]	
	[Total: 11]	

For Examiner's Use

2 Fig. 2.1 shows a circular metal disc of mass 200 g, freely pivoted at its centre.




Fig. 2.1

Masses of 100 g, 200 g, 300 g, 400 g, 500 g and 600 g are available, but only one of each value. These may be hung with string from any of the holes. There are three small holes on each side of the centre, one at 4.0 cm from the pivot, one at 8.0 cm from the pivot and one at 12.0 cm from the pivot.

The apparatus is to be used to show that there is no net moment of force acting on a body when it is in equilibrium.

- (a) On Fig. 2.1, draw in two different value masses hanging from appropriate holes. The values of the masses should be chosen so that there is no net moment. Alongside the masses chosen, write down their values. [2]
- (b) Explain how you would test that your chosen masses give no net moment to the disc.

(c) Calculate the moments about the pivot due to the two masses chosen.

moment due to first mass =
memort due to eccord mean

moment due to second mass = .....[2]

(d) Calculate the force on the pivot when the two masses chosen are hanging from the disc.

For Examiner's Use

force = ..... [2]

[Total: 7]

3

4 The whole of a sealed, empty, dusty room is kept at a constant temperature of 15 °C. Light shines into the room through a small outside window.

For Examiner's Use

An observer points a TV camera with a magnifying lens into the room through a second small window, set in an inside wall at right angles to the outside wall.

Dust particles in the room show up on the TV monitor screen as tiny specks of light.

(a) In the space below draw a diagram to show the motion of one of the specks of light over a short period of time.

- [1]
- (b) After a period of one hour the specks are still observed, showing that the dust particles have not fallen to the floor.

Explain why the dust particles have not fallen to the floor. You may draw a labelled diagram to help your explanation.

	[2]
(c)	On another day, the temperature of the room is only 5°C. All other conditions are the same and the specks of light are again observed.
	Suggest any differences that you would expect in the movement of the specks when the temperature is 5 °C, compared to before.
	[1]
	[Total: 4]

**5** Fig. 5.1 shows apparatus that could be used to determine the specific latent heat of fusion of ice.




Fig. 5.1

- (a) In order to obtain as accurate a result as possible, state why it is necessary to
  - (i) wait until water is dripping into the beaker at a constant rate before taking readings,

.....

- ......[1]
- (ii) use finely crushed ice rather than large pieces.

.....

- ......[1]
- (b) The power of the heater and the time for which water is collected are known. Write down all the other readings that are needed to obtain a value for the specific latent heat of fusion of ice.

......[2]

For


Examiner's Use (c) Using a 40W heater, 16.3 g of ice is melted in 2.0 minutes. The heater is then switched off. In a further 2.0 minutes, 2.1 g of ice is melted.

Calculate the value of the specific latent heat of fusion of ice from these results.

For Examiner's Use

[Total: 8]

D



(a) State what is meant by monochromatic light. (b) The refractive index of the glass of the prism is 1.49. The ray EF is refracted at F. Use information from Fig. 6.1 to calculate the angle of refraction at F. (c) On Fig. 6.1, draw in the refracted ray, starting from F. [1] (d) State how the refraction, starting at F, would be different if the monochromatic ray were replaced by a ray of white light. ......[1] (e) The critical angle for the glass of the prism is just over 42°. State the approximate angle of refraction for the ray striking BC at R. (f) Another monochromatic ray, not shown in Fig. 6.1, passes through the prism and strikes BC at an angle of incidence of 50°. State what happens to this ray at the point where it strikes BC. ......[1]

For

Examiner's Use

Fig. 7.1 shows a scale drawing of plane waves approaching a gap in a barrier. For Examiner's Use direction of travel of plane waves barrier Fig. 7.1 (a) On Fig. 7.1, draw in the pattern of the waves after they have passed the gap. [3] (b) The waves approaching the barrier have a wavelength of 2.5 cm and a speed of 20 cm/s. Calculate the frequency of the waves. (c) State the frequency of the diffracted waves. [Total: 6]

7

Fig. 8.1 shows a car battery being charged from a 200V a.c. mains supply. 8 For Examiner's Use car 200 V battery Fig. 8.1 (a) State the function of the diode. ..... [1] (b) The average charging current is 2.0 A and the battery takes 12 hours to charge fully. Calculate the charge that the battery stores when fully charged. charge stored ......[2] (c) The battery has an electromotive force (e.m.f.) of 12V and, when connected to a circuit, supplies energy to the circuit components. State what is meant by an *electromotive force of 12 V*. 

(d) (i) In the space below, draw a circuit diagram to show how two 6.0V lamps should be connected to a 12V battery so that both lamps glow with normal brightness. [1]

For Examiner's Use

(ii) The power of each lamp is 8.0W. Calculate the current in the circuit.

current = ......[2]

(iii) Calculate the energy used by the two lamps when both are lit for one hour.

[Total: 10]


**9** Fig. 9.1 is a block diagram of an electrical energy supply system, using the output of a coal-fired power station.

For Examiner's Use

powe static		step-up transformer	transmission output at 32 000 V	step-down transformer	output at 240 V	consumer
(a)	Suggest <b>one</b> pos consumers falls be	-	ut of the power			
(b)	State why electric	al energy is tra	ansmitted at hi	gh voltage.		
(c)	A transmission cal the power loss in t	ble of resistan he cable in te	ce <i>R</i> carries a	current <i>I</i> . Write	e down a forn	nula that gives
(d)	The step-up transf calculate the numl energy losses.	ormer has 12	00 turns on the	e primary coil.	Using the valu	ues in Fig. 9.1
(e)	The input to the st	ep-up transfo		urns =		[2
	Using the values i that the transform	•		ent in the tran	smission cab	les, assuming
			cur	rent =		[3] [Total: 8

**10** Fig. 10.1 shows a circuit for a warning lamp that comes on when the external light intensity falls below a pre-set level.

For Examiner's Use






- (a) On Fig. 10.1, label
  - (i) with the letter X the component that detects the change in external light intensity,
  - (ii) with the letter Y the lamp,
  - (iii) with the letter Z the component that switches the lamp on and off.
- (b) Describe how the circuit works as the external light intensity decreases and the lamp comes on.

[3] [Total: 6]

[3]



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
PHYSICS		0625/32
Paper 3 Extend	led	October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

You may lose marks if you do not show your working or if you do not use appropriate units. Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall =  $10 \text{ m/s}^2$ ).

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **16** printed pages.



(a) A truck of mass 12 kg is rolling down a very slight incline as shown in Fig. 1.1. 1 For Examiner's Use 12 kg Fig. 1.1 The truck travels at constant speed. Explain why, although the truck is on an incline, it nevertheless does not accelerate. (b) The slope of the incline is increased. As a result of this, the truck now accelerates. (i) Explain why there is now acceleration. (ii) Write down an equation linking the resultant force on the truck and the acceleration of the truck. [1] The truck's acceleration is  $2.0 \text{ m/s}^2$ . (iii) Calculate the resultant force on the truck. 

(c)	The friction force up the slope in <b>(b)(iii)</b> was 14.0N.			
	By suitable lubrication, the friction force is now almost totally removed.			
	(i) Calculate the new acceleration of the truck.			
		acceleration =[3]		
	(ii)	The lubricated truck travels down the incline, starting from rest at the top of the incline. It takes 2.5s to reach the bottom of the incline.		
		Calculate its speed as it reaches the bottom of the incline.		
		speed =[2]		
(d)	The	incline is reduced to the original value and the lubricated truck is placed on it.		
	Describe the motion of the truck when it is released.			
		[1]		
		[Total: 11]		
	·····			

For Examiner's Use

2 Fig. 2.1 shows a circular metal disc of mass 200 g, freely pivoted at its centre.




Fig. 2.1

Masses of 100 g, 200 g, 300 g, 400 g, 500 g and 600 g are available, but only one of each value. These may be hung with string from any of the holes. There are three small holes on each side of the centre, one at 4.0 cm from the pivot, one at 8.0 cm from the pivot and one at 12.0 cm from the pivot.

The apparatus is to be used to show that there is no net moment of force acting on a body when it is in equilibrium.

- (a) On Fig. 2.1, draw in two different value masses hanging from appropriate holes. The values of the masses should be chosen so that there is no net moment. Alongside the masses chosen, write down their values. [2]
- (b) Explain how you would test that your chosen masses give no net moment to the disc.

(c) Calculate the moments about the pivot due to the two masses chosen.

moment due to first mass =	
moment due to second mass =	
	[2]

(d) Calculate the force on the pivot when the two masses chosen are hanging from the disc.

For Examiner's Use

[Total: 7]

3

4 The whole of a sealed, empty, dusty room is kept at a constant temperature of 15°C. Light shines into the room through a small outside window.

For Examiner's Use

An observer points a TV camera with a magnifying lens into the room through a second small window, set in an inside wall at right angles to the outside wall.

Dust particles in the room show up on the TV monitor screen as tiny specks of light.

(a) In the space below draw a diagram to show the motion of one of the specks of light over a short period of time.

- [1]
- (b) After a period of one hour the specks are still observed, showing that the dust particles have not fallen to the floor.

Explain why the dust particles have not fallen to the floor. You may draw a labelled diagram to help your explanation.

(c)	On another day, the temperature of the room is only 5 °C. All other conditions are the same and the specks of light are again observed.
	Suggest any differences that you would expect in the movement of the specks when the temperature is 5 °C, compared to before.
	[1]
	[Total: 4]

5 Fig. 5.1 shows apparatus that could be used to determine the specific latent heat of fusion of ice. Examiner's




Fig. 5.1

(a) In order to obtain as accurate a result as possible, state why it is necessary to (i) wait until water is dripping into the beaker at a constant rate before taking readings, (ii) use finely crushed ice rather than large pieces. (b) The power of the heater and the time for which water is collected are known. Write down all the other readings that are needed to obtain a value for the specific latent heat of fusion of ice. 

https://xtremepape.rs/

For

Use

(c) (i) Using a 40W heater, 250 g of water is heated for 3.0 minutes. The temperature rise of the water is 5.9 °C.

9

Use these values to calculate a value for the specific heat capacity of water.


For Examiner's Use

	specific heat capacity =[3]
(ii)	The accepted value for the specific heat capacity of water is $4.2 J/(g \circ C)$ .
	State <b>one</b> possible reason why the value you obtained in <b>(c)(i)</b> is different from this.

[Total: 8]

© UCLES 2008

6 Fig. 6.1 shows a cross-section through a swimming pool.



(b) The critical angle for the water-air surface is 48.8°.

(iii) On Fig. 6.1, draw the refracted ray.

Another ray of monochromatic light from the lamp strikes the surface at B, as shown in Fig. 6.1.

(i) State and explain what happens to the ray after reaching B.

(ii) On Fig. 6.1, draw this ray. [1]

[1]

7 Fig. 7.1 shows a scale drawing of plane waves approaching a gap in a barrier. For Examiner's Use direction of travel of plane waves barrier Fig. 7.1 (a) On Fig. 7.1, draw in the pattern of the waves after they have passed the gap. [3] (b) The waves approaching the barrier have a wavelength of 2.5 cm and a speed of 20 cm/s. Calculate the frequency of the waves. (c) State the frequency of the diffracted waves. .....[1] [Total: 6]

Fig. 8.1 shows a car battery being charged from a 200 V a.c. mains supply. 8 For Examiner's Use car 200 V battery Fig. 8.1 (a) State the function of the diode. (b) The average charging current is 2.0 A and the battery takes 12 hours to charge fully. Calculate the charge that the battery stores when fully charged. charge stored ...... [2] (c) The battery has an electromotive force (e.m.f.) of 12V and, when connected to a circuit, supplies energy to the circuit components. State what is meant by an electromotive force of 12 V. 

(d) (i) In the space below, draw a circuit diagram to show how two 6.0V lamps should be connected to a 12V battery so that both lamps glow with normal brightness. [1]

For Examiner's Use

(ii) The power of each lamp is 8.0W. Calculate the current in the circuit.

current = ......[2]

(iii) Calculate the energy used by the two lamps when both are lit for one hour.

[Total: 10]

**9** Fig. 9.1 is a block diagram of an electrical energy supply system, using the output of a coalfired power station.


For Examiner's Use

pow	ər	output	step-up	transmission output	step-down	output			
statio		at 1100 V	transformer	at 32 000 V	transformer	at 240 V	consumer		
<b>Fig. 9.1</b> (a) Suggest one possible way of storing surplus energy when the demand from the consumers falls below the output of the power station.									
(b)	(b) State why electrical energy is transmitted at high voltage.								
(c)	[1] A transmission cable of resistance <i>R</i> carries a current <i>I</i> . Write down a formula that gives the power loss in the cable in terms of <i>R</i> and <i>I</i> .								
(d)	[1] The step-up transformer has 1200 turns on the primary coil. Using the values in Fig. 9.1, calculate the number of turns on its secondary coil. Assume that the transformer has no energy losses.								
(e)	Usin	ig the values i	tep-up transfor in Fig. 9.1, cal er is 100% effi	rmer is 800 kW culate the cur	urns = /. rent in the tran				
				cu	rrent =		[3] [Total: 8]		

**10** Fig. 10.1 shows a circuit for a warning lamp that comes on when the external light intensity falls below a pre-set level.

15

Use



- with the letter X the component that detects the change in external light intensity, (i)
- (ii) with the letter Y the lamp,
- (iii) with the letter Z the component that switches the lamp on and off. [3]
- (b) Describe how the circuit works as the external light intensity decreases and the lamp comes on.

..... .....[3] [Total: 6]

