

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**0625 PHYSICS**

**0625/51**

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	51

- 1 (a)  $d$  values in cm and less than 50 cm [1]  
correct calculation of  $1/d$  [1]
- (b) Graph: [1]  
Axes labelled and suitable scale [1]  
All plots correct to  $\frac{1}{2}$  small square [1]  
Well judged line (position) [1]  
Thin line, single (quality) [1]
- (c) Gradient by triangle method using at least  $\frac{1}{2}$  candidate's line [1]  
Clear, on graph, how obtained [1]
- (d)  $z$  value 0.5 cm – 5 cm [1]  
 $z$  given to 2 or 3 significant figures with correct unit [1]

**[Total: 10]**

- 2 (a)  $\theta_r$  sensible value [1]
- Table: [1]  
 $t$  in s,  $\theta$  in  $^{\circ}\text{C}$  [1]  
Correct  $t$  values [1]  
Table 2.1 temperatures decreasing [1]  
Table 2.2 temperatures increasing [1]  
Evidence of temperatures to  $1^{\circ}\text{C}$  [1]
- (e) at least 300s and given to nearest 10s or in mins [1]
- (f) Statement matches readings and justified by reference to readings [1]  
Comparison given of changes in temperature and time with numbers [1]
- (g) Any two from: [2]  
same starting temperature  
constant room temperature/avoid draughts/same place  
same time intervals  
same thermometer (wtte)  
same mass/amount/volume of water  
same beaker  
lid always used

**[Total: 10]**

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	51

- 3 (a) Ammeter symbol [1]  
 Resistor symbol [1]  
 Correct circuit [1]
- (b)  $I_0$  0.1–1.0 (A) [1]
- (c) Table: [1]  
 $R$  in  $\Omega$ ,  $I$  in A [1]  
 All  $I$  to 2 d.p. [1]  
 $I$  values decreasing [1]  
 Final  $I$  value =  $0.5I_0$  ( $\pm 10\%$ ) [1]
- (d) Correct calculation of  $0.5I_0$  shown (ecf) [1]  
 Estimate matches results and given to nearest ohm [1]

**[Total: 10]**

- 4 Trace: [1]  
 Normal at  $90^\circ$  [1]  
 Correct initial angle of incidence  $18^\circ$ – $22^\circ$  [1]  
 Point **E** labeled [1]  
 Initial pin separations  $\geq 5$  cm [1]  
 All lines neat and thin [1]
- (i)  $\theta$  correct to  $\pm 2^\circ$  [1]
- (j) Correct calculation of difference [1]
- (k) new values present and angles in  $^\circ$  [1]  
 (at least once, no contradiction)
- (l) Correct statement matching results [1]  
 (either exact or within limits of experimental accuracy, or wtte) [1]  
 Justified referring to specified results [1]

**[Total: 10]**

Please note that due to a labelling error on the paper, the final five marks were not considered when deciding the grade thresholds.