

### **COMBINED SCIENCE**

Paper 1 Multiple Choice (Extended)

0653/23 May/June 2019 45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.


This document consists of 14 printed pages and 2 blank pages.



1 Which row has a correct structural adaptation for red blood cells and some of the cells lining the trachea?

	red blood cells	cells lining the trachea
Α	nucleus absent	has cilia
в	nucleus present	has cilia
С	nucleus absent	large surface area
D	nucleus present	large surface area

**2** A student is reading a text book. He finds the following definition about how substances move in and out of cells.



The corner of the page has been torn.

What is the missing word at the end of the sentence?

- A diffusion
- B dissolving
- **C** evaporation
- D osmosis
- 3 The enzyme salivary amylase starts digesting starchy foods in the mouth.


This stops when the food reaches the stomach.

Why does this happen?

- **A** The acid in the stomach slows down all reactions.
- **B** The shape of the active site of the enzyme is altered by the low pH.
- **C** The kinetic energy of molecules is reduced by acids.
- **D** The shape of the substrate molecules is changed.

- 4 Which condition is caused by a lack of vitamin C in the diet?
  - A breathlessness
  - **B** rickets
  - C scurvy
  - **D** constipation
- **5** The diagram shows the alimentary canal and some associated organs.

In which structure is bile stored?



6 Physical activity affects our rate and depth of breathing.

What happens during increased physical activity?

	rate of breathing	depth of breathing
Α	decreases	decreases
в	decreases	increases
С	increases	decreases
D	increases	increases

7 Which substances are used and produced during photosynthesis?

	substances used	substances produced
Α	carbon dioxide and glucose	oxygen and water
в	carbon dioxide and water	glucose and oxygen
С	glucose and oxygen	carbon dioxide and water
D	oxygen and water	carbon dioxide and glucose

8 How does adrenaline affect blood glucose concentration and pulse rate?

	blood glucose concentration	pulse rate
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

9 Diagram 1 shows a germinating bean seed placed horizontally.






Diagram 2 shows the same seed after three days. The shoot has grown upwards because of the action of an auxin.

Where is the auxin produced?





diagram 2

10 What are the features of sexual reproduction?

	fusion of nuclei	nature of offspring
Α	no	genetically dissimilar
В	yes	genetically identical
С	no	genetically identical
D	yes	genetically dissimilar


- 11 Which process is the transfer of pollen grains from the anther to the stigma?
  - A fertilisation
  - **B** germination
  - **C** pollination
  - D transpiration
- **12** The diagram shows part of a placenta.



Why do nutrients in the mother's blood enter the blood in the umbilical vein?


- **A** A net movement of nutrient particles occurs from a region of high concentration to a lower concentration.
- **B** Nutrients move from a region of higher water potential to a region of lower water potential.
- **C** Pressure in the maternal blood forces nutrients into the umbilical vein.
- **D** The nutrients travel into the umbilical vein, across a partially permeable membrane by osmosis.

**13** The diagram shows a food web.



Which type of organism is not represented in this food web?

- A carnivore
- B consumer
- **C** decomposer
- **D** herbivore
- **14** The diagram shows apparatus used for filtration.



Why can sugar and salt not be separated by using this apparatus?

- A They are both compounds.
- B They are both white.
- **C** They both dissolve in water.
- **D** They both have the same size particles.
- 15 Which description of the named substance is correct?

	substance	element or mixture
Α	air	mixture
в	brass	element
С	carbon dioxide	element
D	hydrogen chloride	mixture

- **16** Which statement explains why sodium chloride has a much higher melting point than carbon dioxide?
  - A lonic bonding is weaker than covalent bonding.
  - **B** lonic bonding is stronger than covalent bonding.
  - **C** The attractive forces between ions are stronger than the attractive forces between molecules.
  - **D** The attractive forces between ions are weaker than the attractive forces between molecules.
- **17** Molten sodium chloride is electrolysed.

What are the products at the electrodes?

	product at anode	product at cathode
Α	chlorine	hydrogen
В	chlorine	sodium
С	hydrogen	chlorine
D	sodium	chlorine

18 Zinc reacts with excess dilute sulfuric acid to form hydrogen gas.

Copper sulfate can act as a catalyst for this reaction.

Which statement is not correct?

- A If more concentrated sulfuric acid is used the rate of the reaction increases.
- **B** If the temperature is increased it takes less time for the zinc to react completely.
- **C** Larger pieces of zinc produce more hydrogen every ten seconds than the same mass of powdered zinc.
- **D** When copper sulfate is added to the mixture more hydrogen is formed every second.
- **19** Magnesium reacts with zinc oxide to make magnesium oxide and zinc.

Which substance is the oxidising agent in this reaction?

- A magnesium
- B magnesium oxide
- C zinc
- D zinc oxide

https://xtremepape.rs/

**20** Which aqueous ion gives a white precipitate with aqueous sodium hydroxide and with aqueous ammonia?


**A**  $Cu^{2+}$  **B**  $Fe^{2+}$  **C**  $Fe^{3+}$  **D**  $Zn^{2+}$ 

**21** An element has the electronic structure 2,8,1.

Which row describes this element?


	group number in the Periodic Table	metal/non-metal
Α	I	metal
в	I	non-metal
С	П	metal
D	Ш	non-metal

22 Which diagram represents an alloy?



- 23 In which mixture does the metal displace the aqueous metal ion?
  - A copper and magnesium sulfate solution
  - B iron and zinc sulfate solution
  - **C** magnesium and copper sulfate solution
  - **D** zinc and magnesium sulfate solution
- 24 Which statement about water is not correct?
  - **A** A water molecule consists of three atoms covalently bonded together.
  - **B** The water supply is treated with chlorine to kill the bacteria in it.
  - **C** Water changes the colour of cobalt chloride paper from blue to pink.
  - **D** Water has a low melting point because covalent bonds are weak.

- 25 Which statement shows that petroleum is a mixture?
  - A Petroleum can be burned as a fuel.
  - **B** Petroleum can be separated into fractions by distillation.
  - **C** Petroleum is a fossil fuel formed over millions of years.
  - **D** Petroleum is a thick, black liquid.
- 26 Which substances react together?
  - 1 ethene and methane
  - 2 ethene and bromine
  - 3 ethene and oxygen
  - A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- 27 Which statement about cracking is not correct?
  - **A** A high temperature and a catalyst are used.
  - **B** Alkenes are made.
  - **C** Hydrogen can be made.
  - **D** Larger alkanes are made from smaller alkanes.




28 Which speed-time graph represents the motion of an object that travels a distance of 24 m?

- **29** Which property of a body is the effect of a gravitational field acting on the mass of the body?
  - A density
  - B surface area
  - **C** volume
  - D weight
- **30** What is the expression for density?


	Α	mass volume	В	volume mass	С	volume weight	D	weight volume
31	A b	ody moving with	n a si	peed of 2.0 m/s	has	a kinetic energy	of 8	.0J.
	Wh	at is the mass o	f the	body?				
	Α	1.0 kg	в	2.0 kg	С	4.0 kg	D	8.0 kg

X and Y are points on the inside surfaces of the walls of the flask.



How is thermal energy transferred through the vacuum between X and Y?

- A by conduction and convection
- B by conduction only
- **C** by radiation and convection
- D by radiation only
- 33 The diagram represents a wave at one moment.




Which labelled arrows represent the amplitude and the wavelength of the wave?

	amplitude	wavelength
Α	Р	R
в	Р	S
С	Q	R
D	Q	S

- 34 Which electromagnetic radiation has the lowest frequency?
  - A gamma
  - **B** infrared
  - **C** radio
  - D ultraviolet
- **35** A converging lens is placed in the position shown in the diagram.

Each principal focus is marked F, and two points that are two focal lengths from the lens are marked 2F.

At which labelled point is an object placed so that the lens acts as a magnifying glass?



- 36 Where does sound travel at the greatest speed?
  - A in a gas
  - B in a liquid
  - **C** in a solid
  - D in a vacuum
- **37** There is a current of 2.0 A in a resistor. The power produced in the resistor is 8.0 W.

What is the potential difference across the resistor?


Α	0.25 V	В	4.0V	С	10 V	D	16 V

38 How is the resistance *R* of a wire related to its length *l* and to its cross-sectional area *A*?

( $\propto$  means *proportional to*)

- **A**  $R \propto \frac{1}{l}$  and  $R \propto A$  **B**  $R \propto \frac{1}{l}$  and  $R \propto \frac{1}{A}$  **C**  $R \propto l$  and  $R \propto A$ **D**  $R \propto l$  and  $R \propto \frac{1}{A}$
- **39** Three resistors, one of resistance  $4.0\Omega$  and two of resistance  $2.0\Omega$ , are connected in different arrangements.

Which arrangement has a total resistance of  $5.0 \Omega$ ?



**40** A mains circuit can safely supply a current of up to 40 A.

The current in a hairdryer is 2A when it is operating normally. The hairdryer is connected to the mains by a lead which can safely carry up to 5A.

What is the correct fuse to protect the hairdryer?

- A 1 A fuse
- B 3 A fuse
- C 10 A fuse
- D 50 A fuse

# **BLANK PAGE**

14

#### **BLANK PAGE**

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2019

The Periodic Table of Elements

	_		<i>a</i> :	٤												c		-																									
-	lli>	2	He	heliur 4	10	Ne	neon 20	18	A	argor 40	36	Y	krypto 84	54	×e	xenor 131	86	Ъ Ч	rador -																								
	Ν				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine -																								
	N	-							ω	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Ъе	tellurium 128	84	Ро	polonium –	116	L	livermorium -																	
	~						7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209																						
	2								9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	11	flerovium -																	
	≡				ъ	ш	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204																								
											30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	Cn	copernicium -																					
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -																					
dhu											28	ïZ	nickel 59	46	Pd	palladium 106	78	ħ	platinum 195	110	Ds	darmstadtium -																					
droup		- I ;									27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -																					
			hydrogen 1							26	Ее	iron 56	44	Ru	ruthenium 101	76	Os	osmium 190	108	Hs	hassium -																						
				L						25	Mn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium –																						
				Key											bol	ISS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -												
			Key		atomic number	atomic number	atomic numbe	atomic numbe	atomic numbe	atomic numbe	atomic number	atomic number	atomic number	tomic number	tomic number	tomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	ЧN	niobium 93	73	Ца	tantalum 181	105	Db	dubnium –			
-																									ato	rele				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium -		
																													-								21	Sc	scandium 45	39	≻	yttrium 89	57-71
	=																																4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	പ്
	_				e	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	л Ц	francium -																					
					I						1			-			-			-																							

16

b Dy blum dysprosium 59 163		gadolinium 157 96	Sm Eu Gd   samarium europium gadolinium   150 152 157   94 95 96	m promethium samarium europium gadolinium - 150 152 157 157 157 157 157 157 157 157 157 157	Nd Pm Sm Eu Gd   m neodymium promethium samarium europium gadolinium   144 - 150 152 157   92 93 94 95 96	Pr Nd Pm Sm Eu Gd   praseodymium neodymium promethium samarium europium gadolinium   141 144 - 150 152 157   a1 a2 a3 a4 a5 a6
terbium dysprosium 159 163 97 98	ε		n samarium europium g 150 152 94 95	m promethium samarium europium ç - 150 152 6 93 94 95	neodymium promethium samarium europium g 144 – 150 152 92 93 94 95	praseodymium neodymium promethium samarium europium g 141 144 – 150 152 91 92 93 94 95
159 97		_	150 152 94 95	- 150 152 93 94 95	144 – 150 152 92 93 94 95	141 144 - 150 152   a1 a2 a3 a4 a5
97			94 95	93 94 95	92 93 94 95	01 07 03 04 05
i						
ž			Pu Am	Pu Am	Pu Am	Pa U Np Pu Am
berkelium	Ę		plutonium americium	m neptunium plutonium americium	um uranium neptunium plutonium americium	uranium neptunium plutonium americium
I			1	1	238	231 238

Т

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

# © UCLES 2019

0653/23/M/J/19