

## Cambridge IGCSE<sup>™</sup>

COMBINED SCIENCE 0653/22

Paper 2 Multiple Choice (Extended)

May/June 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **INSTRUCTIONS**

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages.


IB22 06\_0653\_22/2RP © UCLES 2022

[Turn over

1 What is the outermost layer of an animal cell and a plant cell?

	animal cell	plant cell
Α	cell membrane	cell membrane
В	cell membrane	cell wall
С	cell wall	cell membrane
D	cell wall	cell wall

2 The diagram shows a plant palisade mesophyll cell.



What will happen to structure X if this cell is immersed in distilled water or concentrated salty water?

	structure X in distilled water	structure X in concentrated salty water
Α	shrink	shrink
В	shrink	swell
С	swell	swell
D	swell	shrink

**3** The enzyme salivary amylase starts digesting starchy foods in the mouth.

This stops when the food reaches the stomach.

Why does this happen?

- A The acid in the stomach slows down all reactions.
- **B** The shape of the active site of the enzyme is altered by the low pH.
- **C** The kinetic energy of molecules is reduced by acids.
- **D** The shape of the substrate molecules is changed.

© UCLES 2022 0653/22/M/J/22

- **4** Which two nutrients does a pregnant woman need in greater amounts to help her baby develop bones and blood?
  - A calcium and iron
  - B calcium and vitamin D
  - **C** carbohydrate and iron
  - **D** carbohydrate and vitamin D
- **5** Which row is correct for mechanical digestion?

	substance being broken down	broken down using	product of breakdown
Α	large food molecules	enzymes	small pieces of food
В	large food molecules	teeth	small food molecules
С	large pieces of food	enzymes	small food molecules
D	large pieces of food	teeth	small pieces of food

- **6** What is a role of root hair cells?
  - A to decrease surface area, to decrease loss of water
  - **B** to decrease surface area, to increase uptake of water
  - C to increase surface area, to decrease loss of water
  - **D** to increase surface area, to increase uptake of water
- 7 The table shows two components of tobacco smoke and their possible effects on the body.

		effects on the body		
	component in tobacco smoke	decreased oxygen absorption by blood	increased blood pressure	
1	carbon monoxide	x	✓	
2	carbon monoxide	✓	X	
3	nicotine	X	✓	
4	nicotine	✓	X	

Which rows show the correct effects of each component?

**A** 1 and 3

**B** 1 and 4

**C** 2 and 3

**D** 2 and 4

8 Physical activity affects our rate and depth of breathing.

What happens during increased physical activity?

	rate of breathing	depth of breathing
Α	decreases	decreases
В	decreases	increases
С	increases	decreases
D	increases	increases

- **9** Some examples of responses in the body are listed.
  - 1 decreased pupil diameter
  - 2 increased breathing rate
  - 3 increased pulse rate

Which responses are caused by the secretion of adrenaline?

- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **10** Some examples of how parts of a plant grow are listed.
  - 1 grow away from gravity
  - 2 grow away from the direction of light
  - 3 grow towards gravity
  - 4 grow towards the direction of light

Which growth responses are due to gravitropism?

**A** 1, 2 and 4 **B** 1 only **C** 1 and 3 **D** 3 only

© UCLES 2022 0653/22/M/J/22

11 Which row is correct for a wind-pollinated flower?

	pollen shape	position of stigma
Α	0	outside of flower
В		inside of flower
С	0	inside of flower
D		outside of flower

12 During sexual intercourse the penis transfers sperm cells to the vagina.

What is the pathway for sperm cells from their site of production to the vagina?

- **A** sperm ducts  $\rightarrow$  testes  $\rightarrow$  urethra  $\rightarrow$  vagina
- **B** testes  $\rightarrow$  sperm ducts  $\rightarrow$  urethra  $\rightarrow$  vagina
- **C** testes → urethra → sperm ducts → vagina
- **D** urethra  $\rightarrow$  testes  $\rightarrow$  sperm ducts  $\rightarrow$  vagina
- 13 What is an ecosystem?
  - A a habitat containing organisms interacting together, in a given area
  - **B** a unit containing all of the organisms and their environment, interacting together, in a given area
  - **C** an environment containing some organisms, interacting together
  - **D** the positions of organisms in a food web, interacting together, with the environment, in a given area

- **14** Three changes are listed.
  - 1 Dilute hydrochloric acid is reacted with aqueous sodium hydroxide.
  - 2 The mixture formed is then heated until all of the water is evaporated.
  - 3 The solid that is formed is then heated until it melts.

Which row describes changes 1, 2 and 3?

	1	2	3
A	chemical	chemical	physical
В	chemical	physical	physical
С	physical	physical	chemical
D	physical	chemical	chemical

**15** Substance Z exists as molecules that contain only one type of atom.

What is Z?


- A a compound
- **B** a mixture
- **C** an element
- **D** a noble gas
- **16** Which statement about the electrolysis of molten lead(II) bromide using carbon electrodes is correct?
  - A Bromide ions gain electrons at the anode.
  - **B** Bromide ions lose electrons at the anode.
  - **C** Lead ions gain electrons at the anode.
  - **D** Lead ions lose electrons at the anode.

17 Zinc reacts with dilute hydrochloric acid to form hydrogen which is collected in a gas syringe.

$$Zn(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + H_2(g)$$

Which statement is correct?

- **A** Larger pieces of zinc react faster than the same mass of smaller pieces because they have a larger total surface area.
- **B** When a catalyst is added, the time taken to collect 20 cm<sup>3</sup> of hydrogen is reduced because fewer particles have the activation energy.
- **C** Hydrogen is produced faster when the acid is more concentrated because a larger proportion of the particles have the activation energy.
- **D** Raising the temperature reduces the time taken to collect 20 cm<sup>3</sup> of hydrogen because more particles have the activation energy.
- **18** Three powders are added to dilute sulfuric acid, as shown.



Which powders react to produce water?

	magnesium	magnesium oxide	magnesium carbonate	
Α	✓	✓	x	key
В	✓	X	X	✓ = does produce water
С	X	✓	✓	x = does not produce water
D	X	X	✓	

19 Magnesium nitrate is produced by reacting magnesium oxide with dilute nitric acid.

Which process is used to produce a pure sample of magnesium nitrate crystals?

- **A** Add excess dilute nitric acid to magnesium oxide, filter and boil the filtrate to dryness.
- **B** Add excess dilute nitric acid to magnesium oxide, filter and evaporate the filtrate to the point of crystallisation.
- **C** Add excess magnesium oxide to dilute nitric acid, filter and boil the filtrate to dryness.
- **D** Add excess magnesium oxide to dilute nitric acid, filter and evaporate the filtrate to the point of crystallisation.
- 20 The results of two tests on substance Q are shown.

test	result
add dilute hydrochloric acid to solid Q	bubbles of colourless gas, R, which turns limewater milky
add aqueous sodium hydroxide to a solution of Q	green precipitate

Which cation is present in Q and what is gas R?

	cation present in Q	gas R
Α	iron(II)	carbon dioxide
В	iron(II)	chlorine
С	iron(III)	carbon dioxide
D	iron(III)	chlorine

21 Indium is an element in the Periodic Table.

Which row describes the electronic structure and character of indium?

	number of outer shell electrons	character
Α	3	metal
В	3	non-metal
С	5	metal
D	5	non-metal

- 22 Which statements about the reactivity series of metals are correct?
  - 1 Iron is higher in the reactivity series than copper because it cannot be extracted from its oxide using carbon.
  - 2 Sodium is higher in the reactivity series than copper because it has a greater tendency to form positive ions.
  - Magnesium is higher in the reactivity series than zinc because it can displace zinc ions from aqueous solution.
  - A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 23 Which equations represent reactions that take place in the blast furnace?
  - 1 C +  $O_2 \rightarrow CO_2$
  - 2  $2CO_2 \rightarrow 2CO + O_2$
  - 3 2FeO + C  $\rightarrow$  2Fe + CO<sub>2</sub>
  - 4 Fe<sub>2</sub>O<sub>3</sub> + 3CO  $\rightarrow$  2Fe + 3CO<sub>2</sub>
  - **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4
- 24 Which colour change is seen when water is added to anhydrous cobalt(II) chloride?
  - A blue to pink
  - B blue to white
  - C pink to blue
  - **D** white to blue
- 25 Which statement about homologous series is correct?
  - **A** Alkanes and alkenes have the same general formula.
  - **B** Alkenes contain only double bonds.
  - **C** Alkanes and alkenes have similar chemical properties.
  - **D** Ethene,  $C_2H_4$ , and propene,  $C_3H_6$ , are members of the same homologous series.

**26** Methane, ethane and propane are all alkanes. Their formulae are shown.

methane, CH<sub>4</sub>

ethane, C<sub>2</sub>H<sub>6</sub>

propane, C<sub>3</sub>H<sub>8</sub>

Which statement is **not** correct?


- **A** All three compounds are hydrocarbons.
- **B** All three compounds burn.
- **C** Methane is the main constituent of natural gas.
- **D** Propane burns completely to form carbon dioxide and hydrogen.
- 27 Which substance rapidly turns aqueous bromine from orange to colourless?
  - A ethane
  - **B** ethanol
  - C ethene
  - **D** methane
- 28 A student investigates a spring that obeys Hooke's law.

The student suspends loads with different weights from the spring and measures the length of the spring for each weight.

 $L_o$  is the length of the spring when there is no load on it.

 $L_w$  is the length of the spring when there is a load of weight W on it.


The graph shows the student's results.



Which quantity is plotted on the *y*-axis?

- $\mathbf{A} \quad L_w L_o$
- $\mathbf{B} \quad L_w + L_o$
- $\mathbf{C}$   $L_{\nu}$
- $D \quad \frac{L_{w}}{L_{o}}$

**29** A load of mass *m* is moved to the top of a slope of length *p* and vertical height *q*.



Which expression gives the gravitational potential energy gained by the load?

**A** mgp

**B** mgq

C mp

**)** ma

30 Motor X does 300 J of work in 10 s.

Motor Y is twice as powerful as motor X.

Which row gives possible values for the work done and the time taken for motor Y?

	work done/J	time taken/s
Α	300	5
В	300	20
С	600	5
D	600	20


- 31 Which group of energy sources consists of only renewable sources?
  - A geothermal, nuclear, solar
  - B geothermal, solar, wind
  - C nuclear, solar, wind
  - D oil, geothermal, solar
- **32** Air is trapped in a sealed glass bottle that has a fixed volume.

The temperature of the air in the bottle decreases.

Which statement describes what happens to the air in the bottle?

- **A** The average separation of the molecules decreases and the pressure decreases.
- **B** The average separation of the molecules decreases but the pressure remains the same.
- **C** The average separation of the molecules remains the same but the pressure decreases.
- **D** The average separation of the molecules remains the same and the pressure remains the same.

33 A mechanic cannot remove a large steel nut from a steel bolt because it is too tight.



What does the mechanic do to help remove the nut?


- A cool the nut and heat the bolt
- B heat the bolt only
- **C** heat the nut and the bolt through the same temperature rise
- **D** heat the nut only
- **34** Light travels at a speed of  $3.0 \times 10^8 \text{ m/s}$  in a vacuum.


A radio station transmits radio waves at a frequency of  $9.1 \times 10^7$  Hz.

What is the wavelength of the radio waves?

- **A** 0.30 m
- **B** 0.33 m
- **C** 3.0 m
- **D** 3.3 m
- 35 Where does sound travel at the greatest speed?
  - A in a gas
  - B in a liquid
  - C in a solid
  - **D** in a vacuum

**36** Two balloons X and Y are suspended by insulating threads. They are each held near a negatively charged balloon. The balloons hang as shown.





What is the charge on balloon X and what is the charge on balloon Y?


	balloon X	balloon Y
Α	negative	negative
В	negative	positive
С	positive	negative
D	positive	positive

37 A 1.0 m length of resistance wire with a cross-sectional area of  $0.032\,\text{mm}^2$  has a resistance of  $15\,\Omega$ .

Which other wire, made from the same material, also has a resistance of  $15\Omega$ ?

	length/m	cross-sectional area/mm²
Α	0.50	0.0080
В	0.50	0.064
С	2.0	0.0080
D	2.0	0.064

38 A circuit contains two lamps and a variable resistor.




The resistance of the variable resistor is increased.

What happens to the brightness of lamp 1 and what happens to the brightness of lamp 2?

	brightness of lamp 1	brightness of lamp 2
Α	decreases	decreases
В	decreases	increases
С	no change	decreases
D	no change	increases

**39** Two identical resistors  $R_1$  and  $R_2$  are connected to a 3.0 V battery as shown. The switch in the circuit is open.



The switch is now closed.


What happens?

- A The current in the battery halves.
- **B** The current in the battery stays the same.
- ${f C}$  The potential difference across  $R_1$  stays the same.
- $\label{eq:decomposition} \textbf{D} \quad \text{The potential difference across $R_2$ becomes 1.5 V}.$

© UCLES 2022 0653/22/M/J/22

**40** A cell produces a potential difference (p.d.) *V* across a resistor of resistance *R*.

There is a current *I* in the resistor.



Which expression gives the energy transferred in the resistor in a time *t*?

- $\mathbf{A} = \frac{IV}{t}$
- B IV
- $\mathbf{c} = \frac{IF}{t}$
- **D** IRt

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 He	lium 4	01	<u>e</u>	30 Son	8	<b>&gt;</b>	gon 10	9,9	۶	pton 4	'¥	(e)	non 31	9,	'n	uop -			
	>	I	he	_	_	ž (7		_	añ.	(')	<u>*</u>	, kry	(1)	<u>×</u>	÷ ×	ω	<u>ır</u>	<u>ē</u> '			
				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	П	iodine 127	85	Αŧ	astatine -			
				80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Ъ	polonium –	116	_	livermorium -
	Λ			7	Z	nitrogen 14	15	凸	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	<u>\</u>			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium —
				5	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Gro										27	ပိ	cobalt 59	45	格	rhodium 103	77	Ι	iridium 192	109	M	meitnerium -
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	٦ ک	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	В	dubnium –
					atc	rek				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium —
										21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			3	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	Cs	caesium 133	87	ᇁ	francium -

71 Lu				
70 <b>Yb</b> ytterbium				
69 Tm	169	Md	mendelevium	ı
68 Er erbium	167	Fm	fermium	ı
67 Holmium	165	Es	einsteinium	1
66 Dy dysprosium	163	ŭ	californium	ı
65 Tb	159	番	berkelium	ı
64 <b>Gd</b> gadolinium	157	CB	curium	ı
63 Eu	152 95	Am	americium	ı
62 Sm samarium	150	Pu	plutonium	I
61 Pm promethium	1 8	ď	neptunium	ı
60 Nd neodymium	144	د :	uranium	238
59 Pr	141	Ра	protactinium	231
Se Ce	140	ᄕ	thorium	232
57 La	139	Ac	actinium	I
lanthanoids		actinoids		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).