

# **COMBINED SCIENCE**

Paper 2 Multiple Choice (Extended)

0653/22 October/November 2018 45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

# **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.


This document consists of 15 printed pages and 1 blank page.





**1** The diagram shows a typical plant cell.

Which part of the cell controls the movement of materials into and out of the cell?




- 2 Which process depends on diffusion?
  - A circulation
  - **B** digestion
  - C gaseous exchange
  - D phagocytosis
- 3 Enzymes are used in digestion to break down larger molecules into smaller molecules.

Which row matches the large molecules with the small molecules they are broken down into?

|   | large molecules | small molecules          |  |  |
|---|-----------------|--------------------------|--|--|
| Α | fat             | glycerol and fatty acids |  |  |
| в | glycogen        | glycerol and amino acids |  |  |
| С | protein         | simple sugars            |  |  |
| D | starch          | amino acids              |  |  |

- 4 Which two nutrients are needed for healthy bone and tooth development?
  - A calcium and iron
  - B iron and vitamin C
  - **C** vitamin C and vitamin D
  - D vitamin D and calcium


5 The diagram shows a leaf that was tested for starch using iodine solution.



Which row shows the results for this leaf and explains the results?

|   | green area of<br>leaf after test | white area of<br>leaf after test | explanation                                   |  |  |
|---|----------------------------------|----------------------------------|---|--|--|
| Α | blue-black                       | blue-black                       | chlorophyll is found in all parts of the leaf |  |  |
| в | blue-black brown                 |                                  | chlorophyll is found in only part of the leaf |  |  |
| С | brown                            | brown                            | chlorophyll is found in all parts of the leaf |  |  |
| D | brown                            | blue-black                       | chlorophyll is found in only part of the leaf |  |  |

6 The diagram shows a cross-section of a root hair cell.




Which row identifies the part of the cell with the larger surface area and its function?

|   | part of cell           | function                 |  |  |
|---|------------------------|--------------------------|--|--|
| Α | Х                      | water and glucose uptake |  |  |
| в | Х                      | water and ion uptake     |  |  |
| С | Y                      | water and glucose uptake |  |  |
| D | Y water and ion uptake |                          |  |  |

7 The diagram shows the external surface of the heart.

Which letter identifies a coronary artery?



8 Six molecules of glucose are aerobically respired in an animal cell.

How many molecules of carbon dioxide are released in this process?

**A** 1 **B** 6 **C** 12 **D** 36

**9** Which features will maximise the rate of gas exchange across the alveoli?

|   | large surface area | small blood supply | thin membrane |
|---|--------------------|--------------------|---------------|
| Α | $\checkmark$       | $\checkmark$       | X             |
| в | $\checkmark$       | $\checkmark$       | 1             |
| С | $\checkmark$       | ×                  | $\checkmark$  |
| D | ×                  | $\checkmark$       | $\checkmark$  |

**10** What happens to the blood glucose concentration and pulse rate when adrenaline is released into a person's bloodstream?

|   | blood glucose<br>concentration | pulse rate |
|---|--------------------------------|------------|
| Α | decreases                      | increases  |
| В | decreases                      | decreases  |
| С | increases                      | increases  |
| D | increases                      | decreases  |

**11** Which row describes the net diffusion of substances between the fetus and the mother across the placenta?

|   | from fetus to mother              | from mother to fetus          |
|---|-----------------------------------|-------------------------------|
| Α | carbon dioxide and glucose        | oxygen and amino acids        |
| в | carbon dioxide and waste products | oxygen and glucose            |
| С | oxygen and glucose                | carbon dioxide and amino acid |
| D | oxygen and waste products         | carbon dioxide and glucose    |

- **12** What is the definition of a trophic level?
  - A It shows how an organism loses energy.
  - **B** It shows the position of an organism in a food chain.
  - **C** It shows the consumers of an organism.
  - **D** It shows the food eaten by an organism.
- **13** Which are possible harmful effects of deforestation?

|   | global warming | species extinction |
|---|----------------|--------------------|
| Α | $\checkmark$   | 1                  |
| в | $\checkmark$   | x                  |
| С | x              | 1                  |
| D | x              | x                  |


**14** Sucrose is a covalent compound.

It is a solid at room temperature.

Which statement about sucrose is correct?

- **A** It is made of atoms that are close together and in continuous random motion.
- **B** It is made of atoms that are far apart and vibrating about a fixed point.
- **C** It is made of molecules that are close together and vibrating about a fixed point.
- **D** It is made of molecules that are far apart and in continuous random motion.

**15** The apparatus used for chromatography is shown.




Which statement about the method used for chromatography is not correct?

- **A** The beaker is swirled to help the solvent to rise.
- **B** The chromatography paper is placed in the beaker after the solvent has been added.
- **C** The chromatography paper is removed before the solvent reaches the top of the paper.
- **D** The sample spots are placed on the pencil line above the level of the solvent.
- 16 Which molecule contains a double covalent bond?
  - A ethene
  - B methane
  - **C** nitrogen
  - D water
- 17 Which formula does not represent an acid?
  - **A**  $H_2SO_4$  **B** HCl **C**  $HNO_3$  **D**  $NH_3$

**18** During the electrolysis of aqueous copper chloride, ions move.

A gas is produced at one of the electrodes.

Which diagram shows the movement of ions and the electrode at which the gas is produced?



- **19** Which statement describes an endothermic reaction?
  - **A** Chemical energy is transformed into thermal energy and the temperature falls.
  - **B** Chemical energy is transformed into thermal energy and the temperature rises.
  - **C** Thermal energy is transformed into chemical energy and the temperature falls.
  - **D** Thermal energy is transformed into chemical energy and the temperature rises.

**20** Hydrogen peroxide decomposes to form oxygen and water.

A catalyst is added to the hydrogen peroxide.

Which row describes the change in the rate of reaction and the mass of catalyst left at the end of the reaction?

|   | rate of reaction | mass of catalyst left at end of reaction |
|---|------------------|--|
| Α | decrease         | less                                     |
| в | decrease         | no change                                |
| С | increase         | less                                     |
| D | increase         | no change                                |

21 Iron oxide reacts with carbon monoxide.

The word equation for the reaction is:

iron oxide + carbon monoxide  $\rightarrow$  iron + carbon dioxide

Which statement is **not** correct?


- **A** Carbon is neither oxidised nor reduced.
- **B** Carbon is oxidised.
- C Iron is reduced.
- **D** This is a redox reaction.
- 22 Francium is the element at the bottom of Group I.

What would happen if a sample of francium is added to water?

- **A** Francium reacts rapidly to produce bubbles of carbon dioxide.
- **B** Francium reacts to form a precipitate of francium oxide.
- **C** Francium reacts violently and produces a flammable gas.
- **D** Francium sinks and no reaction occurs.

**23** The positions of four elements are shown in the outline of the Periodic Table.

Which element has a high melting point and forms coloured compounds?




- 24 Which statement about noble gases is not correct?
  - A neon atom has a full outer shell of electrons.
  - **B** Helium is used to fill balloons.
  - **C** Noble gases are very unreactive.
  - **D** Noble gases exist as molecules containing two atoms.
- 25 Which metal most readily forms positive ions?
  - A calcium
  - **B** copper
  - **C** iron
  - D zinc
- 26 Gasoline is a hydrocarbon fuel obtained from petroleum.

Which statement is correct?

- A Gasoline burns to form carbon dioxide and water.
- **B** Gasoline contains the elements carbon, hydrogen and oxygen.
- **C** Gasoline is used as a fuel in diesel engines.
- **D** The combustion of gasoline is an endothermic reaction.

**27** Petroleum is separated into fractions by fractional distillation.


Which labelled fraction contains molecules with the largest intermolecular attractive forces?



**28** A train travels between two stations.


The distance-time graph for the train is shown.

At which time is the train travelling the fastest?



- 29 What name is given to the gravitational force acting on a mass?
  - A density
  - **B** power
  - **C** weight
  - D work

**30** A cube of aluminium has sides of length 1.0 cm.



Compared with this cube, which statement about a cube of aluminium with sides of 2.0 cm is correct?

- **A** It has the same density.
- **B** It has the same mass.
- **C** It has twice the density.
- **D** It has twice the mass.
- **31** A brick of mass 4.0 kg rests on a window ledge. It falls off the window ledge and drops through a height of 5.0 m to the ground. The acceleration of free fall g is 10 m/s<sup>2</sup>.

Air resistance can be ignored.

Which row states the kinetic energy and the speed of the brick just before it hits the ground?

|   | kinetic energy<br>of brick/J | <u>speed of brick</u><br>m/s |
|---|------------------------------|------------------------------|
| Α | 20                           | 2.2                          |
| в | 20                           | 3.2                          |
| С | 200                          | 7.1                          |
| D | 200                          | 10                           |

32 Gases are easier to compress than either solids or liquids.

Which statement about gas molecules is correct?


- **A** They are closer together and the forces between them are stronger.
- **B** They are closer together and the forces between them are weaker.
- **C** They are further apart and the forces between them are stronger.
- **D** They are further apart and the forces between them are weaker.

**33** A liquid evaporates when molecules leave its surface.

Which molecules leave the surface, and what happens to the temperature of the remaining liquid?

- Α The more energetic molecules leave and the temperature falls.
- В The more energetic molecules leave and the temperature rises.
- С The less energetic molecules leave and the temperature falls.
- D The less energetic molecules leave and the temperature rises.
- 34 The diagram represents a wave.

Which labelled distance gives the amplitude of the wave?



**35** A student is watching television. He uses a remote controller to change the programme.

The remote controller uses electromagnetic waves. Electromagnetic waves are also used to transmit the television signals from a satellite.

| Which row shows the type of wave used for each purpose? |
|---|
|---|

|   | remote controller | satellite   |  |  |
|---|-------------------|-------------|--|--|
| Α | infra-red         | microwaves  |  |  |
| В | infra-red         | radio waves |  |  |
| С | ultraviolet       | microwaves  |  |  |
| D | ultraviolet       | radio waves |  |  |


**36** A girl stands in front of a plane mirror. She then walks towards the mirror at a speed of 1.0 m/s.

At what combined speed do the girl and her image appear to approach each other?

A 0m/s 0.50m/s С 1.0m/s **D** 2.0 m/s В


**37** The diagrams represent four different sound waves. The scales are the same in all the diagrams.

Which sound has the lowest pitch?



**38** Three pieces of resistance wire X, Y and Z are made of the same metal.


The diagram shows the lengths and the diameters of the wires.



What is the order of the wires when they are placed in order of increasing resistance, least resistance first?


 $\label{eq:relation} \begin{array}{cccc} \textbf{A} & Y \rightarrow X \rightarrow Z & \textbf{B} & Y \rightarrow Z \rightarrow X & \textbf{C} & Z \rightarrow X \rightarrow Y & \textbf{D} & Z \rightarrow Y \rightarrow X \end{array}$ 

**39** The diagram shows two identical lamps connected in parallel to a 12V power supply. A current of 3.0 A is delivered by the power supply.



What is the power produced by each lamp?

- **A** 4.0W **B** 8.0W **C** 18W **D** 36W
- **40** The diagram shows two  $6.0\Omega$  resistors and one  $12\Omega$  resistor connected in series to a power supply. The voltmeter connected across one  $6.0\Omega$  resistor reads 2.0 V.



What is the potential difference across the power supply?

| <b>A</b> $0.0^{\circ}$ <b>B</b> $0.0^{\circ}$ <b>C</b> $12^{\circ}$ <b>D</b> $40^{\circ}$ | Α | 6.0V | В | 8.0V | С | 12 V | D | 48 V |
|---|---|------|---|------|---|------|---|------|
|---|---|------|---|------|---|------|---|------|

### **BLANK PAGE**

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2018

The Periodic Table of Elements

|       | VIII | 2 | He | helium<br>4   | 10            | Ne           | neon<br>20                   | 18 | Ar      | argon<br>40      | 36 | Ł  | krypton<br>84   | 54 | Xe | xenon<br>131     | 86    | Rn          | radon<br>-      |        |           |                    |
|-------|------|---|----|---------------|---------------|--------------|------------------------------|----|---------|------------------|----|----|-----------------|----|----|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
|       | NII  |   |    |               |               |              |                              |    |         |                  |    |    | <u> </u>        |    |    | iodine<br>127    |       |             |                 |        |           |                    |
|       |      |   |    |               |               |              |                              |    |         |                  |    |    |                 |    |    |                  |       |             |                 | 9      | >         | orium              |
|       | >    |   |    |               | 8             | 0            | oxyg<br>16                   | 16 | <i></i> | sulf<br>32       | 37 | Ň  | selen<br>79     | 22 | Ĕ  | tellurium<br>128 | 8     | ď           | - nolog         | 11     | Ĺ         | livermo            |
|       | >    |   |    |               | 7             | z            | nitrogen<br>14               | 15 | ٩       | phosphorus<br>31 | 33 | As | arsenic<br>75   | 51 | Sb | antimony<br>122  | 83    | Bi          | bismuth<br>209  |        |           |                    |
|       | ≥    |   |    |               | 9             | U            | carbon<br>12                 | 14 | Si      | silicon<br>28    | 32 | Ge | germanium<br>73 | 50 | Sn | tin<br>119       | 82    | Pb          | lead<br>207     | 114    | ĿΙ        | flerovium<br>–     |
|       | ≡    |   |    |               | 5             | ш            | boron<br>11                  | 13 | Al      | aluminium<br>27  | 31 | Ga | gallium<br>70   | 49 | In | indium<br>115    | 81    | 11          | thallium<br>204 |        |           |                    |
|       |      |   |    |               |               |              |                              | I  |         |                  | 30 | Zn | zinc<br>65      | 48 | Cq | cadmium<br>112   | 80    | Hg          | mercury<br>201  | 112    | C         | copernicium<br>-   |
|       |      |   |    |               |               |              |                              |    |         |                  | 29 | Cu | copper<br>64    | 47 | Ag | silver<br>108    | 79    | Au          | gold<br>197     | 111    | Rg        | roentgenium<br>-   |
| dn    |      |   |    |               |               |              |                              |    |         |                  | 28 | ïZ | nickel<br>59    | 46 | Pd | palladium<br>106 | 78    | Ţ           | platinum<br>195 | 110    | Ds        | darmstadtium<br>   |
| Group |      |   |    |               |               |              |                              |    |         |                  | 27 | ပိ | cobalt<br>59    | 45 | Rh | rhodium<br>103   | 77    | Ir          | iridium<br>192  | 109    | Mt        | meitnerium<br>-    |
|       |      | - | Т  | hydrogen<br>1 |               |              |                              |    |         |                  | 26 | Fe | iron<br>56      | 44 | Ru | ruthenium<br>101 | 76    | SO          | osmium<br>190   | 108    | Hs        | hassium<br>–       |
|       |      |   |    |               | ]             |              |                              |    |         |                  | 25 | Mn | manganese<br>55 | 43 | ЪС | technetium<br>-  | 75    | Re          | rhenium<br>186  | 107    | Bh        | bohrium<br>–       |
|       |      |   |    |               |               |              | ss                           |    |         |                  | 24 | ŗ  | chromium<br>52  | 42 | Mo | molybdenum<br>96 | 74    | 8           | tungsten<br>184 | 106    | Sg        | seaborgium<br>-    |
|       |      |   |    | Key           | atomic number | atomic symbo | name<br>relative atomic mass |    |         |                  | 23 | >  | vanadium<br>51  | 41 | qN | niobium<br>93    | 73    | Та          | tantalum<br>181 | 105    | Db        | dubnium<br>–       |
|       |      |   |    |               | Ø             | atol         | relat                        |    |         |                  | 22 | F  | titanium<br>48  | 40 | Zr | zirconium<br>91  | 72    | Ŧ           | hafnium<br>178  | 104    | Ŗ         | rutherfordium<br>- |
|       |      |   |    |               | L             |              |                              | L  |         |                  | 21 | Sc | scandium<br>45  | 39 | ≻  | yttrium<br>89    | 57-71 | lanthanoids |                 | 89-103 | actinoids |                    |
|       | =    |   |    |               | 4             | Be           | beryllium<br>9               | 12 | Mg      | magnesium<br>24  | 20 | Ca | calcium<br>40   | 38 | S  | strontium<br>88  | 56    | Ba          | barium<br>137   | 88     | Ra        | radium<br>-        |
|       | _    |   |    |               | е             | :            | lithium<br>7                 | 11 | Na      | sodium<br>23     | 19 | ¥  | potassium<br>39 | 37 | Rb | rubidium<br>85   | 55    | Cs          | caesium<br>133  | 87     | ŗ         | francium<br>-      |
|       |      |   |    |               | I             |              |                              | L  |         |                  | 1  |    |                 | 1  |    |                  | L     |             |                 | I      |           |                    |

|             | 57               | 58            | 59                  | 60               | 61              | 62              | 63              | 64                | 65             | 99                | 67             | 68            | 69             |                  | 71              |
|-------------|------------------|---------------|---------------------|------------------|-----------------|-----------------|-----------------|-------------------|----------------|-------------------|----------------|---------------|----------------|------------------|-----------------|
| lanthanoids | La               | 0<br>O        | ŗ                   | Nd               | Pm              | Sm              | Eu              | Вd                | Tb             | D                 | Ч              | ц             | Tm             |                  | Lu              |
|             | lanthanum<br>139 | cerium<br>140 | praseodymium<br>141 | neodymium<br>144 | promethium<br>- | samarium<br>150 | europium<br>152 | gadolinium<br>157 | terbium<br>159 | dysprosium<br>163 | holmium<br>165 | erbium<br>167 | thulium<br>169 | ytterbium<br>173 | lutetium<br>175 |
|             | 89               | 06            | 91                  | 92               | 93              | 94              | 95              | 96                | 97             | 98                | 66             | 100           | 101            |                  | 103             |
| actinoids   | Ac               | Th            | Ра                  |                  | Np              | Pu              | Am              | Cm                | ų              | ç                 | Еs             | Еm            | Md             |                  | Ļ               |
|             | actinium         | thorium       | protactinium        | uranium          | neptunium       | plutonium       | americium       | curium            | berkelium      | californium       | einsteinium    | fermium       | mendelevium    |                  | lawrencium      |
|             | I                | 232           | 231                 | 238              | I               | I               | I               | I                 | I              | I                 | I              | I             | I              | I                | I               |
|             |                  |               |                     |                  |                 |                 |                 |                   |                |                   |                |               |                |                  |                 |

# The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

# © UCLES 2018

0653/22/O/N/18

16