

12345678

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

COMBINED SCIENCE

Paper 2 Multiple Choice (Extended) SPECIMEN PAPER 0653/02 For Examination from 2017

45 minutes

Additional Materials: Multiple

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil. Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.


Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 18. Electronic calculators may be used.

This document consists of 17 printed pages and 1 blank page.


1 The width of the plant cell in the diagram is 30mm when it is magnified by a microscope (magnification shown in brackets).



What is the actual width of the cell?

A 0.003 mm **B** 0.03 mm **C** 0.3 mm **D** 30 mm

2 The graph shows how the rate of an enzyme-controlled reaction changes with temperature. What explains the shape of the graph within the temperature range marked X?



- **A** The higher temperature breaks down the enzyme's substrate.
- **B** The higher temperature changes the shape of the enzyme.
- **C** The higher temperature decreases the kinetic energy of the enzyme.
- **D** The higher temperature helps the enzyme to function as a biological catalyst.

3 A healthy plant has been in the light. A leaf is taken from it, decolourised and then tested with iodine solution.

What colour does the iodine solution become?


- A black
- **B** brick red
- C green
- **D** pale blue
- 4 A man reduces the amount of salt, saturated fat and fibre in his diet.

How could these changes affect the risk of developing the following conditions?

	constipation	coronary heart disease	obesity
Α	reduced risk	increased risk	reduced risk
в	reduced risk	reduced risk	increased risk
С	increased risk	reduced risk	reduced risk
D	increased risk	increased risk	increased risk

5 The diagram shows a section through the human heart.

Which structure is the tricuspid valve?



6 The table shows some of the features of respiration.


Which row in the table is correct for aerobic respiration?

	amount of energy released per glucose molecule	occurs when oxgyen is present	releases carbon dioxide
Α	high	yes	always
в	low	yes	sometimes
С	high	no	sometimes
D	low	no	always

7 One of the effects of tobacco smoke on the gas exchange system is that haemoglobin carries oxygen around the body less efficiently.

Which component of tobacco smoke is responsible for this effect?


- A carbon monoxide
- **B** nicotine
- C smoke particles
- D tar
- 8 The diagram shows a plant that has been placed on its side. The shoot begins to grow upwards.



What causes the shoot to grow upwards?

- A less auxin present at P and increased cell elongation at P
- B more auxin present at P and increased cell elongation at P
- C less auxin present at Q and increased cell elongation at Q
- **D** more auxin present at Q and increased cell elongation at Q

9 The diagram shows a section through a flower.




In which parts of the flower are pollen grains produced and received?

	pollen grains pollen grai produced received	
Α	Р	S
в	Q	Р
С	R	Q
D	S	R

10 Which row in the table correctly describes a female gamete compared with a male gamete?

	size	number produced	mobility
Α	larger	greater	more mobile
В	larger	fewer	less mobile
С	smaller	greater	less mobile
D	smaller	fewer	more mobile


11 A food chain is shown below. The numbers show the amount of energy, measured in kJ, that passes from one organism to another.



Calculate how much energy is lost from this food chain at X.

A 25kJ **B** 75kJ **C** 425kJ **D** 575kJ

12 The diagram shows a food web.



How many types of consumer and how many types of producer are shown in this food web?

	types of consumer	types of producer
Α	3	3
В	3	14
С	11	3
D	11	14

- 13 Which of these measures helps to reduce the effects of acid rain?
 - **A** avoiding the use of non-recyclable plastics
 - **B** reducing methane emissions in industry and agriculture
 - **C** removing sulfur dioxide from power station waste gases
 - D using alkaline fertilisers on fields
- 14 Which method of separation can be used to obtain pure water from aqueous potassium chloride?
 - A chromatography
 - **B** crystallisation
 - C distillation
 - **D** filtration
- 15 Which row in the table correctly describes the four substances?


	air	brass	iron	sodium chloride
Α	compound	compound	element	mixture
в	compound	element	mixture	mixture
С	mixture	mixture	element	compound
D	element	mixture	compound	element

16 Magnesium fluoride, MgF₂, is an ionic compound.

What are the electronic structures of the magnesium ion and the fluoride ion?


	magnesium ion	fluoride ion
Α	2,8	2,6
в	2,8	2,8
С	2,8,1	2,6
D	2,8,1	2,8

17 What is the dot-and-cross diagram for ethene?



- Hexane, C₆H₁₄, burns in an excess of oxygen, forming carbon dioxide and water.What is the equation for this reaction?
 - $\textbf{A} \quad \textbf{C}_{6}\textbf{H}_{14} \ \textbf{+} \ \textbf{90}_{2} \ \rightarrow \ \textbf{6CO}_{2} \ \textbf{+} \ \textbf{7H}_{2}\textbf{O}$
 - $\textbf{B} \quad \textbf{C}_{6}\textbf{H}_{14} \ \textbf{+} \ \textbf{190}_{2} \ \rightarrow \ \textbf{12CO}_{2} \ \textbf{+} \ \textbf{14H}_{2}\textbf{O}$
 - $\textbf{C} \quad 2\text{C}_{6}\text{H}_{14} \ \textbf{+} \ 19\text{O}_{2} \ \rightarrow \ 6\text{CO}_{2} \ \textbf{+} \ 7\text{H}_{2}\text{O}$
 - **D** $2C_6H_{14} + 19O_2 \rightarrow 12CO_2 + 14H_2O$

19 Copper(II) bromide solution can be electrolysed in the same way as copper(II) chloride solution.




Which row in the table correctly describes the products at the electrodes?

	product at anode	product at cathode
Α	brown liquid	brown-red solid
в	brown-red solid brown liquid	
С	colourless gas	brown-red solid
D	silvery solid	colourless gas

- 20 Which statement describes an endothermic reaction?
 - **A** Chemical energy is transformed to heat energy and the temperature decreases.
 - **B** Chemical energy is transformed to heat energy and the temperature increases.
 - **C** Heat energy is transformed to chemical energy and the temperature decreases.
 - **D** Heat energy is transformed to chemical energy and the temperature increases.

21 Marble and chalk are two forms of calcium carbonate.

The diagram shows equal masses of lumps of marble and powdered chalk placed in dilute hydrochloric acid.



The marble takes longer than the chalk to dissolve in the acid.

Why is this?

- **A** Marble is more reactive than chalk.
- **B** Marble is more soluble than chalk.
- **C** The marble has the smaller surface area.
- **D** The marble is more basic.
- 22 Metal X reacts rapidly with cold water.

Metal Y does not react with dilute hydrochloric acid.

Metal Y is obtained from its oxide by heating the oxide with carbon.

Which row in the table shows the more reactive metal and the type of reaction that metal Y oxide undergoes when it is heated with carbon?

	more reactive metal	type of reaction of metal oxide
Α	Х	oxidation
в	Х	reduction
С	Y	oxidation
D	Y	reduction

23 The table shows the properties of four substances.

Which substance is an alkali?

		reaction with an acid
Α	insoluble	reacts
В	insoluble	does not react
С	soluble	reacts
D	soluble	does not react

24 Which row in the table describes the physical state of some of the Group VII elements at room temperature?

	chlorine	bromine	iodine
Α	gas	gas	liquid
В	gas	liquid	solid
С	liquid	liquid	gas
D	liquid	solid	solid

25 P, Q, R and S are four metals.

P reacts rapidly with dilute acid, but it slowly forms bubbles of gas in cold water.

S reacts slowly with dilute acid, but it displaces Q from an aqueous solution of its salt.

R reacts rapidly with cold water.

What is the order of reactivity of the metals?

	least reactive ————> most reactive			
Α	Q	S	Р	R
в	R	Р	S	Q
С	R	S	Р	Q
D	S	Q	Р	R

26 Which row in the table describes the method of extraction of aluminium, and the reason for using this method?


	method of extraction	reason
Α	heat with carbon	aluminium is less reactive than carbon
В	heat with carbon	aluminium is more reactive than carbon
С	electrolysis	aluminium is more reactive than carbon
D	electrolysis	aluminium is resistant to corrosion

27 Petroleum is separated by fractional distillation.

Which row in the table describes the properties of the compounds collected at the top of the fractionating column?

	boiling point	molecular size	intermolecular forces
Α	high	large	strong
В	high	small	weak
С	low	large	strong
D	low	small	weak

28 The speed/time graph for a car journey is shown.



During which two parts of the journey is the car moving at constant speed?

Α	1 and 3	В	1 and 5	С	2 and 4	D	3 and 5
---	---------	---	---------	---	---------	---	---------

29 The strength of the gravitational field on the Moon is less than the strength of the gravitational field on Earth.

An object has mass *M* and weight *W* on the Moon.

What is the mass and the weight of the object on Earth?

	mass	weight
Α	more than M	W
В	more than M	more than W
С	М	W
D	М	more than W

30 The equation for Hooke's Law relates the extension of a spring to the load applied to it.

In an experiment, loads are applied to a spring and the spring extends. The table shows the results.

load/N	0	12	24	36	48	60	72
length of spring/cm	15	18	21	24	27	31	36

What is the value of the constant *k* for this spring, and has the spring been loaded past its limit of proportionality?

	spring constant <i>k</i> N/cm	loaded past limit of proportionality?
Α	0.67	no
в	0.67	yes
С	4.0	no
D	4.0	yes

31 A ball rolls along a frictionless, horizontal track at a speed of 4.0 m/s. It reaches a sloping section of the track and continues to roll up the slope.

4.0m/s

What is the maximum vertical height that the ball reaches up the slope?

The acceleration of free fall g is 10 m/s^2 .

A 0.20m **B** 0.40m **C** 0.80m **D** 2.5m

32 A gas is trapped in a sealed container of constant volume. The gas is heated.

What effect does this have on the gas molecules?

- **A** The average distance between the molecules increases.
- **B** The average mass of the molecules increases.
- **C** The molecules expand.
- **D** The molecules move more quickly.
- **33** Benzene and glycerine are two substances.


The table shows the melting point and the boiling point of benzene and of glycerine.

	melting point/°C	boiling point/°C
benzene	5.4	80
glycerine	18	290

At which temperature will both benzene and glycerine be liquid?

Α	10°C	В	50 °C	С	100°C	D	150°C
---	------	---	-------	---	-------	---	-------

34 The diagram shows an ice cube surrounded by air. The ice cube cools the air around it. This cooling changes the density of the air and causes the air to move.



Which row in the table shows the change in density of the air and the direction in which the air moves?

	density change	direction of movement
Α	decreases	downwards
В	decreases	upwards
С	increases	downwards
D	increases	upwards


https://xtremepape.rs/

35 A water wave with a wavelength of 2.0 cm moves a distance of 900 cm in 1.0 minute.

What is its frequency?

A 7.5 Hz **B** 30 Hz **C** 450 Hz **D** 1800 Hz

- **36** Which electromagnetic waves are found immediately either side of the visible region of the electromagnetic spectrum?
 - **A** infra-red and ultra-violet
 - B microwaves and infra-red
 - C microwaves and X-rays
 - D ultra-violet and X-rays
- **37** Two sound waves, P and Q, are displayed on an oscilloscope. The settings on the oscilloscope are the same for P and Q.




Which statement correctly compares the pitch and the loudness of the two sounds?

- **A** P has a higher pitch and is louder than Q.
- **B** P has a higher pitch and is quieter than Q.
- **C** P has a lower pitch and is louder than Q.
- **D** P has a lower pitch and is quieter than Q.
- **38** Sound travels in liquids and solids.

Which row in the table shows the approximate speed of sound in a liquid, and the approximate speed of sound in a solid?

	speed in liquid m/s	speed in solid m/s
Α	340	340
В	340	1500
С	1500	5000
D	5000	1500

39 The circuit shows a current *I* in a resistor of resistance *R*.




Which row in the table shows possible pairs of values of *I* and *R*?

	I/A	R/Ω
Α	1.5	1.5
В	1.5	2.0
С	6.0	2.0
D	4.0	12.0

40 The circuit shown contains four labelled switches.

When all the switches are closed, one switch can be opened without affecting the brightness of either lamp.

Which switch is this?



BLANK PAGE

17

T	=												2	>	5	5	
							÷										
							H tyongen										He He
F	4	97) (53)	T	May New	1		-					4	8	7		a	+
	Be		ato	atomic symbol	poq								0	z	0	ш	2.5
(Dium	beyfium			Farmer								boroe	carbon	ribogan	(addee)	fucine	
	6		relati	relative atomic mass	mass							11	12	14	16	19	
	12											13	14	15	16	17	
Na	BM											Al	ŝ	۵.	s	CI	-
	mugreekun 24											ahunikun 27	allocat 28	phosphorus 31	alle 32	ohiofre 35,5	
6	8	5	22	23	24	25	26	27	28	29	30	31	32	33	쳤	22	1
-	ça	Sc	F	>	ັ	Mn	Fe	ů	ž	õ	Zu	8	Ge	As	Se	Br	_
polaastum	rodenum	neurotum	Startum .	VANADALEN	dramium	marganes	and a	- tothed	rickel	rapper	110	nuting	pamentan	Amortic	adurium	termine	-
	40	45	48	61	52	55	33	69	69	64	99	70	73	75	62	80	
-	8	39	40	41	42	43	44	45	46	47	48	49	50	51	52	83	
ß	ம்	×	Z	ЧN	Mo	^o	Ru	R	Pd	Ag	В	II	Sn	ß	Te	Ι	
mbitum	whether	num 1	recordum	ristium	molytolmum	indrehum	rutherium	muborit.	pulletium	sthreet	actricat	Indum	ä į	arthrony	Influence	incimu.	0.00
	8	68	16	93	8	E.	101	103	108	108	112	115	119	122	128	127	-
	8	12-29	72	2	74	32	28	12	28	78	80	81	82	83	15	58	_
Cs	Ba	Intheroda	Ť	Та	M	Re	ő	Ir	đ,	Au	BH	Ħ	PP	ā	Ро	At	0.00
continue	hanam		hahham	turishim	Ingeleri	rheekum	permitant	minum	tarra pilot	pate	Arcust	thelium	n i	thereth	polorium	aviative.	
133	137		178	181	181	186	190	192	195	197	201	204	201	209	1	1	
	8	89-103	104	105	108	107	108	<u>6</u>	110	111	112		114		116		_
<u>ل</u>	Ra	octroice	2	90	Sg	ВН	R	Mt	Ds	Rg	5		FI		۲٨		
for dum	rathun		artherloodium	radictar	reshorpum	bahhum	history	metrefun	carriedactarra	meriperium	coperticium		Terrowinn		Instructure		
		25	88	69	09	61	62	63	64	99	99	67	68	60	20	14	_
lanthanoids		La	e O	ď	PN	Pm	Sm	Ē	3	₽	ò	위	ш	Тa	Υb	F	_
		Instante	mpeo	principality	Ξ.	promethum	nutrue.	mildona	gadokraum	terbium	dysprosium	holmium	etteum	Tular	ytterhium	intellum	_
	-	RS1	140			1	190	791	191	RGL	163	105	191	168	1/3	2	4
		68	8	6		8	đ	8	96	26	96	66	100	101	102	103	
actinoids		Ac	£	Ра	∍	dN	Pu	Am	Gm	¥	Q	ŝ	Fm	pW	No	5	_
		actinium	Durine .	peptacitrium	Ξ.	niphritan	philoritum	Amoricium	arrium	hefterfum	adiferrices.	New Address of the International Contraction of the International Contractional	femilian	murchever	robekum	Imminum	_
		1	232	231	238	-	-		1	1		1	1	1	1	1	_

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2015

https://xtremepape.rs/

0653/02/SP/17

18