



Cambridge International Examinations
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

* 0 3 4 3 7 3 0 3 5 4 *



COMBINED SCIENCE

0653/23

Paper 2 (Core)

May/June 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **24** printed pages.

- 1 (a) Fig. 1.1 shows an experiment to compare how three metals react with dilute hydrochloric acid.




Fig. 1.1

In two of the test-tubes, bubbles of a gas **G** are produced. Gas **G** is an element.

- (i) State the name of gas **G**. [1]
- (ii) Describe a test for gas **G**.
- test
- result
- [2]
- (iii) List the four elements **X**, copper, magnesium and **G** in order of reactivity.
- most reactive
-
-
- least reactive [2]
- (iv) Suggest the identity of metal **X**. [1]

- (b) Fig. 1.2 shows how a teacher could use a Bunsen burner to heat a mixture of carbon and copper oxide until it starts to glow.




Fig. 1.2

The mixture glows even more brightly for some time after the burner is removed.

Carbon has reduced copper oxide to copper.

- (i) State what is meant by the term *reduced*.

.....
 [1]

- (ii) Name the other product that is formed in this reaction.

..... [1]

- (c) Lead can be produced from molten lead bromide using electrolysis, as shown in Fig. 1.3.




Fig. 1.3

- (i) Mark, with the letter **P** and a label line, the position on the diagram where lead first appears after the circuit is connected. [1]

- (ii) Name the other element that is formed during the electrolysis.

..... [1]

2 Fig. 2.1 shows a food web of the organisms in a woodland containing oak trees.




Fig. 2.1

(a) State the source of energy for this food web.

..... [1]

(b) From the food web, name

(i) **one** producer,

..... [1]

(ii) **one** herbivore.

..... [1]

(c) The food web is a network of interconnected food chains.

One food chain in Fig. 2.1 with three stages is shown.



Write down a food chain from Fig. 2.1 which has four stages.

[2]

(d) The oak trees are cut down.

Suggest **two** possible effects this could have on the organisms in the food web.

1

.....

2

..... [2]

(e) Describe how the concentration of carbon dioxide in the atmosphere may change as the result of the oak trees being cleared from the woodland.

Explain why this happens.

.....

.....

..... [2]

3 Fig. 3.1 shows a small torch (flashlight). The torch contains cells (batteries), a lamp and a switch.




Fig. 3.1

(a) Draw a circuit diagram for the torch using standard circuit symbols.

[2]

(b) Fig. 3.2 shows a cell and lamp taken from the torch.



Fig. 3.2

(i) State how many cells are needed to light up this lamp. Give a reason for your answer.

number of cells needed

reason

..... [1]

(ii) State what is meant by the quantity 1.2A on the lamp.

.....
 [1]

(c) After a long time in use with the same cells, the torch lamp becomes less bright.

A student says that this is because the cell is running out of energy.

Draw a circuit, including an ammeter and a voltmeter, that could be used to test this.

[2]

- 4 (a) Petroleum (crude oil) is a fossil fuel consisting of a mixture of different hydrocarbons.

Fig. 4.1 shows the industrial apparatus used to separate useful products from petroleum.




Fig. 4.1

Petroleum is vaporised and passed up a tower. Useful products from petroleum condense at different positions in the tower.

- (i) State the name of the process shown in Fig. 4.1.

..... [1]

- (ii) Different products from this process have different boiling point ranges.

State how the boiling point of a product affects the position in the tower where a product will condense.

.....
 [1]

- (iii) Three of the useful products obtained from petroleum are shown in Fig. 4.1.

State the name of **another** useful product that is separated from petroleum.

State **one** use of this product.

name of product

use

..... [2]

(b) Table 4.1 contains some information about gases in the Earth's atmosphere.

Table 4.1

| gases in the Earth's atmosphere | percentage |
|---------------------------------|------------|
| carbon dioxide | very small |
| nitrogen | |
| oxygen | |
| other gases | about 1% |
| water vapour | variable |

Complete Table 4.1 to show the percentages of nitrogen and oxygen in the atmosphere. [2]

(c) Natural gas is a fossil fuel consisting mostly of methane. It is used as a fuel to heat a greenhouse for growing vegetables.

(i) Describe the changes to the atmosphere in a greenhouse that will occur.

.....

 [2]

(ii) Burning methane is an exothermic chemical change.

State the meaning of

exothermic,

.....

chemical change.

.....

[2]

- 5 (a) A boy looks at himself in a mirror and waves his hand. Fig. 5.1 shows what he sees in the mirror.



Fig. 5.1

Which hand is he waving?

Explain your answer.

.....
..... [1]

- (b) The boy uses headphones to listen to the radio.

(i) State the useful energy transformation that occurs in his headphones.

from energy to energy [1]

(ii) The radio emits sounds with frequencies between 100Hz and 10 000Hz.

Explain why the boy is able to hear all the sounds emitted through the headphones. The boy has normal hearing.

.....
..... [1]

(c) The boy swims in an outdoor swimming pool. He swims one length of the 25 metre long pool in 40 seconds.

(i) Calculate his speed.

State the formula you use, show your working and state the units of your answer.

formula

working

speed = units [3]

(ii) Fig. 5.2 shows two forces, the driving force and the frictional force, acting on the boy as he swims.



Fig. 5.2

The boy exerts a driving force of 100 N and swims at a constant speed.

Deduce the value of the frictional force and explain your reasoning.

The frictional force is N

because

..... [1]

Fig. 5.3 shows waves created by a wind blowing at constant speed across the water in the pool.




Fig. 5.3

(iii) On Fig. 5.3, mark clearly and label **one** complete wavelength of the wave motion between **P** and **Q**. [1]

(iv) As the water in the pool gets shallower between **Q** and **R**, the wavelength becomes shorter.

Use Fig. 5.3 to state **one** property of the wave motion that **increases** between **Q** and **R**.

..... [1]

(d) The boy switches on a television set using a remote control.

Fig. 5.4 shows some of the parts of the electromagnetic spectrum.

In the correct blank box on Fig. 5.4, write the name of the part of the spectrum used by the remote control.

| | | | | | | |
|--|--------|--|---------------|--|------------|--|
| | X-rays | | visible light | | microwaves | |
|--|--------|--|---------------|--|------------|--|

Fig. 5.4

[2]

Please turn over for Question 6.

6 Fig. 6.1 shows part of the human life cycle. The cells are not drawn to scale.




Fig. 6.1

(a) From Fig. 6.1

(i) name a diploid cell, [1]

(ii) State the term to describe what happens at A.
..... [1]

(b) Cell division of the zygote produces a ball of cells.

Describe in detail where in the female reproductive system this ball of cells is positioned for the next stage of development.

.....
..... [2]

(c) Table 6.1 summarises some of the nutrients contained in 100g of milk.

Table 6.1

| nutrient | mass in milk sample |
|--------------|---------------------|
| protein | 1.2 g |
| fat | 3.8 g |
| carbohydrate | 7.6 g |
| vitamin C | 3.9 mg |
| calcium | 33.0 mg |

Name **one** vitamin, present in milk but not included in Table 6.1, which is essential for healthy growth of the baby and describe the function of this vitamin in the body.

vitamin

.....

function [2]

(d) Energy is released from milk by respiration.

1 g of fat releases 37 kJ of energy.

Use the information about milk in Table 6.1 to calculate how much energy can be released from the fat in the 100g sample of milk.

Show your working.

energy = kJ [2]

- 7 (a) Table 7.1 shows some of the properties of the halogens in Group VII of the Periodic Table.

Table 7.1

| period | halogen | colour | physical state at room temperature |
|--------|----------|-------------------|------------------------------------|
| 3 | chlorine | pale yellow-green | gas |
| 4 | bromine | dark red-brown | liquid |
| 5 | iodine | blue-black | solid |

Describe **one** trend in the physical properties of chlorine, bromine and iodine.


.....
 [1]

- (b) (i) A dilute solution of chlorine is added to a colourless solution of potassium bromide.

Describe what is seen.

..... [1]

- (ii) Write a **word** equation for this reaction.



[2]

- (c) Fig. 7.1 shows the arrangement of the outer electrons of the atoms in a chlorine molecule, Cl_2 .




Fig. 7.1

State the name of this type of bonding. [1]

(d) Chlorine is used in the purification of the public water supply.

Explain why chlorine is added to water supplied to homes.

.....

.....

..... [2]

- 8 Fig. 8.1 shows a simple type of air conditioner called a 'swamp cooler' that is used in buildings in dry desert places.




Fig. 8.1

Hot dry air is blown by a fan over the surface of water in a metal container. The hot dry air evaporates some of the water. The air coming out of the swamp cooler is cool and damp.

- (a) The boxes in Fig. 8.2 show different ways in which atoms and molecules may be arranged in different situations.

Three materials found in the swamp cooler are air, metal and water.

Draw lines from the materials in the left column to the correct arrangement of atoms or molecules for each material in the right column. One has been done for you.




Fig. 8.2

[2]

(b) (i) Explain, referring to molecules of water, why evaporation of water cools the remaining water.

.....
.....
..... [2]

(ii) Describe how the water cools the hot air.

.....
..... [1]

(c) In buildings in hot desert countries, where days are hot and nights can be very cold, windows with steel frames are often used.

Fig. 8.3 shows how a space is left between the steel frame and the mudbricks of the surrounding wall.




Fig. 8.3

Explain why it is necessary to leave this space between the window frame and the mudbricks.

.....
..... [1]

(d) A mudbrick is 30 cm long, 15 cm wide and 10 cm thick, and has a mass of 7 500 g.

(i) Calculate the volume of the mudbrick in cubic centimetres.

..... cm³ [1]

(ii) Calculate the density of the mudbrick in g/cm³.

State the formula that you use and show your working.

formula:

working

density = g/cm³ [2]



Please turn over for Question 9.

9 (a) Table 9.1 shows diagrams of two blood cells.

Complete Table 9.1 to show the names and functions of these cells.

[4]

Table 9.1

| diagram | name of cell | function of cell |
|---|--------------|------------------|
|  | | |
|  | | |

(b) Fig. 9.1 is a flowchart to show the circulation of blood in the body.




Fig. 9.1

Complete the paragraph using words or phrases from the list.

You may use each word or phrase once, more than once, or not at all.

- | | | | |
|-------------------------|-----------------------|--------------|---------------|
| aorta | body | left | lungs |
| pulmonary artery | pulmonary vein | right | valves |

Blood leaves the ventricle of the heart to go through blood vessel **P**, which is the It then goes to the lungs. There are in the heart to make sure there is a one-way flow of blood.

[3]

(c) The composition of blood changes as it flows through the tissues of the small intestine.

State

(i) **one** substance that **leaves** the blood as it flows through the tissues of the small intestine,

..... [1]

(ii) **two** substances that **enter** the blood as it flows through the tissues of the small intestine.

.....
..... [2]

DATA SHEET
The Periodic Table of the Elements

| | | Group | | | | | | | | | | | | |
|---|-----------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|---|----------|---|
| | | I | II | III | IV | V | VI | VII | VIII | IX | X | | | |
| | | 1 H Hydrogen 1 | | | | | | | | | | | | |
| 7 | 9 | | | | | | | | | | | | | |
| Li Lithium 3 | Be Beryllium 4 | | | | | | | | | | | | | |
| 23 | 24 | | | | | | | | | | | | | |
| Na Sodium 11 | Mg Magnesium 12 | | | | | | | | | | | | | |
| 39 | 40 | | | | | | | | | | | | | |
| K Potassium 19 | Ca Calcium 20 | 45 | 48 | 51 | 52 | 55 | 56 | 59 | 59 | 64 | 65 | | | |
| | | Sc Scandium 21 | Ti Titanium 22 | V Vanadium 23 | Cr Chromium 24 | Mn Manganese 25 | Fe Iron 26 | Co Cobalt 27 | Ni Nickel 28 | Cu Copper 29 | Zn Zinc 30 | | | |
| 85 | 88 | 89 | 91 | 93 | 96 | 101 | 101 | 103 | 106 | 108 | 112 | | | |
| Rb Rubidium 37 | Sr Strontium 38 | Y Yttrium 39 | Zr Zirconium 40 | Nb Niobium 41 | Mo Molybdenum 42 | Ru Ruthenium 44 | Rh Rhodium 45 | Pd Palladium 46 | Ag Silver 47 | Cd Cadmium 48 | | | | |
| 133 | 137 | 139 | 178 | 181 | 184 | 190 | 190 | 192 | 195 | 197 | 201 | | | |
| Cs Caesium 55 | Ba Barium 56 | La Lanthanum 57 | Hf Hafnium 72 | Ta Tantalum 73 | W Tungsten 74 | Os Osmium 76 | Ir Iridium 77 | Pt Platinum 78 | Au Gold 79 | Hg Mercury 80 | | | | |
| 226 | 227 | 227 | | | | | | | | | | | | |
| Fr Francium 87 | Ra Radium 88 | Ac Actinium 89 | | | | | | | | | | | | |
| *58-71 Lanthanoid series | | | | | | | | | | | | | | |
| †90-103 Actinoid series | | | | | | | | | | | | | | |
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;">a</td> <td style="border: 1px solid black; padding: 2px;">X</td> <td style="border: 1px solid black; padding: 2px;">b</td> </tr> </table> <p>Key a = relative atomic mass X = atomic symbol b = proton (atomic) number</p> | | | | | | | | | | | | a | X | b |
| a | X | b | | | | | | | | | | | | |
| 140 | 141 | 144 | 150 | 152 | 157 | 159 | 162 | 165 | 167 | 169 | 173 | | | |
| Ce Cerium 58 | Pr Praseodymium 59 | Nd Neodymium 60 | Sm Samarium 62 | Eu Europium 63 | Gd Gadolinium 64 | Tb Terbium 65 | Dy Dysprosium 66 | Ho Holmium 67 | Er Erbium 68 | Tm Thulium 69 | Yb Ytterbium 70 | | | |
| 232 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | 238 | | | |
| Th Thorium 90 | Pa Protactinium 91 | U Uranium 92 | Np Neptunium 93 | Am Americium 95 | Cm Curium 96 | Bk Berkelium 97 | Cf Californium 98 | Es Einsteinium 99 | Fm Fermium 100 | Md Mendelevium 101 | No Nobelium 102 | | | |
| 286 | 286 | 286 | 286 | 286 | 286 | 286 | 286 | 286 | 286 | 286 | 286 | | | |
| Rn Radon 86 | Fr Francium 87 | Ra Radium 88 | Ac Actinium 89 | Th Thorium 90 | Pa Protactinium 91 | U Uranium 92 | Np Neptunium 93 | Pu Plutonium 94 | Am Americium 95 | Cm Curium 96 | Bk Berkelium 97 | | | |
| 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | | | |
| Lr Lawrencium 103 | Rf Rutherfordium 104 | Db Dubnium 105 | Sg Seaborgium 106 | Bh Bohrium 107 | Hs Hassium 108 | Mt Meitnerium 109 | Ds Darmstadtium 110 | Rg Roentgenium 111 | Cn Copernicium 112 | Nh Nihonium 113 | Fl Flerovium 114 | | | |
| 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | | | |
| Mc Moscovium 115 | Lv Livermorium 116 | Ts Tennessine 117 | Og Oganesson 118 | Uu Ununennium 119 | Uub Unbibium 120 | Uut Untrium 121 | Uuq Unquadrium 122 | Uuq Unquadrium 123 | Uup Unpentium 124 | Uuq Unquadrium 125 | Uuh Unhexium 126 | | | |
| 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | 127 | | | |
| Uyt Unseptium 127 | Uyb Unoctium 128 | Uyc Unnonium 129 | Uyd Undecium 130 | Uye Unduennium 131 | Uyf Untrium 132 | Uyg Unquadrium 133 | Uyh Unpentium 134 | Uyi Unhexium 135 | Uyj Unseptium 136 | Uyk Unoctium 137 | Uyl Unnennium 138 | | | |
| 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | 131 | | | |
| Xe Xenon 54 | At Astatine 85 | Po Polonium 84 | Bi Bismuth 83 | Pb Lead 82 | Tl Thallium 81 | Hg Mercury 80 | Ir Iridium 77 | Pt Platinum 78 | Au Gold 79 | Hg Mercury 80 | Po Polonium 84 | | | |
| 173 | 173 | 173 | 173 | 173 | 173 | 173 | 173 | 173 | 173 | 173 | 173 | | | |
| Uyl Unseptium 173 | Uyb Unoctium 174 | Uyc Unnonium 175 | Uyd Undecium 176 | Uye Unduennium 177 | Uyf Untrium 178 | Uyg Unquadrium 179 | Uyh Unpentium 180 | Uyi Unhexium 181 | Uyj Unseptium 182 | Uyk Unoctium 183 | Uyl Unseptium 184 | | | |
| 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | 187 | | | |
| Uyb Unoctium 187 | Uyc Unnonium 188 | Uyd Undecium 189 | Uye Unduennium 190 | Uyf Untrium 191 | Uyg Unquadrium 192 | Uyh Unpentium 193 | Uyi Unhexium 194 | Uyj Unseptium 195 | Uyk Unoctium 196 | Uyl Unseptium 197 | Uym Unmillium 198 | | | |
| 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | 209 | | | |
| Uym Unmillium 209 | Uyn Unnium 210 | Uyo Unobium 211 | Uyp Unpentium 212 | Uyq Unquadrium 213 | Uyr Untrium 214 | Uys Unseptium 215 | Uyt Untrium 216 | Uyu Unyennium 217 | Uyv Unvisium 218 | Uyq Unquadrium 219 | Uyr Untrium 220 | | | |
| 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 | | | |
| Uyt Untrium 223 | Uyu Unyennium 224 | Uyv Unvisium 225 | Uyq Unquadrium 226 | Uyr Untrium 227 | Uys Unseptium 228 | Uyt Untrium 229 | Uyu Unyennium 230 | Uyv Unvisium 231 | Uyq Unquadrium 232 | Uyr Untrium 233 | Uys Unseptium 234 | | | |
| 261 | 261 | 261 | 261 | 261 | 261 | 261 | 261 | 261 | 261 | 261 | 261 | | | |
| Uys Unseptium 261 | Uyt Untrium 262 | Uyu Unyennium 263 | Uyv Unvisium 264 | Uyq Unquadrium 265 | Uyr Untrium 266 | Uys Unseptium 267 | Uyt Untrium 268 | Uyu Unyennium 269 | Uyv Unvisium 270 | Uyq Unquadrium 271 | Uyr Untrium 272 | | | |
| 285 | 285 | 285 | 285 | 285 | 285 | 285 | 285 | 285 | 285 | 285 | 285 | | | |
| Uyv Unvisium 285 | Uyq Unquadrium 286 | Uyr Untrium 287 | Uys Unseptium 288 | Uyt Untrium 289 | Uyu Unyennium 290 | Uyv Unvisium 291 | Uyq Unquadrium 292 | Uyr Untrium 293 | Uys Unseptium 294 | Uyt Untrium 295 | Uyu Unyennium 296 | | | |
| 289 | 289 | 289 | 289 | 289 | 289 | 289 | 289 | 289 | 289 | 289 | 289 | | | |
| Uyt Untrium 289 | Uyu Unyennium 290 | Uyv Unvisium 291 | Uyq Unquadrium 292 | Uyr Untrium 293 | Uys Unseptium 294 | Uyt Untrium 295 | Uyu Unyennium 296 | Uyv Unvisium 297 | Uyq Unquadrium 298 | Uyr Untrium 299 | Uys Unseptium 300 | | | |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.