

# Cambridge IGCSE<sup>™</sup>(9–1)

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

# 5 4 6 2 9 4 6 3 6 6

## **CO-ORDINATED SCIENCES**

0973/31

Paper 3 Theory (Core)

October/November 2023

2 hours

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has 28 pages. Any blank pages are indicated.

DC (SL) 335472 © UCLES 2023

[Turn over

1 (a) Fig. 1.1 is a diagram of the female reproductive system in humans.




Fig. 1.1

	Identify the letters in Fig. 1.1 that represent the part:					
	that produces fem	nale gametes				
	that receives the	penis during sexual intercourse				
	where fertilisation	occurs.		[0]		
(b)	State the names	of the female gametes and the m	ale gametes in humans.	[3]		
	female gametes					
	male gametes			[2]		
				[4]		

(c) Gametes are cells.

Draw and label the main structures in a simple animal cell in the space provided.

[3]

(d) Circle the correct word or phrase in bold in each sentence to describe early development in humans.

During fertilisation, the nuclei of gametes fuse forming a fertilised cell called **a fetus** *I* **a zygote** *I* **an embryo**.

This divides to form a zygote / an embryo / an ovule which is a ball of cells.

This ball of cells implants into the wall of the cervix / uterus / vagina.

[3]

[Total: 11]

# 2 (a) Air is a mixture of gases.

Fig. 2.1 shows two pie charts representing samples of air, **A** and **B**.




Fig. 2.1

(i)	State which sample, <b>A</b> or <b>B</b> , represents clean air.	
	Explain your answer.	
	sample	
	explanation	
		[1]
(ii)	Identify gas X.	
		[1]

(b)	Sulf	fur dioxide is a common pollutant found in air.	
	(i)	State <b>one</b> adverse effect of sulfur dioxide on the health of humans.	
			[1]
	(ii)	State <b>one</b> source of sulfur dioxide in the air.	
			[1]
	(iii)	State <b>one</b> other common pollutant gas found in the air.	
			[1]
	(iv)	Sulfur dioxide dissolves in rainwater to make acid rain.	
		Suggest a pH value for acid rain.	
		pH =	[1]
	(v)	Farmers need to treat acidic soil to neutralise the acidity.	
		State the chemical substance used by farmers to treat soil acidity.	
			[1]
(c)	An	atom of sulfur has an electronic structure 2, 8, 6.	
	(i)	On Fig. 2.2, complete the electronic structure for this atom of sulfur.	
		S	
		Fig. 2.2	
		_	[1]
	(ii)	Suggest how many electrons this sulfur atom gains to become a sulfide ion S <sup>2-</sup> .	
			[1]

[Total: 9]

3 Fig. 3.1 shows four forces, A, B, C and D, acting on a submarine travelling underwater at a constant depth and at constant speed.




		Fig. 3.1
(a)	(i)	State the name of force <b>C</b> .
		[1]
	(ii)	State how the magnitude of force <b>B</b> compares to the magnitude of force <b>D</b> .
		[1]
(b)		and above the maximum frequency that the healthy human ear can hear is called asound.
	The floo	submarine stops moving and then uses ultrasound to determine the depth of the sear.
	(i)	Suggest a value for the frequency of ultrasound.
		frequency = Hz [1]
	(ii)	Pulses of ultrasound waves are sent out through the water. The ultrasound pulses reflect off the sea floor and the reflection is detected by the submarine 1.4s later.
		Ultrasound waves move through sea water at a speed of 1600 m/s.
		Calculate the total distance travelled by the ultrasound pulse.


distance = ..... m [2]

submarine.

(iii) Use your answer to (b)(ii) to calculate the distance between the sea floor and the

		dist	ance = m [1]
(c)	The	e submarine is powered by a nuclear react	or.
	The	e nuclear reactor uses the nuclear fission of	of the isotope uranium-235.
	(i)	State what is meant by the term isotope.	
			[1]
	(ii)	Describe what happens to the nucleus of	f a uranium-235 atom during nuclear fission.
			[1]
	(iii)	Suggest one advantage of using nuclear	fission to generate electricity.
			[1]
			[Total: 9]

4 (a) A student records their pulse rate in beats per minute (bpm) during different types of activity.






Fig. 4.1

(i)	<ul><li>(i) Identify the activity that results in the smallest in pulse rate.</li></ul>	crease in pulse rate from the resting
		[1]
(ii)	(ii) Calculate the percentage increase in pulse rate fro	m resting to running shown in Fig. 4.1.
	pulse rate during rest	bpm
	pulse rate during running	bpm

percentage increase = ......[2]

(b)	The	rate of aerobic respiration increases during exercise.	
	(i)	State the <b>two</b> reactants in aerobic respiration.	
		1	
		2	
	(ii)	Suggest why the rate of respiration increases during exercise.	[2]
			[2]
(c)	A ho	ormone that causes pupils in the eye to widen also affects breathing and pulse rate.	
	(i)	State the name of this hormone.	
			[1]
	(ii)	State the component of blood that transports hormones.	
			[1]
		ITot	al: 9

5 Table 5.1 shows five compounds, **A**, **B**, **C**, **D** and **E**, and the formula of each compound.

Table 5.1

compound	formula
Α	СО
В	CO <sub>2</sub>
С	CH <sub>4</sub>
D	C <sub>2</sub> H <sub>4</sub>
E	C <sub>2</sub> H <sub>6</sub>

(a)	(i)	State the compound from Table 5.1 that is an unsaturated hydrocarbon.
		[1]
	(ii)	Describe the chemical test that distinguishes between a saturated hydrocarbon and an unsaturated hydrocarbon and state the results for each.
		test
		result for a saturated hydrocarbon
		result for an unsaturated hydrocarbon
		[3]

(b)	(i)	State the <b>name</b> of the <b>two</b> compounds from Table 5.1 that are possible products of combustion of compound <b>E</b> .	the
		1	
		2	 [2]
	(ii)	State the name of the compound made when compound <b>D</b> reacts with steam.	F.4.7
	(iii)	State the name of the polymer made using compound <b>D</b> as a monomer.	[1]
	(iv)	Draw the structure of compound $\mathbf{E}$ , $\mathbf{C_2H_6}$ .	[1]
			[2]
(c)	Sta	te the names of the <b>two</b> most common greenhouse gases from Table 5.1.	
		and	[1]
		[Total	: 11]

6 (a) Fig. 6.1 shows an incomplete circuit diagram.




Fig. 6.1

- (i) Complete the circuit diagram in Fig. 6.1 by:
  - adding an ammeter to measure the current in lamp A
  - adding a voltmeter to measure the potential difference across lamp **A**.

[3]

(ii) Identify component X.

.....[1]

(b) Lamp **A** has a resistance of  $6.0\,\Omega$  and lamp **B** has a resistance of  $4.0\,\Omega$ .

The current in lamp **A** is 1.2A.

(i) Calculate the potential difference across lamp **A**.

potential difference = ......V [2]

(ii) Calculate the combined resistance of the two lamps connected in series.

resistance = .....  $\Omega$  [1]

(iii) The two lamps are now connected in parallel. Their combined resistance is different.




Fig. 6.2

Identify from the list the combined resistance of the two lamps connected in parallel. Explain your answer.

		$2.4\Omega$	$4.0\Omega$	$6.0\Omega$	<b>10</b> Ω	<b>24</b> Ω	
							[2]
(c)	In lighting circu	uits in house	es, lamps a	are connecte	ed in paralle	l.	
	State <b>two</b> adv	antages of	using lamp	s connected	in parallel r	ather than in s	eries.
	1						
							[2]

[Total: 11]

7	(a)	Horses are herbivores
---	-----	-----------------------

Define the term herbivore.	
	[2]

**(b)** Fig. 7.1 is a photograph of the lower jaw of a horse.




Fig. 7.1

(i)	The dental pattern of a horse is similar to that of humans.
	Identify the type of teeth labelled <b>X</b> and <b>Y</b> in Fig. 7.1.
	x
	Υ
	[2
(ii)	Identify the type of teeth found in a human jaw but <b>not</b> present in the jaw shown i Fig. 7.1.
	[1
(iii)	State the name of the type of digestion that takes place using teeth.
	[1

(c) The statements describe some processes that occur in the alimentary canal.

Place ticks (✓) to show **all** the statements that describe the process of absorption.

food molecules are broken down so they become soluble	
food molecules become part of cells	
food molecules cross the wall of the small intestine	
food molecules enter the blood	
food molecules are taken in through the mouth	

[2]

(d) Complete these sentences about biological molecules.

Choose words or phrases from the list.

Each word or phrase may be used once, more than once or not at all.

amino acids	fatty acids	glycerol	glycogen	starch	
Proteins are made f	rom smaller moled	cules called			ı
Glucose is used to r	make <b>two</b> larger m	nolecules called			
	a	nd			
lodine solution is us	ed to test for the p	presence of			[4]

[Total: 12]

(a) Table 8.1 gives statements about molecules in solids and gases. 8

Put a tick  $(\checkmark)$  next to each statement to show if it refers to a solid or to a gas.

Table 8.1

statement	solid	gas
molecules are closely packed		
molecules are free to move around		
molecules are widely separated		
molecules vibrate about fixed positions		

-1.	2	1
L		7

[Total: 8]

**(b)** Use the list of substances to answer the following questions.

Each substance may be used once, more than once or not at all.

	carbon	chlorine	copper	ethanol	oxygen	water		
(i)	Identify one	substance wh	ich is a com	pound.				
							[	1]
(ii)	Identify <b>two</b> s	substances w	hich are solv	vents.				
	1							
	2						_	
/:::\	Identify and	aubatanaa wh	ich ic a trans	oition olomon	4		Į,	2]
(iii)	Identify <b>one</b> s						r	41
(:)							[	1]
(iv)	Identify <b>one</b> s	substance wn	iich is a naio	gen.				
						•••••	[	1]
(v)	Identify one	substance wh	ich consists	of diatomic r	nolecules.			
							[	1]

9 (a) Train track is made of lengths of steel rails with small gaps between them.

Fig. 9.1 shows some train track.




Fig. 9.1

(i)	Suggest why gaps are left between the steel rails.
	[2]
(ii)	A steel rail has a volume of 0.13 m <sup>3</sup> .
( )	The density of steel is 7900 kg/m <sup>3</sup> .
	Calculate the mass of the steel rail.

(b) (i) A train travels along the track for 600 s.

The train starts from rest and accelerates to a speed of 12.5 m/s in 200 s.

The train then travels at a constant speed for 300s before slowing down and stopping after a further 100s.

Complete the speed-time graph shown in Fig. 9.2 to show the motion of the train.




Fig. 9.2

[2]

(ii) During the journey, the train engine transfers  $5 \times 10^9 \, \text{J}$  of energy to the train.

State the work done on the train by the engine.

work done = ...... J [1]

(c)	Nuclear	waste is	carried b	v trains.
-----	---------	----------	-----------	-----------

Nuclear waste emits ionising radiation.


(ii) Suggest how the nuclear waste is stored safely during the train journey.

State **one** harmful effect of ionising radiation on human health.

[1]

(d) The headlamps of a train produce visible light.

Visible light is part of the electromagnetic spectrum.

Fig. 9.3 shows an incomplete electromagnetic spectrum.

Complete Fig. 9.3 to show all the parts of the electromagnetic spectrum.

increasing frequency									
gamma radiation	X-rays			infrared	microwaves				

Fig. 9.3

[2]

[Total: 11]

(a) A student investigates the conditions required for the germination of seeds.

Fig. 10.1 shows the apparatus and conditions.




Fig. 10.1

Only the seeds in test-tube **A** germinate.

State why the seeds in test-tubes **B**, **C** and **D** do **not** germinate.

		[3]
Afte	er germination, the shoots of the new plant grow towards the light.	

- (b)
  - State the name of this tropic response. (i)


F 4 3
111
 ויו

Explain why plants grow towards light. (ii)



(c) Table 10.1 shows some of the names of the different layers of a leaf.Complete Table 10.1.

**Table 10.1** 



[2]

[Total: 8]

(a)	A st	sudent investigates the reaction between magnesium and dilute sulfuric acid.	
	Dur	ing the reaction, hydrogen gas and a salt are made.	
	(i)	Complete the word equation for this reaction.	
sulf ac		+ + +	[2]
	(ii)	The reaction is exothermic.	
		Describe <b>two</b> observations which show that a chemical reaction occurs between magnesium and dilute sulfuric acid.	en
			 [2]
	(iii)	The hydrogen made in the reaction exists as molecules of hydrogen, $H_2$ .	1
	` '	Draw a dot-and-cross diagram to show the bonding in a molecule of hydrogen, H <sub>2</sub> .	
		,	
			[2]
(b)	The	e formula of sulfuric acid is H <sub>2</sub> SO <sub>4</sub> .	[—]
(6)		State the number of different elements shown in this formula.	
	(i)		[1]
	/::\	State the total number of stome shown in this formula	נין
	(ii)	State the total number of atoms shown in this formula.	[41
			ניו

11

(c)	Mag	gnesium is a metal.								
	(i)	Describe <b>two</b> physical properties of metals.								
		1								
		2								
			[2]							

(ii) Table 11.1 shows the percentage composition of a magnesium alloy.

**Table 11.1** 

element	percentage by mass in the alloy/%
aluminium	3.0
magnesium	
zinc	1.0

Calculate the mass of magnesium contained in 50 kg of the alloy.

Show your working.

mass of magnesium =	kg	[2]

[Total: 12]

**12** (a) A cyclist is riding a bicycle around a circular track.

The length of the track is 400 m.

The cyclist completes five laps of the track.

The time taken for each lap is measured and recorded in Table 12.1.

**Table 12.1** 

lap	time/s
1	35.3
2	34.7
3	37.2
4	35.0
5	34.3

(i) Calculate the average time for **one** lap.

	average time for one lap =s	[1]								
(ii)	The air in the tyres of the bicycle warms up during the ride.									
	Describe how the motion of the molecules of the gas in the tyres changes during tride.	he								
		 [1]								
(iii)	Select the correct word from the list to complete each sentence.									
	solids liquids gases									
	have <b>no</b> definite shape or volume.									
	have a definite volume but take the shape of the container.									
		[1]								

(b) Fig. 12.1 shows a cyclist near a road junction.

A car driver at the junction can see the reflection of the cyclist in a plane mirror.

The ray of light shown allows the car driver to see the cyclist approaching the junction.




Fig. 12.1

- (i) On Fig. 12.1, draw an arrow on the ray of light to show the direction of travel of the ray of light.
- (ii) On Fig. 12.1, label the angle of incidence with the letter i. [1]
- (c) The bicycle is left outside on a sunny day. Energy from the Sun heats the metal frame of the bicycle.
  - (i) State the method of energy transfer between the Sun and the Earth.
  - (ii) State the method of energy transfer through the frame of the bicycle.
  - (iii) Describe a simple way of testing whether the frame of the bicycle is made from steel or from aluminium.

.....

[Total: 9]

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

ıts
Φ
Z
ē
茴
ш
Ψ,
0
Φ
₹
용
۳
٠.,
.≌
ō
0
Ē
Φ
Ø
ے
ᆮ

	\	2 :	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	25	Xe	xenon 131	98	R	radon			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	At	astatine -			
	I				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъо	polonium –	116		livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	В	lead 207	114	lΗ	flerovium -
	Ш				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
Gr					,						27	ဝိ	cobalt 59	45	몺	rhodium 103	77	ŗ	iridium 192	109	Ħ	meitnerium -
		- :	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Η̈́	hassium
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					_	loq	lass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	Ца	tantalum 181	105		
						atc	re				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				က	:-	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

		_				_	_
71	Ľ	lutetium	175	103	۲	lawrencium	I
70	ΥÞ	ytterbium	173	102	Š	nobelium	ı
69	T	thulium	169	101	Md	mendelevium	ı
89	Ē	erbinm	167	100	Fm	ferminm	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	Ç	califomium	ı
65	Д	terbium	159	26	Æ	berkelium	ı
64	В	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	Pm	promethium	ı	93	δ	neptunium	I
	ρN						
59	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Ч	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).