

1 Some students investigated the movement of water by osmosis, using potato tissue.

They were provided with:

- a balance
- five cylinders of potato tissue with equal diameters
- five different concentrations of sodium chloride (salt) solution at room temperature
- five test-tubes
- a sharp knife
- a white tile
- a marker pen/pencil
- paper towels.

They used the following method:

- label the test-tubes 0%, 2%, 4%, 6% and 8%
- cut each of the potato cylinders so that each has a mass of 3.0g
- place one cylinder of potato in each test-tube
- add the matching concentration of salt solution to each test-tube so that the potato cylinder in it is covered as shown in Fig. 1.1
- note the time and leave the potato cylinders in the solutions for 40 minutes
- after 40 minutes remove the potato cylinders from the test-tubes
- dry each potato cylinder using a paper towel
- measure and record the mass of each potato cylinder.




Fig. 1.1

- (a) (i) Complete the column headings in Table 1.1. [1]
- (ii) Fig. 1.2 shows the balance readings for the potato cylinders taken from the 0% and 8% salt solutions after 40 minutes.



Fig. 1.2

Record these masses as 'final mass' in Table 1.1. [2]

- (iii) Complete Table 1.1 by calculating the change in mass for each of these cylinders of potato. [2]

Table 1.1

percentage concentration of salt solution	starting mass /	final mass /	change in mass /
0	3.0		
2	3.0	3.1	+0.1
4	3.0	2.5	-0.5
6	3.0	2.3	-0.7
8	3.0		

- (iv) Water can move into and out of potato cells by osmosis. Salt cannot move into and out of potato cells.

Use this information to explain the results in the test-tube containing 6% salt solution.

.....

 [2]

- (v) Explain why it is important that all the potato cylinders have the same mass at the start of the investigation.

.....
 [1]

- (b) (i) The concentrations of salt solution were made by using different volumes of a 10% salt solution and distilled water.

Calculate the volumes of 10% salt solution and distilled water needed to make 10 cm³ of a 4% salt solution.

volume of distilled water

volume of 10% salt solution

[2]

- (ii) Explain why using a 10 cm³ measuring cylinder is better than using a 50 cm³ beaker for measuring the volumes of distilled water and salt solution.

..... [1]


- (iii) Explain why it is important that the students dried the potato cylinders before obtaining their final mass.

.....

.....

..... [2]

- (c) (i) Construct a graph of percentage concentration of salt solution against **change** in mass. Join your points with ruled lines.



percentage concentration of salt solution

[5]

- (ii) Each potato cylinder had a starting mass of 3.0 g.

Use your graph to determine the **final mass** of a potato cylinder placed in a 3% salt solution. Show your working on your graph.

final mass g [2]

- (d) (i) Design an investigation to determine the concentration of salt solution in which movement into and out of potato tissue is equal.

Your investigation should be based on the method described on page 3 but using changes in **length** of the potato tissue and not changes in mass.

Give full experimental details.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
..... [6]

- (ii) Identify the dependent variable in the investigation you have designed.

..... [1]

- (e) (i) Potatoes store starch. Describe a test to confirm the presence of starch. Include the observation for a positive result.

.....
.....
..... [2]

- (ii) The starch can be broken down into glucose for the plant to use in respiration. Name the reagent used to test for the presence of glucose.

..... [1]

[Total: 30]

2 Fig. 2.1 is a photograph of a leaf from a potato plant.




Fig. 2.1

(a) In the space below make a large drawing of the leaf as it appears in Fig. 2.1.

(b) (i) Draw a straight line on the photograph to join lines **A** and **B**.

Measure and record the length of this line.

length of line **A–B** mm [1]

(ii) On your drawing, draw a line at the same location as the line **A–B**.

Measure and record the length of this line.

length of line on drawing [2]

(iii) Use your measurements in (b)(i) and (ii) to calculate the magnification of your drawing compared to the photograph. Give your answer to 1 decimal place.

Space for working.

magnification \times [2]

(c) Fig. 2.2 is a photograph of a leaf from a sweet potato plant.



Fig. 2.2

Describe **one visible** difference and **one visible** similarity in the structure of the potato leaf in Fig. 2.1 and the sweet potato leaf in Fig. 2.2.

difference

similarity

[2]

[Total: 10]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.