



Cambridge O Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



CHEMISTRY

5070/22

Paper 2 Theory

May/June 2024

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages.

1 Choose from the following substances to answer the questions.

anhydrous copper(II) sulfate

calcium carbonate

carbon monoxide

chlorine

ethanoic acid

iron

methanoic acid

methanol

nickel

silicon(IV) oxide

vanadium(V) oxide

Each substance can be used once, more than once or not at all.

State which substance:

(a) is a catalyst in the Contact process

..... [1]

(b) is a reducing agent in the blast furnace

..... [1]

(c) changes from a white solid to a blue solid when water is added to it

..... [1]

(d) kills microbes during the treatment of the domestic water supply

..... [1]

(e) has the empirical formula CH_2O .

..... [1]

[Total: 5]

2 Aluminium carbide, Al_4C_3 , reacts with water to form methane, CH_4 , and aluminium hydroxide.

(a) Construct the symbol equation for this reaction.

..... [2]

(b) Methane is a saturated hydrocarbon.

(i) Explain why methane is a hydrocarbon.

..... [1]

(ii) Explain why methane is saturated.

..... [1]

(iii) Methane reacts with chlorine in the presence of ultraviolet light.

State the formulae of **two** products of this reaction.


..... and [2]

(iv) Draw a dot-and-cross diagram to show the electronic configuration in a molecule of methane.

Show only the outer shell electrons.

[1]

(c) The equation for the complete combustion of methane is shown.



This reaction is exothermic.

(i) Explain, using ideas about bond breaking and bond making, why this reaction is exothermic.

.....
.....
.....

[2]

(ii) Complete the reaction pathway diagram in Fig. 2.1 for the complete combustion of methane.

Label the:

- reactants
- products
- enthalpy change of the reaction, ΔH
- activation energy, E_a .





Fig. 2.1

[3]

[Total: 12]

3 Aqueous hydrogen peroxide decomposes when heated to form oxygen.



(a) A 35.0 cm^3 sample of 0.266 mol/dm^3 H_2O_2 is completely decomposed.

Calculate the volume of oxygen formed, measured at room temperature and pressure.

Give your answer to **two** significant figures.

volume of oxygen = dm^3 [3]

(b) Describe and explain the effect of decreasing the temperature on the rate of this reaction.

.....
.....
..... [2]

(c) Describe and explain the effect of increasing the concentration of hydrogen peroxide on the rate of this reaction.

.....
.....
..... [2]

(d) A sample of aqueous hydrogen peroxide has a pH of 5.5.

(i) State which ion is responsible for this pH value.

..... [1]

(ii) A pH meter is used to measure the pH of an aqueous solution.

Describe one **other** way to measure the pH of an aqueous solution.

.....
.....
..... [2]

[Total: 10]

4 Calcium bromide, CaBr_2 , is an ionic solid composed of a lattice of calcium ions and bromide ions.

(a) Explain why calcium bromide has a high melting point.

..... [1]

(b) Describe how calcium atoms and bromine molecules react to form calcium ions and bromide ions. Use ideas about electron transfer.

.....
.....
.....
..... [2]

(c) Predict the products at each electrode during the electrolysis of dilute aqueous calcium bromide.

at anode

at cathode

[2]

(d) (i) Ozone is an oxidising agent.

Describe the colour change when ozone gas is bubbled through aqueous potassium iodide.


..... [1]

(ii) Zinc is a reducing agent.

Describe the colour change when excess zinc is added to acidified potassium manganate(VII).

..... [1]

(e) The ionic equation for the reaction between aqueous calcium bromide and aqueous chlorine is shown.



Explain, in terms of electrons, why this reaction involves both oxidation and reduction.

.....
.....
..... [2]

[Total: 9]

5 When a sample of zinc carbonate is heated in a closed system, an equilibrium mixture is formed.



The forward reaction is endothermic.

(a) The temperature of the closed system is decreased and the pressure is kept constant.

Predict how the position of equilibrium of this reaction is affected.

Explain your answer.

.....
.....
.....

[2]

(b) The pressure of the closed system is increased and the temperature is kept constant.

Predict how the position of equilibrium of this reaction is affected.

Explain your answer.

.....
.....
.....

[2]

(c) Calculate the maximum mass of zinc oxide that can be made from 4.23 g of zinc carbonate.

mass of zinc oxide = g [3]

(d) Zinc oxide reacts with both aqueous sodium hydroxide and dilute hydrochloric acid, but carbon dioxide only reacts with aqueous sodium hydroxide.

Explain why.

.....
.....
.....

[2]

(e) Solid zinc carbonate reacts with dilute nitric acid to give a colourless solution and bubbles of a gas.

Construct the symbol equation for this reaction.

Include state symbols.

.....

[Total: 11]

6 Methane, nitrogen monoxide and sulfur dioxide are air pollutants.

(a) Describe **one** adverse effect of higher levels of methane in air.

..... [1]

(b) The combustion of fossil fuels that contain sulfur produces sulfur dioxide.

Describe **two** strategies to reduce the emission of sulfur dioxide from the combustion of fossil fuels.

1

.....

2

.....

[2]

(c) Nitrogen monoxide, NO, is linked to acid rain.

(i) This pollutant is present in the gases made in car engines.

Describe how nitrogen monoxide is removed from these gases.

Include a word equation in your answer.

.....

.....

..... [2]

(ii) State two **other** adverse effects of oxides of nitrogen pollutants in the air.

1

2

[2]

[Total: 7]

7 Oxygen is a gas at room temperature.

Sulfur is a solid at room temperature.

(a) A sample of oxygen has a volume of 540 cm^3 at room temperature and pressure.

The temperature of the sample is increased but the pressure is unchanged.

Describe and explain, in terms of kinetic particle theory, what happens to the volume of the sample.

.....
.....
.....
.....

[2]

(b) Sulfur is a gas above 445°C .

Describe the changes in particle separation, arrangement and motion when a sample of sulfur gas is cooled down to room temperature.

separation

.....

arrangement

.....

motion

.....

[3]

(c) Describe diffusion in terms of kinetic particle theory.

.....
.....

[1]

(d) The symbol of a sulfide ion is shown.



Complete Table 7.1 about this sulfide ion.

Table 7.1

particle	number of particles
electrons	
neutrons	
protons	

[3]

[Total: 9]

8 Fig. 8.1 is a flow diagram showing information about some organic chemical reactions.




Fig. 8.1

(a) Draw the displayed formula of compound **A**.

[1]

(b) State the name of ester **B**.

..... [1]

(c) (i) State the name of compound **C**.

..... [1]

(ii) Deduce the molecular formula of compound **C**.

..... [1]

(d) State the name and formula of compound **D**.

name

formula

[2]

(e) State the formula of gas **E** and of liquid **F**.

E

F

[2]

(f) Draw the structural formula of ester **G**.

[1]

[Total: 9]

9 Polymers are made by either an addition reaction or a condensation reaction.

(a) Fig. 9.1 shows the equation for the reaction used to prepare a polymer.

The monomer is both an alcohol and a carboxylic acid.




Fig. 9.1

(i) Name the type of linkage that bonds the repeat units to one another in this polymer.

..... [1]

(ii) Explain how the equation shows that the polymer is made by a condensation reaction.

.....

..... [1]

(b) A polymer contains 10.8% carbon, 17.1% fluorine and 72.1% bromine by mass.

Calculate the empirical formula of this polymer.

empirical formula [3]

(c) Some plastics are made from polymers that are hydrocarbons.

There are many environmental challenges caused by plastics.

(i) Explain why there is an accumulation of plastics in the oceans.

Use ideas about the properties of plastics.

.....

..... [1]

(ii) Explain why the disposal of plastics causes an environmental challenge.

.....

.....

..... [2]

[Total: 8]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group		I				II				III				IV				V				VI				VII	
		Key																									
		atomic number				atomic symbol																					
		name				relative atomic mass																					
		H				1				1				1				1				1				1	
3		Li				Be				beryllium				9				9				9				9	
7		lithium																								9	
11		Na				Mg				magnesium				23												23	
19		K				Ca				calcium				40				40				40				40	
37		Rb				Sr				strontium				88				39				39				88	
55		Cs				Ba				barium				137				56				56				137	
87		Fr				Ra				radium				–				88				88				88	
		Be				beryllium				9				9				9				9				9	
		Na				magnesium				23				23				23				23				23	
		K				Ca				calcium				40				40				40				40	
		Rb				Sr				strontium				88				38				38				88	
		Cs				Ba				barium				137				56				56				137	
		Fr				Ra				radium				–				87				87				87	
		Be				beryllium				9				9				9				9				9	
		Na				magnesium				23				23				23				23				23	
		K				Ca				calcium				40				40				40				40	
		Rb				Sr				strontium				88				38				38				88	
		Cs				Ba				barium				137				56				56				137	
		Fr				Ra				radium				–				87				87				87	
		Be				beryllium				9				9				9				9				9	
		Na				magnesium				23				23				23				23				23	
		K				Ca				calcium				40				40				40				40	
		Rb				Sr				strontium				88				38				38				88	
		Cs				Ba				barium				137				56				56				137	
		Fr				Ra				radium				–				87				87				87	
		Be				beryllium				9				9				9				9				9	
		Na				magnesium				23				23				23				23				23	
		K				Ca				calcium				40				40				40				40	
		Rb				Sr				strontium				88				38				38				88	
		Cs				Ba				barium				137				56				56				137	
		Fr				Ra				radium				–				87				87				87	
		Be				beryllium				9				9				9				9				9	
		Na				magnesium				23				23				23				23				23	
		K				Ca				calcium				40				40				40				40	
		Rb				Sr				strontium				88													

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).