

**MARK SCHEME for the May/June 2009 question paper
for the guidance of teachers**

2217 GEOGRAPHY

2217/02

Paper 2 (Investigation and Skills), maximum raw mark 90

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

Section A

- 1 (a)** 280830 [1]
- (b)** 178 – 180° [1]
- (c)** 5700 – 6000 (m) [1]
- (d)** Market
Post Office
Church
Police Station
School
Health Centre
(2 services = 1 mark) [3]
- (e)** River
Flows NW to SE
Pond
Low land
25m or 33m spot heights
(Small) (conical) hills
(Max 2 if only refer to relief OR drainage) [3]
- (f) (i)** As follows, each with some reference to pattern
Woodland – e.g. Woodland across the northern edge of the area.
Sugar (cane plantation)
Road
Track or Footpath
Buildings
Rice
Pond/Lake
Pasture
Mixed or scattered cultivation [5]
- (ii)** Linear – along roads/tracks
Dispersed/Scattered – on cultivated plots (however expressed) [2]
- (g)** High land
Steep slopes
Woodland
Few roads
Agricultural areas are small
Little surface water/water supply [4]

[Total: 20 max]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

- 2 (a) (i) 12°C [1]
(ii) 13°C [1]
- (b) (i) Both points plotted correctly. (Lines not needed) [1]
(ii) Day 2 [1]
- (c) Recording shade temperature
Instrument kept dry
White screen reflects direct sunlight
Slats/louvres control air circulation
Above ground so not affected by ground temperature [4]
- [Total: 8 max]**
- 3 (a) (i) Correct position of isoline [1]
(ii) X within Level 8 zone [1]
- (b) Effect on People – Felt by all/trouble walking
Effect on Moveable Objects – Objects fall/displaced horizontally/furniture moves
Effect on Fixed Objects – Cracked plaster/slight damage to poorly-built buildings/
will shake [3]
- (c) Level 6
(Reserve 1 for level)
Breaking glass/pots
Mention of degree of movement
Pictures fell
Appliances walked
Trouble walking [3]
- [Total: 8 max]**
- 4 (a) Harbour/Bay/Water – Any water activity
(City) parks/playing fields – Any appropriate activity
Mountains – Any appropriate activity
Forest – Any appropriate activity
(Environment and activity both required for each mark) [3]
- (b) A – Housing area – low/scattered buildings
B – CBD – tall/crowded buildings
C – Industrial area – Presence of docks/port/jetty [3]
- (c) Coastal site/adjacent water body
Hills/mountains [2]
- [Total: 8 max]**

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

- 5 (a) 1 million [1]
- (b) Morocco = 0 – 4 [2]
Spain = 25 – 29
- (c) S less dependents/S more working pop/M more dependents/M less working pop
Spain less young dependents/Morocco more young dependents
Spain more old dependents/Morocco less old dependents [3]
- (d) Life expectancy is longer in Spain/shorter in Morocco
Women live longer than men in both countries [2]
- [Total: 8 max]**
- 6 (a) Two correct divisions with shading as in key. [2]
- (b) Brazil less arable/India more arable
Brazil more forest/woodland/India less forest/woodland
Brazil more other/India less other [3]
(Statements must be comparative)
- (c) Grassland/Savanna/Pasture
Settlement/Towns/Urban
Industry
Roads/Railways/Airport [3]
- [Total: 8 max]**

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

Section B

Each line is a separate mark. A / is an alternative answer.

- 7 (a) (i) One student on each side of the road
Counting traffic coming past them on 'their' side/in and out of town
Synchronise timing
Tally method of recording or automatic counter
Add up totals at the end
No marks for recording data.
Equipment used – must qualify with how it is used. [4]
- (ii) Long enough for reliable data (NOT "accurate" unless qualified.)
To avoid getting bored/lose concentration/keep focus on counting
Convenient number to multiply up e.g. per hour. [2]
- (b) (i) Plot both points = 2 @ 1 mark BUT max. 1 if shading incorrect/not done.
(LH bar must be solid black/shaded) [2]
- (ii) Kingsway Road
Station Road
Parkway
Independence Way
All 4 must be named (not sites); all correct = 1 [1]
- (iii) Three aspects of pattern needed. Allow max. 1 for Data – Tick D; not compulsory.
Examples include:
At three sites there is more traffic going out of the town centre than into the centre
(Can refer to site numbers > names here)
Exception is Parkway (Site 2)
Rank order of roads is same for traffic going into and out of the centre.
(If refer to cars throughout >vehicles/traffic do not penalise) [3]
- (iv) Conclusion: Hypothesis 1 is correct OR traffic flow does vary in different directions from the town centre. (Read different directions as along streets/towards features or NESW NOT going in/out along one street.)
1 mark reserved Tick H. (If "partially true" credit if can justify)
Examples of reasons (Tick R): 3 max for BECAUSE qualification. Allow max. 2 if use data but not compulsory; compared data = 1D mark. Use Tick D.
Kingsway road traffic BECAUSE leads to major city
Station Road traffic BECAUSE leads to the station/market.
Kingsway more traffic BECAUSE leads to car park.
Parkway more BECAUSE leads to shopping centre. [4]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

- (c) (i) Flow lines drawn on map (4 mm/9 mm). Tolerance of 1 mm each way.
Plot both flows = 2@1 mark BUT max. 1 if shading is incorrect/not done.
Ignore arrow heads or arrows on wrong side of road. [2]
- (ii) More traffic going into centre than out of centre at 08.00
Pattern is reversed at 17.00 [2]
- (iii) Conclusion: Hypothesis 2 is correct OR traffic flow does vary at different times of the day. If "partially true" credit if can justify. 1 mark reserved Tick H.
- Examples of reasons (Tick R): 3max. Allow max. 2 if use data but not compulsory. Use Tick D.
Commuting into work in the town centre
Returning home at the end of the working day
School run traffic
Other peak in middle of day – shoppers (Not at 8 am) [4]
- (d) (i) Credit improving techniques already used NOT new techniques e.g. questionnaires. Examples include:
Surveys done more frequently during the day
More survey points to give greater coverage
Surveys done on different work days to see if there is a consistent pattern
Comparison with survey done on a non-work day such as weekend
Double up on students/groups doing survey, to minimise tallying errors.
NOT "Increase time of counting" [4]
- (ii) Examples:
Speed of traffic flow on key roads
Occupancy of vehicles
Noise of traffic
Atmospheric pollution
Types of vehicles using different roads e.g. bicycles.
Place of origin
NOT "accidents/traffic jams or congestion/pedestrian traffic/public transport" [2]

[Total: 30]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

- 8 (a) Three different factors based on criteria such as:
 Safety/issues with wild animals/water-borne diseases
 Accessibility
 Approximately equidistant from other sites
 Away from human impact which might affect results
 Avoid sites where obstacles may obstruct flow [3]
- (b) (i) Refs to equipment: tape, stopwatch, floats, poles MUST BE QUALIFIED.
 Measure 10 m distance along the river
 Use floats from fixed point to point
 Use stopwatch to time the float
 Sample different points across river channel
 Measure three times then calculate mean.
Max. 2 for refs to Fig. 5 and no equipment; emphasis is on fieldwork. [4]
- (ii) Three parts to calculation; units optional in first 2 only. Must show working for all three marks (If use calculator could get 1 for final answer)
 Mean length of time = $75/3 = 25$ (secs)
 Distance/time = $10 \text{ (m)}/25 \text{ (secs)}$
 = 0.4 m/sec (No credit for 0.4 without units) [3]
- (iii) Plotting sites 5 and 6 on graph = 2 @1 mark BUT 1 max. if do not join with line.
Do not have to write site numbers. [2]
- (iv) Hypothesis is generally true OR velocity does increase downstream
(1 mark reserved Tick H). Second mark can be for justifying with data (D)
 Point 3 result is an anomaly [2]
- (c) (i) Examples
 Systematic or random sampling technique OR describe e.g. take samples at regular intervals; use random numbers.
 Measure with tape at 1 metre intervals across river channel
 Pick up stone which ruler/measuring pole rests on
 Take a number of samples at each point across the river [2]
- (ii) Mark for what they do with equipment NOT naming equipment. 1 mark for size and 1 mark for roundness. Examples:
 Measure long axis of stone by using calipers and measuring gap/with ruler (1)
 Visually estimate roundness by comparing with Roundness Index/Chart (1) [2]
- (iii) No marks for agreeing with Hypothesis. Asked for conclusions.
 Bedload become smaller downstream (according to longest axis) (1)
 Becomes more rounded/smoothed (1) [2]
- (iv) Must refer to a type of erosion i.e. hydraulic action/attrition/corrosion – accept other phrases e.g. rubbing against each other, power of the water.
Examples
 Increase in velocity/more powerful water flow (1) leads to more attrition or particles clashing (1)
NOT Erosion/worn away [2]

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2009	2217	02

- (d) Focus on improvements that would make THESE results more reliable. Examples include:
 Do more velocity tests
 Use a flow meter which measures beneath the surface
 Flow meter readings are not affected by wind blowing the floats or surface obstructions in water
 Do experiment on different days or in different seasons to compare results
 Sample more stones at each point across channel and average out
 Dig down for selection of bedload stones at each
 Measure length, width, depth of stones to calculate bedload size
 More students use Roundness Index and compare results as it is a subjective measurement
 Measure pebbles to nearest mm > cm
 Increase number of sites [4]

- (e) 1 mark reserved for valid impact NOT the cause of the impact. Tick I.
 e.g. Pollution investigation:
The river is polluted (Tick I) then 3 max for how could investigate
 Decide how many sites to investigate and where
 Devise a data collection sheet to record results of visual survey
 Test acidity/ph of water
 Test clarity of water
 Survey water life
 Measure water temperature

Other possible investigations into human impact on river:

- Bank strengthening reduces bank erosion
 Weir or dam construction decreases flow
 Channel straightening or dredging increases velocity [4]

[Total: 30]