



Cambridge O Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



ADDITIONAL MATHEMATICS

4037/22

Paper 2

October/November 2022

2 hours

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].

This document has **16** pages. Any blank pages are indicated.

Mathematical Formulae**1. ALGEBRA***Quadratic Equation*

For the equation $ax^2 + bx + c = 0$,

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Binomial Theorem

$$(a+b)^n = a^n + \binom{n}{1}a^{n-1}b + \binom{n}{2}a^{n-2}b^2 + \dots + \binom{n}{r}a^{n-r}b^r + \dots + b^n$$

where n is a positive integer and $\binom{n}{r} = \frac{n!}{(n-r)!r!}$

Arithmetic series $u_n = a + (n-1)d$

$$S_n = \frac{1}{2}n(a+l) = \frac{1}{2}n\{2a + (n-1)d\}$$

Geometric series $u_n = ar^{n-1}$

$$S_n = \frac{a(1-r^n)}{1-r} \quad (r \neq 1)$$

$$S_\infty = \frac{a}{1-r} \quad (|r| < 1)$$

2. TRIGONOMETRY*Identities*

$$\begin{aligned} \sin^2 A + \cos^2 A &= 1 \\ \sec^2 A &= 1 + \tan^2 A \\ \operatorname{cosec}^2 A &= 1 + \cot^2 A \end{aligned}$$

Formulae for $\triangle ABC$

$$\begin{aligned} \frac{a}{\sin A} &= \frac{b}{\sin B} = \frac{c}{\sin C} \\ a^2 &= b^2 + c^2 - 2bc \cos A \\ \Delta &= \frac{1}{2}bc \sin A \end{aligned}$$

1 Solve the following simultaneous equations.

$$x + 5y = -4$$

$$3y - xy = 6$$

[5]

2 Solve the equation $4e^{2x-3} = 7e^{5-x}$.

[4]

3 In this question a and b are constants.

The normal to the curve $y = \frac{a}{x} + 3x - 2$ at the point where $x = 1$ has equation $y = -\frac{1}{4}x + b$.
Find the values of a and b . [6]

4 Solve the equation $\log_3(11x-8) = 1 + \frac{2}{\log_x 3}$ given that $x > 1$. [5]

5 DO NOT USE A CALCULATOR IN THIS QUESTION.

Find the x -coordinates of the points of intersection of the curves $y = 7x^3 - 7x^2 - 17x - 4$ and $y = x^3 - 2x^2 - 4x - 16$. [5]

6 A 4-digit code is to be formed using 4 different numbers selected from 2, 3, 4, 5, 6, 7, 8 and 9. Find how many possible codes there are if the code forms

(a) a number that is odd and greater than 5000, [3]


(b) a number greater than 5000 with a last digit that is prime. [3]

7 (a) Show that $\frac{\sin x}{1 - \cos x} + \frac{1 - \cos x}{\sin x} = 2 \operatorname{cosec} x$. [4]

(b) Hence solve the equation $\frac{\sin x}{1 - \cos x} + \frac{1 - \cos x}{\sin x} = 3 \sin x - 1$ for $0^\circ < x < 360^\circ$. [4]

8 In this question all lengths are in centimetres.

The volume of a cylinder with radius r and height h is $\pi r^2 h$ and its curved surface area is $2\pi r h$.
 The volume of a sphere with radius r is $\frac{4}{3}\pi r^3$ and its surface area is $4\pi r^2$.



The diagram shows a solid object in the shape of a cylinder of base radius r and height h , with a hemisphere of radius r on top. The total surface area of the object is 300 cm^2 .


(a) Find an expression for h in terms of r . [2]

(b) Show that the volume, V , of the object is $150r - \frac{5}{6}\pi r^3$. [3]

(c) Find the maximum volume of the object as r varies.

[5]

9 In this question all lengths are in centimetres.



The diagram shows triangle ABC which has area $\frac{2\sqrt{5}}{3}\text{cm}^2$. Angle A is acute.

(a) Find the exact value of $\sin A$.

[3]

(b) Find the exact value of $\cos A$ and hence find the exact value of x .

[5]

(c) Find the exact value of $\sin B$.

[3]

- 10 (a) A geometric progression has third term 4.5 and sixth term 15.1875. Find the first term and the common ratio. [4]

- (b) Find the sum of ten terms of the progression, starting with the sixteenth term. Give your answer to the nearest integer. [4]

11 The coordinates of points A and B are $(-5, 6)$ and $(4, -6)$ respectively. The point C lies on the line AB , between A and B , such that $\frac{AC}{CB} = \frac{1}{2}$.

(a) Find the coordinates of C . [2]

(b) The line CD is perpendicular to AB . Find the equation of CD in the form $y = mx + c$. [4]

- (c) The length of BD is $\sqrt{125}$. Find the coordinates of the two possible positions of point D . [6]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.