

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

7 2 4 6 9 8 1 4 2 3

MATHEMATICS (SYLLABUS D)

4024/11

Paper 1 May/June 2012

2 hours

[Turn over

Candidates answer on the Question Paper.

Additional Materials: Geometrical instruments

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown in the space below that question. Omission of essential working will result in loss of marks.

ELECTRONIC CALCULATORS MUST NOT BE USED IN THIS PAPER.

The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 80.

This document consists of 20 printed pages.




DC (NH/SW) 49516/2

© UCLES 2012

ELECTRONIC CALCULATORS MUST NOT BE USED IN THIS PAPER.


For Examiner's Use

1 (a) On the diagram below, shade two more squares to make a pattern that has rotational symmetry of order 2.



[1]

(b) On the diagram below, shade two more squares to make a pattern that has only one line of symmetry.



[1]

2 (a) Evaluate $8 - 5 \times 4 + 3$.

Answer[1]


(b) Express 1.03 as a percentage of 1.

Answer% [1]

© UCLES 2012 4024/11/M/J/12

3 (a) The diagram shows the fuel gauge in Abid's car.

For Examiner's Use




The tank contains 50 litres when it is full.

Estimate the number of litres in the tank.

Answer	litres	[1]
--------	--------	-----

(b) The diagram shows the fuel gauge in Ben's car.



Draw an arrow on the gauge above to indicate that the tank is approximately $\frac{4}{5}$ full.

[1]

4 Factorise completely

(a)
$$12x^2 - 15x^3$$
,

Answer[1]

(b)
$$x^2 - x - 6$$
.

Answer[1]

5	An empty lorry has a mass of 4.3 tonnes, correct to the nearest tenth of a tonne.					
	(a) What is the lower bound for the mass of the empty lorry?	Examiner's Use				
	Answertonnes [1]					
	(b) The total mass of the lorry and its load is 6.8 tonnes, correct to the nearest tenth of a tonne.					
	Find the upper bound for the mass of the load.					
	Answertonnes [1]					
6	Given that $\pi = 3.141592654$, find the difference between $\frac{22}{7}$ and π , correct to two significant figures.					
	Show your working.					
	Answer[2]					
	Answer[2]					

© UCLES 2012 4024/11/M/J/12 7 (a) Jane puts some red balloons and some blue balloons into a bag. The ratio of red balloons to blue balloons is 3:4.

There are 84 balloons in the bag.

For Examiner's Use

How many blue balloons are in the bag?


Angruan	F ·	1	٦
Answer	 1.	I	ı


(b) At a party the ratio of boys to girls is 5 : 4. There are 40 boys at the party.

Find the total number of children at the party.

Answer[1		
---------	---	--	--

8 These two triangles are congruent. The lengths are in centimetres.





Find m and n.

Answer
$$m = \dots$$

$$n = \dots [2]$$

9	Buses following route A leave the bus station every five minutes.
	Buses following route B leave the bus station every six minutes.
	Buses following route C leave the bus station every nine minutes.
	Three buses, following routes A, B and C, leave together at 13 00.

What is the next time when buses following all three routes leave the bus station together?

Answer	 [2]	ĺ

10 Solve the simultaneous equations.

$$3x + 5y = 0$$
$$2x - 3y = 19$$

Answer $x = \dots$

$$y = \dots [3]$$

© UCLES 2012 4024/11/M/J/12

11	T -1 -4 -	
	Evaluate	٠
	ryaruate	

(a)	3		2	
(a)	5	_	$\overline{7}$;

Answer[1]

(b)
$$1\frac{2}{3} \div 1\frac{3}{4}$$
.

Answer [2]

12

$$0.2 2 \sqrt{2} \frac{1}{3} 0.83 8 81$$

From the numbers listed above, write down

(a) a prime number,

Answer[1]

(b) a cube number,

Answer[1]

(c) an irrational number.

Answer[1]

Gill The	Il swims lengths of the swimming pool. he pool is 25 m long and she swims a total of 1.6 km.	For Examine Use
(a)	How many lengths of the pool does she swim?	
	Answer	[1]
(b)	Gill swims for $1\frac{1}{4}$ hours and ends her swim at 11 05.	
	(i) At what time did she begin her swim?	
	Answer	[1]
	(ii) What is her average speed, in kilometres per hour?	
	Answer	km/h [1]
	Th (a)	The pool is 25 m long and she swims a total of 1.6 km. (a) How many lengths of the pool does she swim? Answer

© UCLES 2012 4024/11/M/J/12

14	The	hin and Zaheer play a game of tennis and a game of badminton. results of the games are independent and the games cannot be drawn. probability that Sachin wins the game of tennis is $\frac{3}{4}$.	For Examiner's Use
	The	probability that Zaheer wins the game of badminton is $\frac{3}{5}$.	
	(a)	What is the probability that Sachin wins both games?	
		<i>Answer</i> [1]	
	(h)	What is the probability that Zaheer wins just one of the games?	
	(0)	what is the probability that Zaheer whis just one of the games:	
		<i>Answer</i> [2]	

15	(a)	Write 8^3 in the form 2^k .	For Examiner's Use
	(b)	Evaluate $\frac{9 \times 2^{12} - 3 \times 2^{10}}{3 \times 2^8}$.	
		Answer[2]	
16	(a)	The profits of a company were \$5 million in 2009 and \$8 million in 2010.	
		Find the percentage increase in profits from 2009 to 2010.	
		Answer% [1]	
	(b)	Another company had an income of \$20 million in 2008. In 2009 this income decreased by 10%. In 2010 the income increased by 15% from the 2009 income.	
		Find the income in 2010.	
		Answer \$ million [2]	

4024/11/M/J/12 © UCLES 2012

17		A swarm of locusts contains 40 billion locusts. A billion is a thousand million.					
	(a)	Write down, in standard form, the number of locusts in this swarm.	Use				
		<i>Answer</i> [1]					
	(b)	Each locust eats 2 grams of food every day.					
		Find the amount of food eaten by this swarm in one week. Give your answer in kilograms using standard form.					
		Answerkg [2]					

10	α 1	1
18	Sol	170
10	100	$\mathbf{v} \mathbf{c}$

4	(a)	`	5r	_	2	=	1
- I	a	,	$\mathcal{I}_{\mathcal{A}}$	_	_	_	1.

Answer
$$x = \dots [1]$$

(b)
$$3 - y \le 1$$
,

(c)
$$\frac{2t-1}{4} = \frac{1-t}{3}$$
.

Answer
$$t = \dots [2]$$

A se	quence	of diagrams	is made	e using	black and	d white c	ounters.				Fo Exam
								0	_		U:
						0		00	0		
			C)	0	00			0 0		
		0	•				•			.	
	Г	Diagram 1	Diagr			agram 3	, 0	Diagr			
	L	Jiagraiii 1	Diagi	.a111 2	Di	agrain 3		Diagi	alli 4		
The	number	of black and	d white	counter	s in each	diagram	is show	n in the	table bel	ow.	
	D	liaaram num	har	1	2	3	4	5	6		
	D	Diagram num	ibei	1	2	3	4	3	6		
	N	Jumber of w	hita	1	4	9	16				
		ounters	inte	1	4	9	10				
	N	Jumbar of bl	o olr	0	2	6	12				
		Tumber of blounters	ack	0	2	6	12				
(a)	CO	ounters				6	12				1
(a)	Comple	ete the table	for Dia	grams 5	and 6.					[1	.]
	Comple	ounters	for Dia	grams 5	and 6.			counters	in the nt		.]
	Comple	ete the table	for Dia	grams 5	and 6.			counters	in the nt]
	Comple	ete the table	for Dia	grams 5	and 6.			counters	in the nt		.]
	Comple	ete the table	for Dia	grams 5	and 6.						
(b)	Complete Write a	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver		h diagram.	
(b)	Complete Write a	ete the table	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver		th diagram.	
(b)	Complete Write a	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver		th diagram.	
(b)	Complete Write a	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver		th diagram.	
(b)	Complete Write a	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver	in terms	th diagram.	.]
(b)	Complete Write a	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	for the r	number o	f white c	ver	in terms	th diagram.	.]
(b)	Complete Write a By connumber	ete the table in expression	for Dia	grams 5 ms of <i>n</i> ,	f and 6. for the range of the factor of the	number o	f white constraints of the Answer Answer	ver	in terms	th diagram.]


20	Her	e are the equations of four straight lines.
	Line Line Line Line	
	(a)	Which two lines are parallel?
	(b)	Answer Line
	(c)	Answer Line and Line [1] Which line passes through the points (1, 1) and (-3, 5)?
	(d)	Answer Line[1] Find the midpoint of the line segment joining (1, 1) and (-3, 5).
		Answer () [1]

© UCLES 2012 4024/11/M/J/12

21 A group of 100 students was asked how many minutes each spent talking on their mobile phone during one day.

For Examiner's Use

The histogram summarises this information.



- (a) Use the histogram to
 - (i) find the number of students who spent between 0 and 10 minutes talking on their mobile phone,

Answer[1]

(ii) estimate the number of students who spent between 25 and 65 minutes talking on their mobile phone.

Answer[2]

(b) A pie chart is drawn to represent the information shown in the histogram.

Calculate the angle of the sector that represents the students who spent between 0 and 10 minutes talking on their mobile phone.

Answer[1]

$$\frac{1}{b} = \frac{1}{c} + \frac{1}{d}$$


(a) Evaluate b when c = 3 and d = 8.


$$Answer b = \dots [2]$$

(b) Rearrange the formula to make d the subject.

Answer
$$d =$$
[3]

© UCLES 2012





(a) Calculate the retardation of the car between t = 48 and t = 58.


Answerm/s² [1]

(b) By drawing a tangent, estimate the acceleration of the car when t = 8.

Answer m/s^2 [2]

(c) Calculate the distance travelled by the car between t = 15 and t = 58.

24



For Examiner's Use

In the diagram, *ABCD* is a parallelogram.

X is a point on BC.

AXY and DCY are straight lines. AB = 8 cm, AX = 7 cm, AD = 9 cm and CY = 4 cm.

(a)	Show that triangles <i>ABX</i> and <i>YDA</i> are similar. Give the reason for each of your statements.

.....[2]

© UCLES 2012 4024/11/M/J/12

(b)	Calculate AY.	Ex	For xaminer Use
(c)	Ans Calculate CX.	wercm [2]	
		om [2]	
	Ans	wercm [2]	

Question 25 is printed on the following page.

25

$$f(x) = 6x^2 - x + 3$$

For Examiner's Use

- (a) Find
 - (i) f(2),

Answer f(2) =[1]

(ii) f(-1),

- Answer f(-1) =[1]
- (iii) the values of x for which f(x) = 5.

(b) Write down and simplify an expression for f(a + 1).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012

4024/11/M/J/12