



Cambridge International Examinations
Cambridge Ordinary Level

MATHEMATICS (SYLLABUS D)

4024/22

Paper 2

May/June 2016

MARK SCHEME

Maximum Mark: 100

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is the registered trademark of Cambridge International Examinations.

This document consists of **6** printed pages.

© UCLES 2016



[Turn over

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2016	4024	22

Question	Answers	Mark	Part marks
1			
(a)	41 472 or 41 470 or 41 500 cao	1	
(b)	\$65 (not from 64.84 rounded)	2	M1 for $1.05x = 68.25$ soi
(c)	7.50 – 7.60	3	[M2 for 1.05×1.024 oe] or M1 for $40500 \times \textit{their} 65$ [=2 632 500] and M1 <i>their</i> $41\,472 \times 68.25$ [= 2 830 464]
2			
(a) (i)	$\begin{pmatrix} 5 \\ 6 \end{pmatrix}$	1	
(ii)	4.47 – 4.473 or 4.5 or $\sqrt{20}$ or $2\sqrt{5}$	2	M1 for $\sqrt{((\pm 4)^2 + (\pm 2)^2)}$
(b) (i)	(a) $\frac{1}{2}\mathbf{b} - \mathbf{a}$ or $\frac{1}{2}(\mathbf{b} - 2\mathbf{a})$ or equivalent two term answers final answer	1	
	(b) $\frac{3}{2}\mathbf{b} - 3\mathbf{a}$ or $3(\frac{1}{2}\mathbf{b} - \mathbf{a})$ or $\frac{3\mathbf{b} - 6\mathbf{a}}{2}$ or equivalent two term answers final answer	1	
(ii)	3 : 1 cao	1	Dependent on correct (b)(i)(a) and (b)(i)(b)
3			
(a) (i)	1.64 or $1\frac{16}{25}$	2	M1 for $\frac{0 \times 7 + 1 \times 5 + 2 \times 6 + 3 \times 4 + 4 \times 3}{7 + 5 + 6 + 4 + 3}$
(ii)	2	1	
(iii)	0	1	
(b)	appropriate reason	1	
(c)	$\frac{1}{30}$ cao	2	M1 for $\frac{5}{25} \times \frac{4}{24}$ oe
(d)	Correct bar chart with axes labelled	2	B1 if only one error (eg incorrect height, scales missing / incorrect, inconsistent bar widths, or 4 correct bars)
(e)	0 0 1 3 4	1	
4			
(a) (i)	Correct triangle with arcs shown	2	B1 for correct triangle with no arcs or triangle with one side correct length with arcs or triangle with $BC = 7$ and $AC = 12$ with arcs (reflection)
(ii)	104 to 108	1	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2016	4024	22

Question	Answers	Mark	Part marks				
(b)	150°	2	M1 for $180 - (360 \div 12)$ or $(180 \times (12-2)) \div 12$				
(c) (i)	110°	1					
(ii)	165°	2ft	ft $\frac{3}{2} \times$ their p provided $p < 120$ and $p \neq 90$ B1 for 30, 15 or 75 seen				
(d)	$\frac{27}{4}x^2$ final answer	3	<u>EITHER</u> B2 for $\frac{1}{2}(6x+3x)\frac{3x}{2}$ oe or B1 for $PQ = 3x$ <u>OR</u> B1 for $3x^2$ (area of small trapezium) B1 for their $3x^2 \times \left(\frac{3}{2}\right)^2$ oe <u>OR</u> If $AB = x$ used SC2 for $\frac{27}{16}x^2$ or SC1 for $\frac{27}{16}$				
5 (a)	$4x^2(2y-3x^3)$ final answer	1					
(b)	$x = 6.5$ or $\frac{13}{2}$ or $6\frac{1}{2}$	2	M1 for $4x - 2x - 10 = 3$ or better				
(c)	$y > -2.6$ or $y > -\frac{13}{5}$ or $y > -2\frac{3}{5}$ final answer	2	M1 for $-5y < 20 - 7$ oe or better Or SC1 for 2.6 or -2.6 oe seen				
(d) (i)	<table style="border-collapse: collapse; width: 100%;"> <tr> <td style="border-right: 1px solid black; padding: 5px;"> EITHER Width = $\frac{18-4x}{2}$ oe </td> <td style="padding: 5px;"> OR Width = $\frac{10}{2x}$ oe </td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;"> $\frac{18-4x}{2} \times 2x = 10$ oe </td> <td style="padding: 5px;"> $4x + \frac{20}{2x} = 18$ oe </td> </tr> </table>	EITHER Width = $\frac{18-4x}{2}$ oe	OR Width = $\frac{10}{2x}$ oe	$\frac{18-4x}{2} \times 2x = 10$ oe	$4x + \frac{20}{2x} = 18$ oe	M1 A1	isw
EITHER Width = $\frac{18-4x}{2}$ oe	OR Width = $\frac{10}{2x}$ oe						
$\frac{18-4x}{2} \times 2x = 10$ oe	$4x + \frac{20}{2x} = 18$ oe						
(ii)	3.85 and 0.65 cao	3	B2 for 3.850 to 3.851 and 0.649 to 0.650 or one correct answer or 3.9 and 0.6 Or if in form $\frac{p \pm \sqrt{q}}{r}$ or $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ B1 for $p = 9$ and $r = 4$ or $q = 41$				

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2016	4024	22

Question	Answers	Mark	Part marks
(iii)	6.35 to 6.45 or – 6.45 to – 6.35 oe	1	
6 (a) (i)	(a) 10	1	
	(b) 9	1	
	(c) 3,5,7,11	1	
(ii)	$\frac{4}{11}$ oe isw	1ft	
(b) (i)	$\begin{pmatrix} 8 & 0 \\ 3 & 1 \end{pmatrix}$ final answer	2	B1 for 3 correct elements
(ii)	$\frac{1}{4}\begin{pmatrix} 1 & -2 \\ 1 & 2 \end{pmatrix}$ oe isw	2	B1 for $k\begin{pmatrix} 1 & -2 \\ 1 & 2 \end{pmatrix}$ or $\frac{1}{4}\begin{pmatrix} a & b \\ c & d \end{pmatrix}$
	SECTION B		
7 (a)	58, 88, 104, 113, 118	1	B2 for at least 6 correct plots B1 for at least 3 correct plots If 0 SC2 for consistent horizontal translation to the left of all points or SC1 for consistent horizontal translation to the left of all points with one slip B2 for at least 4 correct points plotted B1 for at least 2 correct points plotted Dep on 2 nd B1; an answer of 40 needs to be confirmed by checking graph
(b)	Correct cumulative frequency graph Tolerance $\frac{1}{2}$ small square for plots	3	
(c) (i)	$30 < \text{their answer} \leq 31$	1ft	
(ii)	$53 \leq \text{their answer} \leq 55$	1ft	
(d)	Correct graph through (10, 6) (25, 30) (34, 60) (44, 90) (60, 120)	3	
(e)	garage A 44 to 48 $104/2.6 = 40$ garage B at 38 to 44	B1 B1 B1	
8 (a)	0.5	1	
(b)	Correct graph with smooth curve	2	B1 for at least 4 correct points
(c)	Tangent drawn and gradient = 2.3 to 3.0	2	B1 for tangent drawn at $x = 4$ or B1 for gradient 2.3 to 3.0
(d) (i)	Correct method to eliminate y and reaching the given equation without error including at least one intermediate line	1	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2016	4024	22

Question	Answers	Mark	Part marks
(ii)	2.3 to 2.4 dep on line drawn	2	B1 for $2x + y = 6$ drawn
(e) (i)	$\frac{1}{3}$ or 0.33..	1	
(ii)	Tangent gradient roughly $\frac{1}{3}$	1	
(iii)	$y = \frac{1}{3}x + k$ oe where $0 < k < 0.25$	2ft	Ft from their e(i) B1 for $\frac{1}{3}x + k$ oe where $0 < k < 0.25$ or $y = \frac{1}{3}x + k$ oe (any k outside range)
9 (a)	173.8 to 174 m	3	B1 for 9 and 115 soi M1 for $\frac{AB}{\sin 115} = \frac{30}{\sin 9}$ or better
(b)	51.4 to 51.5	4	B3 for 38.5 to 38.6 or M2 for $\cos DFE = \frac{75^2 + 180^2 - 130^2}{2 \times 75 \times 180}$ or M1 for $130^2 = 75^2 + 180^2 - 2 \times 75 \times 180 \cos F$
(c) (i)	188 to 189	1	
(ii)	169 to 170.2 km/h	2	M1 for $15 \times \text{their } 188$ seen
(iii)	15.67 to 16.0	2	M1 for $\frac{90}{2\pi}$ (= 14.3)
10 (a)	$a = 3$ $b = 5$	2	B1 for one correct
(b)	$\begin{pmatrix} -6 \\ 3 \end{pmatrix}$ or $3 \begin{pmatrix} -2 \\ 1 \end{pmatrix}$	1	
(c)	Reflection, $y = x$	2	B1 for reflection or B1 for $y = x$ only
(d)	Enlargement, Scale factor -2 , centre $(-4, 2)$	3	B1 for enlargement / negative enlargement B1 for scale factor -2 B1 for centre $(-4, 2)$
(e)	$\begin{pmatrix} -\frac{1}{2} & 0 \\ 0 & -\frac{1}{2} \end{pmatrix}$ oe	1	

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge O Level – May/June 2016	4024	22

Question	Answers	Mark	Part marks
(f) (i)	$(-h, -g)$	1	
(ii)	Reflection $y = -x$	2	B1 for reflection or B1 for $y = -x$ only
11 (a) (i)	5.06 to 5.08	4	B1 for $r + 3.5$ seen B1 for $\pi(r + 3.5)^2 - \pi r^2$ or $20\pi(r + 3.5)^2 - 20\pi r^2$ B1 for $20\pi(r + 3.5)^2 - 20\pi r^2 = 3000$ or better
(ii)	Solid II by 2.5 – 2.6	4	B3 11.25 to 11.3 cm or M1 for $\frac{1}{3} \times \pi r^2 \times 2r = 3000$ or better and M1 for $r^3 = \frac{3000 \times 3}{2 \times \pi}$ (= 1432)
(b)	630 to 632	4	M1 for $\frac{1}{2} \times 8 \times 8 \times \sin 60$ or $\frac{1}{2} \times 8 \times \sqrt{48}$ oe M1 for 8×24 soi or 192 soi M1 for $3 \times 8 \times 24 + 2 \times$ <i>their</i> (triangle area)