

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATI NUMBER	E	



**COMBINED SCIENCE** 

5129/02

Paper 2

October/November 2008

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use

This document consists of 17 printed pages and 3 blank pages.

SP (NF/CGW) T52031/2 © UCLES 2008



[Turn over

1	The	follo	owing is a list of g	gases.			
			ammonia	argon	chlorine	hydrogen	
				nitrogen	sulphur dioxide	)	
	Cor	nple	te the following s	entences using th	ne gases from the	list.	
	Eac	ch ga	s may be used o	once, more than o	nce, or not at all.		
	(a)	A g	as that causes e	rosion of building	s is		[1]
	(b)	Αg	as that displace	s bromine from p	ootassium bromid	e is	
	<b>(c)</b>	٨ ۵	as used in the m	anufacture of ma	rgarine is		[1]
							[1]
	. ,	·	•		r supplies is		[1]
	(e)	Ag	jas triat dissolves	s in water to give	an alkaline solulio	on is	[1]
2	A s	tudei	nt connects a cel	I, a lamp, a varial	ole resistor and an	ammeter in series.	
	(a)	In t	he space below,	draw the circuit d	iagram.		
							[3]
	(b)		_	he variable resis ance of the variab	=	normal brightness.	The student
		Sta	te what, if anythi	ng, happens to			
		(i)	the potential dif	ference across th	e lamp,		
		(ii)	the brightness	of the lamp			
							[2]

**3** Fig. 3.1 represents the human alimentary canal.

For Examiner's Use




Fig. 3.1

(a)	State the number of the region where each of the following processes occurs.			
	(i)	absorption		
	(ii)	digestion		
	(iii)	egestion		
	(iv)	ingestion		[4]
(b)	Stat	te		
	(i)	the process	s that moves food through region 5,	
				[1]
	(ii)	the part of	a balanced diet that helps this process.	
				[1]
(c)			ed into the mouth. ons of saliva.	
	1			

- 4 Air is a mixture of gases.
  - (a) Fig. 4.1 shows the percentages of different gases in air.




Fig. 4.1

	State the name of	
	gas <b>A</b> ,	
	gas <b>B</b>	[2]
(b)	Suggest why the amount of water vapour present in air is <b>not</b> constant.	
(c)	Name a pollutant gas that may be found in air. State the source of this gas.	
	pollutant gas	
	source	

5	An	An electric lamp produces heat and light.		
	(a)	Nan	ne the form of energy that is converted into heat and light	
	(b)	A la	mp is rated as 100W.	
		(i)	Calculate the amount of energy changed into heat and light in the lamp in 5.0 minutes.	
		(ii)	amount of energy = J [2]	
		(ii)	The lamp produces 28 500 J of heat in the 5.0 minutes.	
			Calculate the amount of energy converted into light by the lamp.	
			amount of energy = J [1]	
6	(a)		lin is produced by the pancreas. It acts in the liver, where it affects the conversion of d glucose to stored carbohydrate.	
		(i)	What type of substance is insulin?	
			[1]	
		(ii)	How is insulin transported to the liver?	
			[1]	
		(iii)	Which organ destroys the insulin after it has had its effect?	
			[1]	
	(b)	Nan	ne the part of the eye that changes when	
		(i)	a bright light suddenly shines on the eye,	
		(ii)	the eye adjusts from viewing a near object to viewing a distant object.	
			[2]	

7		lkanes are obtained by the fractional distillation of petroleum (crude oil). Ikenes are made by cracking alkanes.								
	(a)	State <b>one</b> condition used	in the cracking of alkanes.		[1]					
	(b)	State how the molecular alkanes.	structure of alkenes differ	rs from the molecular stru	cture of					
					[1]					
	(c)	,	shed from alkanes by addin when bromine is added to a	• .						
		colour changes from	to		[2]					
	(d)	Poly(ethene) is made from Explain the meaning of the	m ethene by polymerisation. ne term <i>polymerisation</i> .							
8	A st	tudent performs an experir	nent to obtain an extension-	load graph for a spring.						
	(a)	State what measurement	s are made in order to dete	rmine the extension of the	spring.					
					[1]					
	(b)	•	vith no load is 8.0 cm. of the spring for different loaning in the missing values of							
		load/N	length/cm	extension/cm						
		1.0	9.2							
			15.2	7.2						

Fig. 8.1

[2]

For Examiner's Use

(a)	The	cotyledons of a seed contain an enzyme that digests starch.	Fo
	(i)	Name an enzyme that digests starch.	Exam Us
	(ii)	Name the product of this digestion.	
		[2]	
(b)		iece of cotyledon was placed on a jelly containing starch. econd piece was boiled in water and cooled before being placed on the jelly.	
	lodi	er 24 hours, iodine solution was poured onto the jelly. ne and starch react to give a dark blue/black colour. 9.1 shows how the dish looked.	





Fig. 9.1

	Explain why there is a clear area around the unboiled cotyledon.
	[2]
(c)	Explain why there is no clear area around the boiled cotyledon.
	[2]

**10** Study the following reaction scheme.



C.
(

acid A	
colourless gas B	
brown solid <b>C</b>	[3]

(b)	Suggest why the copper(II) sulphate solution reacts with iron but does <b>not</b> react with silver.

**11** Fig. 11.1 shows a magnet moving into a coil of wire. A sensitive ammeter measures the current in the coil.

For Examiner's Use





Fig. 11.1

Complete the following sentences using the words below.

You may use each word once, more than once, or not at all.

broken	changing	consta	stant complete high		high		
	induces	low p	roduces	zero			
As the magnet moves into the coil, the magnetic field inside the coil							
	an e.m.f. ir	n the circuit.	Because	e the circui	t is,		
a current is pro	oduced. The cu	rrent is zero	wheneve	er the spee	ed of the magnet is		
					[4]		

**12** Fig. 12.1 represents part of the carbon cycle.



For Examiner's Use

[3]

Fig. 12.1

box 4 respiration 5 box 3 feeding dead box 2 organisms

What words should be written in the boxes labelled 1, 3 and 4?

- State the process that is represented by the arrow labelled 5. (ii)
- (b) Name the substance in box 1 that contains carbon and is formed by photosynthesis.

**13** Fig. 13.1 shows a force of 20 N being used to move a block of mass 5.0 kg across a horizontal frictionless surface.

For Examiner's Use




Fig. 13.1

(a) Calculate the acceleration of the block.

**(b)** On Earth, the gravitational field strength  $g = 10 \,\text{N/kg}$ .

Calculate the weight of the block.

(c) The force of 20 N moves the block a distance of 40 cm.

Calculate the work done by the force.

	ocket e.	explodes 99 m above the ground. Both light and sound are produced at the same					
The	The speed of sound is 330 m/s.						
(a) (i) Explain why the explosion of the rocket is seen by a boy on the ground hears it exploding.							
	/::\	Coloulate the chartest time that the sound takes to reach the ground					
	(ii)	Calculate the shortest time that the sound takes to reach the ground.					
		ı.					
		time = s [2]					
(b)	The	light emitted by the exploding rocket has many different frequencies.					
	Sta	te what is meant by the frequency of a wave.					
	Sta	te what is meant by the <i>frequency</i> of a wave.					
	Sta						
(c)							
(c)	 Visi	[1]					
(c)	 Visi	ble light is one component of the electromagnetic spectrum.					

15 Fig. 15.1 shows a cross-section through a flower.






Fig. 15.1

(a)	(i)	Give the letters of the structures that contain cells with nuclei which fuse dur sexual reproduction?	ing
		and	[2]
	(ii)	Name the structure that is formed by the fusion of the nuclei of these two cells.	
			[1]
(b)	Into	what do each of the structures labelled <b>D</b> and <b>E</b> develop?	
	<b>D</b> de	evelops into	
	E de	evelops into	[2]
			LJ

16	<sup>16</sup> O	<sup>6</sup> O and <sup>18</sup> O are isotopes of the element oxygen.						
	(a)	) State how the two isotopes are different.						
		[1]						
	(b)	Explain why the two isotopes have the same chemical properties.						
		[2]						
	(c)	State the electronic structure of <sup>16</sup> O						
	(d)	State the relationship between the electronic arrangement of an oxygen atom and the group that oxygen belongs to in the Periodic Table.						
		[1]						
17	Fig.	17.1 shows a root hair cell.						
	9.							
		Fig. 17.1						
	(a)	State two substances that are absorbed by a root hair cell.						
		1						
		2						
		[2]						
	(b)	State two features of a root hair cell that make it suitable for absorption.						
		1						
		2						
		[2]						

18 (a) Fig. 18.1 shows a ray of light from a pin that is incident on a plane mirror at point A.

For Examiner's Use




Fig. 18.1

- (i) On Fig. 18.1, draw the normal to the mirror at **A**. [1]
- (ii) On Fig. 18.1, mark the position of the image of the pin as seen in the mirror. [2]
- (iii) Calculate the angle of incidence.

angle of incidence = .....° [1]

(b) Fig. 18.2 shows a ray of light entering a parallel-sided glass block.




Fig. 18.2

Complete Fig. 18.2 to show the path of the ray inside the block and after leaving the block. [2]

(a)	Def	·	For Examiner's Use	
/L-\		[2]	USE	
<b>(b)</b> Sodium reacts with water to produce sodium hydroxide solution and hydrogen.  The equation for the reaction is				
		2Na + 2 $H_2$ O $\rightarrow$ 2NaOH + $H_2$		
	(i)	Calculate the relative molecular mass of sodium hydroxide. ( $A_r$ : H, 1; Na, 23; O, 16.)		
		[1]		
	(ii)	Calculate the mass of water required to react with 4.6 g of sodium. ( $A_r$ : Na, 23.)		
		mass = g [2]		
(c)	Sta	te a test to show that sodium hydroxide solution is alkaline.		
	test	t		
	resi			
	(b)	(b) Soo The (ii)  (c) Statest	(b) Sodium reacts with water to produce sodium hydroxide solution and hydrogen. The equation for the reaction is $2\text{Na} + 2\text{H}_2\text{O} \implies 2\text{NaOH} + \text{H}_2$ (i) Calculate the relative molecular mass of sodium hydroxide. $(A_r; \text{H, 1; Na, 23; O, 16.})$ $[1]$ (ii) Calculate the mass of water required to react with 4.6 g of sodium. $(A_r; \text{Na, 23.})$ $\text{mass} = 2\text{mass} = $	

## **BLANK PAGE**

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>H</b> elium	20 <b>Neon</b>	40 gon	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> Xenon	<b>Rn</b> Radon	
		2 ⊕ <b>1</b>	10	18 Ar	Kr.)	1 X ×e	86	
			19 <b>T</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85	
	>		16 Oxygen 8	32 <b>S</b> Sulphur 16	79 Selenium 34	128 <b>Te</b> Tellurium 52	Po Polonium 84	
	>		14 <b>N</b> Nitrogen 7	31  Phosphorus	75 <b>As</b> Arsenic 33	Sb Antimony	209 <b>Bis</b> Bismuth 83	
	2		12 <b>C</b> Carbon	28 <b>Si</b> Silicon	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> Tin	207 <b>Pb</b> Lead 82	
	≡		11 Boron 5	27 <b>A1</b> Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>In</b> Indium 49	204 <b>T1</b> Thallium 81	
ts					65 <b>Zn</b> 2inc 30	112 <b>Cd</b> Cadmium 48	201 <b>Hg</b> Mercury 80	
Elemen					64 <b>Cu</b> Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold 79	
able of the Group					59 <b>Ni</b> Nickel	106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78	
dic Tabl					59 <b>Co</b> Cobalt 27	103 <b>Rh</b> Rhodium	192 <b>Ir</b> Irdium	
The Periodic Table of the Elements Group		T Hydrogen			56 <b>Fe</b> Iron 26	Ru Ruthenium 44	190 <b>Os</b> Osmium 76	
-					55 <b>Mn</b> Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75	
					52 <b>Cr</b> Chromium 24	96 Molybdenum 42	184 <b>W</b> Tungsten 74	
					51 <b>V</b> Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum 73	
					48 <b>Ti</b> Titanium 22	91 <b>Zr</b> Zirconium 40	178 <b>Hf</b> Hafnium 72	
					45 <b>Sc</b> Scandium 21	89 <b>Y</b> Yttrium 39	139 <b>La</b> Lanthanum 57 *	227 <b>Ac</b> Actinium †
	=		9 <b>Be</b> Beryllium	24 Magnesium	40 <b>Ca</b> Calcium	Sr Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88
	_		7 <b>L.i</b> Lithium	23 <b>Na</b> Sodium	39 <b>K</b> Potassium	85 <b>Rb</b> Rubidium 37	CS Caesium 55	Francium 87

173 **Xb** Ytterbium Md Mendelevium 101 169 **Thuli**um 167 **Er** Erbium Fn 165 **H**olmium ರ **BK**Berkelium
97 Curium 157 **Gd** 152 **Eu** Europium Am 150 **Sm** Pu 144 **Z** 238 ₹ ₽ 140 **Cerium** 232 **Th** 28 6 b = proton (atomic) number a = relative atomic mass X = atomic symbol

\*58-71 Lanthanoid series †90-103 Actinoid series

Key

175 **Lu** Lutetium

Ľ

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).