



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

5070/23

Paper 2 Theory

October/November 2010

1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

Section B

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

Section A

B6

B7

B8

B9

Total

This document consists of **17** printed pages and **3** blank pages.



Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

For
Examiner's
Use

A1 (a) Choose from the following list of metals to answer the questions below.

aluminium
iron
lead
magnesium
potassium
silver
vanadium

Each metal can be used once, more than once or not at all.

Which metal

- (i)** reacts with cold water to form an alkaline solution,
..... [1]
- (ii)** forms a protective oxide layer on its surface,
..... [1]
- (iii)** is the catalyst used in the industrial manufacture of ammonia,
..... [1]
- (iv)** is a sacrificial metal used to prevent iron pipes from rusting,
..... [1]
- (v)** is in Period 5 of the Periodic Table?
..... [1]

(b) Draw a labelled diagram to show the structure of a typical metal.

[2]

[Total: 7]

A2 Ethanol can be made both by fermentation and by the addition of steam to ethene.

For
Examiner's
Use

(a) (i) Name the organic compound required for fermentation.

..... [1]


(ii) State the conditions under which fermentation most readily takes place.

.....
..... [2]

(b) Write an equation for the reaction between steam and ethene.

[1]

(c) Ethanol, C₂H₅OH, reacts with ethanoic acid, CH₃COOH.



(i) Name the compound CH₃COOC₂H₅.

..... [1]

(ii) What name is given to this type of chemical reaction?

..... [1]

(d) (i) Name the third member of the alcohol homologous series.


..... [1]

(ii) Draw the structural formula of this compound, showing all atoms and bonds.

[1]

[Total: 8]

- A3** A student measured the volume of hydrogen produced over time when small pieces of zinc reacted with excess sulfuric acid. The results are shown in the graph below.



- (a) Use the information from the graph to calculate the average speed of reaction in the first two minutes.

[1]

- (b) Explain why the reaction stopped after 6 minutes.

..... [1]

- (c) Copper catalyses this reaction.

- (i) On the axes above, sketch a line to show the expected results for the catalysed reaction. [1]

- (ii) Explain how a catalyst changes the speed of reaction.

..... [1]

(d) Explain, using ideas about colliding particles, what happens to the speed of this reaction when larger particles of zinc are used.

For
Examiner's
Use

.....
.....
..... [2]

(e) Explain, using ideas about colliding particles, what happens to the speed of this reaction when the temperature of the reaction mixture is increased.

.....
.....
..... [2]

[Total: 8]

A4 Chlorine, bromine and iodine are non-metals in Group VII of the Periodic Table. Their molecules are diatomic.

For
Examiner's
Use

(a) What do you understand by the term *diatomic*?

..... [1]

(b) (i) Describe the trend in colour of the Group VII elements down the Group.


..... [1]

(ii) In what physical state do the following elements exist at room temperature and pressure?

bromine

iodine [2]

(c) Aqueous bromine reacts with aqueous potassium iodide.



(i) Write an ionic equation for this reaction.

[1]

(ii) Describe a positive test for iodide ions.

test

observation [2]

(iii) Explain why aqueous bromine does not react with aqueous potassium chloride.

.....


..... [1]

(d) Hydrochloric acid can be made by burning hydrogen in chlorine, then dissolving the product in water.

Give the formulae for the ions present in hydrochloric acid.

..... [1]

- (e) An aqueous solution of calcium hydroxide was titrated with 0.0150 mol/dm^3 hydrochloric acid.



It required 6.00 cm^3 of this aqueous hydrochloric acid to neutralise 20.0 cm^3 of the calcium hydroxide solution.

Calculate the concentration, in mol/dm^3 , of the calcium hydroxide solution.


For
Examiner's
Use

[3]


[Total: 12]

A5 Carbon and graphite are two forms of carbon.

For
Examiner's
Use



diamond



graphite

- (a) (i) Describe **two** differences in the structure of diamond and graphite.

.....


 [2]

- (ii) Explain, in terms of their structure, why graphite is soft but diamond is hard.

.....

 [2]

- (b) Tin is extracted by heating tin(IV) oxide, SnO_2 , with carbon in a furnace.



- (i) How does this equation show that tin(IV) oxide gets reduced?

.....
 [1]

- (ii) Explain why carbon monoxide must not be allowed to escape from the furnace.

..... [1]

- (c) Carbon monoxide can be formed by the reduction of carbon dioxide with red-hot carbon.

- (i) Write an equation for this reaction.


[1]

- (ii) Carbon monoxide has a triple covalent bond.
Draw the electronic structure of carbon monoxide. Show only the outer electrons.

For
Examiner's
Use

[2]

- (iii) Carbon monoxide reacts with chromium to form chromium carbonyl.
The structure of chromium carbonyl is shown below.



Write the empirical formula for chromium carbonyl.

..... [1]

[Total: 10]

Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

B6 The carbon cycle regulates the amount of carbon dioxide in the atmosphere.

(a) Explain how the processes of photosynthesis and respiration help to regulate the amount of carbon dioxide in the atmosphere.

.....
.....
.....
.....
..... [3]

(b) Methane is an atmospheric pollutant which contributes to global warming.

(i) Suggest **two** possible consequences of an increase in global warming.

.....
..... [2]

(ii) Write an equation for the complete combustion of methane.

[1]

(iii) Methane is generally unreactive. Apart from combustion, state one other chemical reaction of methane.

..... [1]

(c) Methane is a member of the alkane homologous series.

For
Examiner's
Use

(i) Describe how the boiling points of unbranched alkanes vary with the size of their molecules.

.....
.....[1]


(ii) Alkanes can be cracked to form alkenes.
State the conditions required for cracking alkanes.

.....
.....[2]

[Total: 10]

B7 Zinc chloride is an ionic solid. It can be electrolysed using the apparatus shown below.

For
Examiner's
Use



(a) Explain why zinc chloride conducts electricity when molten, but not when solid.

.....
 [2]

(b) Predict the products of this electrolysis at

the anode,
 the cathode. [1]


(c) When a dilute aqueous solution of zinc chloride is electrolysed, hydroxide ions are converted to oxygen at the anode. Write the ionic equation for this reaction.

[2]

(d) Describe a positive test for zinc ions.

test
 observations
 [3]

- (e) Solid zinc chloride absorbs ammonia to form tetrammine zinc chloride, $\text{Zn}(\text{NH}_3)_4\text{Cl}_2$.



Calculate the maximum yield, in grams, of tetrammine zinc chloride formed when 3.4 g of zinc chloride reacts with excess ammonia.

For
Examiner's
Use

[2]

[Total:10]

B8 Magnesium is a reactive metal.

For
Examiner's
Use

- (a) (i)** Name the products formed when magnesium reacts with steam.

..... [1]

- (ii)** Write the equation for the reaction of magnesium with ethanoic acid, CH_3COOH .

[2]

- (b)** Magnesium chloride is a soluble salt.

Describe how you can make pure dry crystals of magnesium chloride from magnesium carbonate.

.....
.....
.....
.....
..... [3]


- (c)** The equation shows the reaction which occurs when magnesium carbonate is heated.



State the name given to this type of chemical reaction.

..... [1]

- (d) A student compared the action of heat on three solid metal carbonates. She heated each carbonate using the apparatus shown below. In each case, she recorded the length of time taken for the limewater to turn milky.



- (i) State one factor that must be kept constant if the speeds of reaction are to be compared in a fair way.
 [1]
- (ii) The time taken for the limewater to turn milky for each metal carbonate is shown in the table.

metal carbonate	time taken for the limewater to turn milky / s
copper carbonate	10
magnesium carbonate	40
zinc carbonate	24

Describe and explain these results in terms of the reactivity of the metals.

.....

 [2]

[Total: 10]

B9 Sulfur dioxide is a gas which contributes to acid rain.

For
Examiner's
Use

- (a) (i) State one source of sulfur dioxide in the atmosphere.

.....[1]

- (ii) Acid rain can cause lakes to become acidic. This may cause fish and plants in the water to die.

Describe one **other** environmental problem caused by acid rain.

.....[1]

- (b) Acid rain is a solution of dilute sulfuric acid.

The acidity in lakes can be neutralised by adding powdered calcium carbonate.

- (i) Write an equation, including state symbols, for the reaction of calcium carbonate with sulfuric acid.

[2]

- (ii) State one industrial use of sulfuric acid.

.....[1]

- (iii) Sulfuric acid is a strong acid.

What do you understand by the term *strong acid*?


.....
.....[1]

- (c) Sulfuric acid is manufactured by the Contact process.

Name the raw materials used in the first stage of the Contact process.

.....[1]

- (d) The equation shows the second stage of the Contact process.



- (i) State the meaning of the symbol ΔH .

.....[1]

- (ii) Predict and explain the effect of increasing the temperature on the position of equilibrium in this reaction.

.....
.....
.....[2]

[Total: 10]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

Group									
I	II	III	IV	V	VI	VII	VIII	IX	X
1 H Hydrogen									
3 Li Lithium	4 Be Beryllium	5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon		
11 Na Sodium	12 Mg Magnesium	13 Al Aluminium	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon		
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium
55 Cs Caesium	56 Ba Barium	57 La Lanthanum	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum
87 Fr Francium	88 Ra Radium	89 Ac Actinium							
223 Fr Francium	226 Ra Radium	227 Ac Actinium							
55 Cs Caesium	56 Ba Barium	57 La Lanthanum	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum
87 Fr Francium	88 Ra Radium	89 Ac Actinium							
133 Cs Caesium	137 Ba Barium	139 La Lanthanum	178 Hf Hafnium	181 Ta Tantalum	184 W Tungsten	186 Re Rhenium	190 Os Osmium	192 Ir Iridium	195 Pt Platinum
223 Fr Francium	226 Ra Radium	227 Ac Actinium							
11 B Boron	12 C Carbon	13 Al Aluminium	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon		
27 Al Aluminium	28 Si Silicon	29 Ga Gallium	30 Zn Zinc	31 P Phosphorus	32 S Sulfur	33 Cl Chlorine	34 Ar Argon		
49 In Indium	50 Tl Thallium	51 Cd Cadmium	52 Hg Mercury	53 Sb Antimony	54 Te Tellurium	55 I Iodine	56 Xe Xenon		
81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon				
162 Dy Dysprosium	163 Ho Holmium	164 Er Erbium	165 Tm Thulium	166 Yb Ytterbium	167 Lu Lutetium				
159 Tb Terbium	160 Dy Dysprosium	161 Ho Holmium	162 Er Erbium	163 Tm Thulium	164 Yb Ytterbium	165 Lu Lutetium			
247 Bk Berkelium	248 Cf Californium	249 Am Americium	250 Cm Curium	251 Bk Berkelium	252 Cf Californium	253 Am Americium	254 Cm Curium	255 Bk Berkelium	256 Cf Californium
152 Eu Europium	153 Gd Gadolinium	154 Tb Terbium	155 Dy Dysprosium	156 Ho Holmium	157 Er Erbium	158 Tm Thulium	159 Yb Ytterbium	160 Lu Lutetium	
147 Pm Promethium	148 Sm Samarium	149 Eu Europium	150 Gd Gadolinium	151 Tb Terbium	152 Dy Dysprosium	153 Ho Holmium	154 Er Erbium	155 Tm Thulium	156 Yb Ytterbium
144 Nd Neodymium	145 Pm Promethium	146 Sm Samarium	147 Eu Europium	148 Gd Gadolinium	149 Tb Terbium	150 Dy Dysprosium	151 Ho Holmium	152 Er Erbium	153 Tm Thulium
141 Pr Praseodymium	142 Nd Neodymium	143 Pm Promethium	144 Sm Samarium	145 Eu Europium	146 Gd Gadolinium	147 Tb Terbium	148 Dy Dysprosium	149 Ho Holmium	150 Er Erbium
140 Ce Cerium	141 Pr Praseodymium	142 Nd Neodymium	143 Pm Promethium	144 Sm Samarium	145 Eu Europium	146 Gd Gadolinium	147 Tb Terbium	148 Dy Dysprosium	149 Ho Holmium
232 Th Thorium	231 Pa Protactinium	230 U Uranium	231 Np Neptunium	232 Pu Plutonium	233 Am Americium	234 Cm Curium	235 Bk Berkelium	236 Cf Californium	237 Am Americium
90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Am Americium
232 Th Thorium	231 Pa Protactinium	230 U Uranium	231 Np Neptunium	232 Pu Plutonium	233 Am Americium	234 Cm Curium	235 Bk Berkelium	236 Cf Californium	237 Am Americium
90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Am Americium
175 Lu Lutetium	176 Yb Ytterbium	177 Lu Lutetium	178 Hf Hafnium	179 Ta Tantalum	180 W Tungsten	181 Re Rhenium	182 Os Osmium	183 Ir Iridium	184 Pt Platinum
175 Lu Lutetium	176 Yb Ytterbium	177 Lu Lutetium	178 Hf Hafnium	179 Ta Tantalum	180 W Tungsten	181 Re Rhenium	182 Os Osmium	183 Ir Iridium	184 Pt Platinum
260 Lr Lawrencium	261 No Nobelium	262 Lr Lawrencium	263 Uu Ununnilium	264 Uub Ununnilium	265 Uuc Ununnilium	266 Uud Ununnilium	267 Uue Ununnilium	268 Uuq Ununnilium	269 Uug Ununnilium
103 Lr Lawrencium	104 No Nobelium	105 Lr Lawrencium	106 Uu Ununnilium	107 Uub Ununnilium	108 Uuc Ununnilium	109 Uud Ununnilium	110 Uue Ununnilium	111 Uuq Ununnilium	112 Uug Ununnilium

* 58–71 Lanthanoid series
† 90–103 Actinoid series

Key

a	X	= relative atomic mass
b	X	= atomic symbol
c	X	= atomic (proton) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).